

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Means of Continuous Data Elements

| Variable | Label | N | N Miss | Min | Max | Mean | Std Error |
|------------|---|------------|------------|-----|-----|--------|-----------|
| AGE | Age in years at admission | 26,625,568 | 2,355 | 0 | 124 | 37.86 | 0.30 |
| AMONTH | Admission month | 22,093,860 | 4,534,063 | 1 | 12 | 6.50 | 0.01 |
| AWEEKEND | Admission day is a weekend | 26,620,281 | 7,642 | 0 | 1 | 0.29 | 0.00 |
| CHRON1 | Chronic condition indicator 1 | 26,595,111 | 32,812 | 0 | 1 | 0.16 | 0.00 |
| CHRON10 | Chronic condition indicator 10 | 1,475,652 | 25,152,271 | 0 | 1 | 0.57 | 0.00 |
| CHRON11 | Chronic condition indicator 11 | 1,172,923 | 25,455,000 | 0 | 1 | 0.56 | 0.00 |
| CHRON12 | Chronic condition indicator 12 | 970,293 | 25,657,630 | 0 | 1 | 0.55 | 0.00 |
| CHRON13 | Chronic condition indicator 13 | 796,222 | 25,831,701 | 0 | 1 | 0.54 | 0.00 |
| CHRON14 | Chronic condition indicator 14 | 645,473 | 25,982,450 | 0 | 1 | 0.52 | 0.00 |
| CHRON15 | Chronic condition indicator 15 | 508,470 | 26,119,453 | 0 | 1 | 0.51 | 0.00 |
| CHRON2 | Chronic condition indicator 2 | 17,216,301 | 9,411,622 | 0 | 1 | 0.38 | 0.00 |
| CHRON3 | Chronic condition indicator 3 | 10,963,158 | 15,664,765 | 0 | 1 | 0.51 | 0.00 |
| CHRON4 | Chronic condition indicator 4 | 7,521,768 | 19,106,155 | 0 | 1 | 0.57 | 0.00 |
| CHRON5 | Chronic condition indicator 5 | 5,516,213 | 21,111,710 | 0 | 1 | 0.59 | 0.00 |
| CHRON6 | Chronic condition indicator 6 | 4,247,679 | 22,380,244 | 0 | 1 | 0.59 | 0.00 |
| CHRON7 | Chronic condition indicator 7 | 3,369,022 | 23,258,901 | 0 | 1 | 0.59 | 0.00 |
| CHRON8 | Chronic condition indicator 8 | 2,736,976 | 23,890,947 | 0 | 1 | 0.58 | 0.00 |
| CHRON9 | Chronic condition indicator 9 | 2,222,180 | 24,405,743 | 0 | 1 | 0.57 | 0.00 |
| DIED_VISIT | Died in the ED (1), Died in the hospital (2), did not die (0) | 26,141,482 | 486,441 | 0 | 2 | 0.01 | 0.00 |
| DISP_ED | Disposition of patient (uniform) from ED | 26,627,923 | 0 | 1 | 99 | 4.17 | 0.32 |
| DQTR | Discharge quarter | 26,627,923 | 0 | 1 | 4 | 2.50 | 0.00 |
| DXCCS1 | CCS: diagnosis 1 | 26,595,111 | 32,812 | 1 | 670 | 189.22 | 0.52 |
| DXCCS10 | CCS: diagnosis 10 | 1,475,652 | 25,152,271 | 1 | 670 | 179.48 | 0.74 |
| DXCCS11 | CCS: diagnosis 11 | 1,172,923 | 25,455,000 | 1 | 670 | 178.60 | 0.74 |
| DXCCS12 | CCS: diagnosis 12 | 970,293 | 25,657,630 | 1 | 670 | 178.73 | 0.78 |
| DXCCS13 | CCS: diagnosis 13 | 796,222 | 25,831,701 | 1 | 670 | 178.83 | 0.80 |
| DXCCS14 | CCS: diagnosis 14 | 645,473 | 25,982,450 | 1 | 670 | 178.79 | 0.85 |
| DXCCS15 | CCS: diagnosis 15 | 508,470 | 26,119,453 | 1 | 670 | 179.26 | 0.98 |
| DXCCS2 | CCS: diagnosis 2 | 17,216,301 | 9,411,622 | 1 | 670 | 196.75 | 1.03 |
| DXCCS3 | CCS: diagnosis 3 | 10,963,158 | 15,664,765 | 1 | 670 | 196.45 | 1.23 |
| DXCCS4 | CCS: diagnosis 4 | 7,521,768 | 19,106,155 | 1 | 670 | 192.05 | 1.19 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Means of Continuous Data Elements

| Variable | Label | N | N Miss | Min | Max | Mean | Std Error |
|------------------|---|------------|------------|------|-------|---------|-----------|
| DXCCS5 | CCS: diagnosis 5 | 5,516,213 | 21,111,710 | 1 | 670 | 188.23 | 1.07 |
| DXCCS6 | CCS: diagnosis 6 | 4,247,679 | 22,380,244 | 1 | 670 | 185.47 | 0.95 |
| DXCCS7 | CCS: diagnosis 7 | 3,369,022 | 23,258,901 | 1 | 670 | 183.43 | 0.82 |
| DXCCS8 | CCS: diagnosis 8 | 2,736,976 | 23,890,947 | 1 | 670 | 182.04 | 0.75 |
| DXCCS9 | CCS: diagnosis 9 | 2,222,180 | 24,405,743 | 1 | 670 | 181.15 | 0.68 |
| EDEVENT | Type of ED Event | 26,627,923 | 0 | 1 | 99 | 2.92 | 0.32 |
| E_CCS1 | CCS: E Code 1 | 6,956,539 | 19,671,384 | 662 | 2621 | 2583.97 | 0.55 |
| E_CCS2 | CCS: E Code 2 | 3,509,014 | 23,118,909 | 662 | 2621 | 2608.90 | 0.62 |
| E_CCS3 | CCS: E Code 3 | 501,561 | 26,126,362 | 662 | 2621 | 2588.94 | 2.07 |
| E_CCS4 | CCS: E Code 4 | 228,023 | 26,399,900 | 662 | 2621 | 2604.97 | 2.16 |
| FEMALE | Indicator of sex | 26,621,104 | 6,819 | 0 | 1 | 0.55 | 0.00 |
| HOSP_REGION | Region of hospital | 26,627,923 | 0 | 1 | 4 | 2.55 | 0.02 |
| INTENT_SELF_HARM | Intentional self harm indicated on the record (by diagnosis and/or E codes) | 26,627,923 | 0 | 0 | 1 | 0.01 | 0.00 |
| NDX | Number of diagnoses on this record | 26,627,923 | 0 | 0 | 79 | 3.25 | 0.03 |
| NECODE | Number of E codes on this record | 26,627,923 | 0 | 0 | 18 | 0.42 | 0.01 |
| PAY1 | Primary expected payer (uniform) | 26,504,226 | 123,697 | 1 | 6 | 2.72 | 0.01 |
| PAY2 | Secondary expected payer (uniform) | 5,672,957 | 20,954,966 | 1 | 6 | 3.09 | 0.05 |
| PL_NCHS2006 | Patient Location: NCHS Urban-Rural Code (V2006) | 26,449,059 | 178,864 | 1 | 6 | 2.86 | 0.03 |
| TOTCHG_ED | Total charge for ED services | 21,730,770 | 4,897,153 | 100 | 74933 | 1473.64 | 28.66 |
| YEAR | Calendar year | 26,627,923 | 0 | 2007 | 2007 | 2007.00 | 0.00 |
| ZIPINC_QRTL | Median household income national quartile for patient ZIP Code | 25,968,582 | 659,341 | 1 | 4 | 2.24 | 0.03 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for AGE***

| AGE | Frequency | Percent |
|------------------|------------------|----------------|
| .: missing | 1,671 | 0.00 |
| .C: inconsistent | 9,913 | 0.01 |
| 0 | 3,714,165 | 3.04 |
| 1 | 3,162,566 | 2.59 |
| 2 | 2,205,637 | 1.80 |
| 3 | 1,709,226 | 1.40 |
| 4 | 1,419,479 | 1.16 |
| 5 | 1,297,891 | 1.06 |
| 6 | 1,157,675 | 0.95 |
| 7 | 1,029,548 | 0.84 |
| 8 | 955,957 | 0.78 |
| 9 | 929,402 | 0.76 |
| 10 | 919,463 | 0.75 |
| 11 | 914,933 | 0.75 |
| 12 | 950,569 | 0.78 |
| 13 | 1,025,553 | 0.84 |
| 14 | 1,139,941 | 0.93 |
| 15 | 1,282,394 | 1.05 |
| 16 | 1,469,823 | 1.20 |
| 17 | 1,668,367 | 1.36 |
| 18 | 2,007,848 | 1.64 |
| 19 | 2,090,465 | 1.71 |
| 20 | 2,115,875 | 1.73 |
| 21 | 2,167,905 | 1.77 |
| 22 | 2,140,926 | 1.75 |
| 23 | 2,080,785 | 1.70 |
| 24 | 2,092,768 | 1.71 |
| 25 | 2,089,222 | 1.71 |
| 26 | 2,064,071 | 1.69 |
| 27 | 2,018,152 | 1.65 |
| 28 | 1,916,380 | 1.57 |
| 29 | 1,825,491 | 1.49 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for AGE

| AGE | Frequency | Percent |
|-----|-----------|---------|
| 30 | 1,754,816 | 1.43 |
| 31 | 1,651,333 | 1.35 |
| 32 | 1,629,857 | 1.33 |
| 33 | 1,569,740 | 1.28 |
| 34 | 1,580,970 | 1.29 |
| 35 | 1,624,718 | 1.33 |
| 36 | 1,705,695 | 1.39 |
| 37 | 1,663,609 | 1.36 |
| 38 | 1,597,525 | 1.31 |
| 39 | 1,570,852 | 1.28 |
| 40 | 1,591,731 | 1.30 |
| 41 | 1,629,936 | 1.33 |
| 42 | 1,679,696 | 1.37 |
| 43 | 1,713,156 | 1.40 |
| 44 | 1,701,098 | 1.39 |
| 45 | 1,684,568 | 1.38 |
| 46 | 1,682,945 | 1.38 |
| 47 | 1,654,235 | 1.35 |
| 48 | 1,605,655 | 1.31 |
| 49 | 1,566,280 | 1.28 |
| 50 | 1,536,608 | 1.26 |
| 51 | 1,471,379 | 1.20 |
| 52 | 1,401,067 | 1.15 |
| 53 | 1,342,536 | 1.10 |
| 54 | 1,274,811 | 1.04 |
| 55 | 1,216,938 | 0.99 |
| 56 | 1,155,322 | 0.94 |
| 57 | 1,111,260 | 0.91 |
| 58 | 1,098,465 | 0.90 |
| 59 | 1,096,783 | 0.90 |
| 60 | 1,118,229 | 0.91 |
| 61 | 898,633 | 0.73 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for AGE

| AGE | Frequency | Percent |
|-----|-----------|---------|
| 62 | 884,225 | 0.72 |
| 63 | 893,235 | 0.73 |
| 64 | 915,373 | 0.75 |
| 65 | 874,322 | 0.71 |
| 66 | 826,643 | 0.68 |
| 67 | 811,420 | 0.66 |
| 68 | 791,425 | 0.65 |
| 69 | 790,209 | 0.65 |
| 70 | 766,315 | 0.63 |
| 71 | 777,529 | 0.64 |
| 72 | 781,769 | 0.64 |
| 73 | 753,001 | 0.62 |
| 74 | 776,080 | 0.63 |
| 75 | 786,475 | 0.64 |
| 76 | 795,834 | 0.65 |
| 77 | 811,709 | 0.66 |
| 78 | 807,356 | 0.66 |
| 79 | 821,522 | 0.67 |
| 80 | 815,277 | 0.67 |
| 81 | 798,020 | 0.65 |
| 82 | 797,849 | 0.65 |
| 83 | 766,765 | 0.63 |
| 84 | 730,785 | 0.60 |
| 85 | 703,647 | 0.58 |
| 86 | 649,496 | 0.53 |
| 87 | 579,546 | 0.47 |
| 88 | 489,360 | 0.40 |
| 89 | 443,542 | 0.36 |
| 90 | 372,773 | 0.30 |
| 91 | 316,255 | 0.26 |
| 92 | 264,043 | 0.22 |
| 93 | 212,930 | 0.17 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for AGE

| AGE | Frequency | Percent |
|--------------|------------------|----------------|
| 94 | 166,456 | 0.14 |
| 95 | 125,039 | 0.10 |
| 96 | 90,908 | 0.07 |
| 97 | 65,563 | 0.05 |
| 98 | 44,419 | 0.04 |
| 99 | 29,460 | 0.02 |
| 100 | 19,139 | 0.02 |
| 101 | 11,412 | 0.01 |
| 102 | 6,993 | 0.01 |
| 103 | 4,036 | 0.00 |
| 104 | 2,457 | 0.00 |
| 105 | 1,368 | 0.00 |
| 106 | 1,572 | 0.00 |
| 107 | 1,538 | 0.00 |
| 108 | 723 | 0.00 |
| 109 | 66 | 0.00 |
| 110 or older | 1,356 | 0.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for AMONTH***

| AMONTH | Frequency | Percent |
|---------------|------------------|----------------|
| .: Missing | 19,081,997 | 15.60 |
| 1: January | 8,759,895 | 7.16 |
| 2: February | 8,100,982 | 6.62 |
| 3: March | 8,888,841 | 7.27 |
| 4: April | 8,406,974 | 6.87 |
| 5: May | 8,865,233 | 7.25 |
| 6: June | 8,408,896 | 6.87 |
| 7: July | 8,763,456 | 7.16 |
| 8: August | 8,798,039 | 7.19 |
| 9: September | 8,687,640 | 7.10 |
| 10: October | 8,738,350 | 7.14 |
| 11: November | 8,329,218 | 6.81 |
| 12: December | 8,502,218 | 6.95 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for A WEEKEND

| A WEEKEND | Frequency | Percent |
|--------------------|------------------|----------------|
| .: Missing | 38,654 | 0.03 |
| 0: Monday-Friday | 86,820,448 | 70.97 |
| 1: Saturday-Sunday | 35,472,637 | 29.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for CHRON1***

| CHRON1 | Frequency | Percent |
|--------------------------|------------------|----------------|
| .: Missing | 41,777 | 0.03 |
| .A: Invalid code | 107,280 | 0.09 |
| .C: Inconsistent code | 2,211 | 0.00 |
| 0: Non-chronic condition | 102,383,480 | 83.69 |
| 1: Chronic condition | 19,796,992 | 16.18 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DIED_VISIT

| DIED_VISIT | Frequency | Percent |
|-------------------------|------------------|----------------|
| .: Missing | 2,202,416 | 1.80 |
| 0: Did not die | 119,379,732 | 97.59 |
| 1: Died in the ED | 190,306 | 0.16 |
| 2: Died in the hospital | 559,285 | 0.46 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DISCWT***

| DISCWT | Frequency | Percent |
|-----------|-------------|---------|
| Non-blank | 122,331,739 | 100.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DISP_ED***

| DISP_ED | Frequency | Percent |
|--|------------------|----------------|
| 1: Routine | 95,891,394 | 78.39 |
| 2: Transfer: short-term hospital | 1,383,929 | 1.13 |
| 5: Transfer: other type of facility | 1,423,280 | 1.16 |
| 6: Home health care | 607,014 | 0.50 |
| 7: Against medical advice | 1,627,440 | 1.33 |
| 9: Admitted as an inpatient to this hospital | 19,024,006 | 15.55 |
| 20: Died in ED | 190,306 | 0.16 |
| 98: Not admitted to this hospital, destination unknown | 2,174,088 | 1.78 |
| 99: Discharged alive, destination unknown | 10,283 | 0.01 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DQTR

| DQTR | Frequency | Percent |
|-------------------|------------------|----------------|
| 1: First quarter | 30,629,217 | 25.04 |
| 2: Second quarter | 30,406,220 | 24.86 |
| 3: Third quarter | 30,944,159 | 25.30 |
| 4: Fourth quarter | 30,352,143 | 24.81 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DX1

| DX1 | Frequency | Percent |
|------------------------|------------------|----------------|
| Blank | 41,777 | 0.03 |
| Valid DX | 122,180,471 | 99.88 |
| Inconsistent DX (incn) | 2,211 | 0.00 |
| Invalid DX (invl) | 107,280 | 0.09 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|---|-----------|---------|
| :: Missing | 41,777 | 0.03 |
| A: Invalid diagnosis | 107,280 | 0.09 |
| C: Inconsistent | 2,211 | 0.00 |
| 1: Tuberculosis | 6,761 | 0.01 |
| 2: Septicemia (except in labor) | 585,943 | 0.48 |
| 3: Bacterial infection; unspecified site | 44,033 | 0.04 |
| 4: Mycoses | 305,320 | 0.25 |
| 5: HIV infection | 72,104 | 0.06 |
| 6: Hepatitis | 35,496 | 0.03 |
| 7: Viral infection | 1,417,458 | 1.16 |
| 8: Other infections; including parasitic | 159,965 | 0.13 |
| 9: Sexually transmitted infections (not HIV or hepatitis) | 40,009 | 0.03 |
| 10: Immunizations and screening for infectious disease | 144,569 | 0.12 |
| 11: Cancer of head and neck | 10,276 | 0.01 |
| 12: Cancer of esophagus | 6,281 | 0.01 |
| 13: Cancer of stomach | 10,225 | 0.01 |
| 14: Cancer of colon | 34,920 | 0.03 |
| 15: Cancer of rectum and anus | 11,581 | 0.01 |
| 16: Cancer of liver and intrahepatic bile duct | 11,046 | 0.01 |
| 17: Cancer of pancreas | 19,144 | 0.02 |
| 18: Cancer of other GI organs; peritoneum | 7,888 | 0.01 |
| 19: Cancer of bronchus; lung | 81,299 | 0.07 |
| 20: Cancer; other respiratory and intrathoracic | 845 | 0.00 |
| 21: Cancer of bone and connective tissue | 4,361 | 0.00 |
| 22: Melanomas of skin | 1,245 | 0.00 |
| 23: Other non-epithelial cancer of skin | 2,614 | 0.00 |
| 24: Cancer of breast | 12,682 | 0.01 |
| 25: Cancer of uterus | 4,076 | 0.00 |
| 26: Cancer of cervix | 3,690 | 0.00 |
| 27: Cancer of ovary | 7,944 | 0.01 |
| 28: Cancer of other female genital organs | 986 | 0.00 |
| 29: Cancer of prostate | 9,566 | 0.01 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|---|-----------|---------|
| 30: Cancer of testis | 902 | 0.00 |
| 31: Cancer of other male genital organs | 207 | 0.00 |
| 32: Cancer of bladder | 10,718 | 0.01 |
| 33: Cancer of kidney and renal pelvis | 7,135 | 0.01 |
| 34: Cancer of other urinary organs | 538 | 0.00 |
| 35: Cancer of brain and nervous system | 17,120 | 0.01 |
| 36: Cancer of thyroid | 1,043 | 0.00 |
| 37: Hodgkin's disease | 2,319 | 0.00 |
| 38: Non-Hodgkin's lymphoma | 23,992 | 0.02 |
| 39: Leukemias | 23,659 | 0.02 |
| 40: Multiple myeloma | 9,565 | 0.01 |
| 41: Cancer; other and unspecified primary | 3,239 | 0.00 |
| 42: Secondary malignancies | 131,834 | 0.11 |
| 43: Malignant neoplasm without specification of site | 4,842 | 0.00 |
| 44: Neoplasms of unspecified nature or uncertain behavior | 33,714 | 0.03 |
| 45: Maintenance chemotherapy; radiotherapy | 4,468 | 0.00 |
| 46: Benign neoplasm of uterus | 33,499 | 0.03 |
| 47: Other and unspecified benign neoplasm | 53,592 | 0.04 |
| 48: Thyroid disorders | 37,454 | 0.03 |
| 49: Diabetes mellitus without complication | 260,619 | 0.21 |
| 50: Diabetes mellitus with complications | 746,272 | 0.61 |
| 51: Other endocrine disorders | 93,649 | 0.08 |
| 52: Nutritional deficiencies | 8,405 | 0.01 |
| 53: Disorders of lipid metabolism | 4,491 | 0.00 |
| 54: Gout and other crystal arthropathies | 171,949 | 0.14 |
| 55: Fluid and electrolyte disorders | 920,208 | 0.75 |
| 56: Cystic fibrosis | 3,594 | 0.00 |
| 57: Immunity disorders | 1,186 | 0.00 |
| 58: Other nutritional; endocrine; and metabolic disorders | 71,982 | 0.06 |
| 59: Deficiency and other anemia | 228,616 | 0.19 |
| 60: Acute posthemorrhagic anemia | 13,098 | 0.01 |
| 61: Sickle cell anemia | 153,453 | 0.13 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|--|-----------|---------|
| 62: Coagulation and hemorrhagic disorders | 69,708 | 0.06 |
| 63: Diseases of white blood cells | 51,116 | 0.04 |
| 64: Other hematologic conditions | 5,290 | 0.00 |
| 76: Meningitis (except that caused by tuberculosis or sexually transmitted disease) | 46,064 | 0.04 |
| 77: Encephalitis (except that caused by tuberculosis or sexually transmitted disease) | 7,523 | 0.01 |
| 78: Other CNS infection and poliomyelitis | 5,843 | 0.00 |
| 79: Parkinson`s disease | 15,721 | 0.01 |
| 80: Multiple sclerosis | 27,626 | 0.02 |
| 81: Other hereditary and degenerative nervous system conditions | 64,372 | 0.05 |
| 82: Paralysis | 11,480 | 0.01 |
| 83: Epilepsy; convulsions | 1,011,364 | 0.83 |
| 84: Headache; including migraine | 2,899,228 | 2.37 |
| 85: Coma; stupor; and brain damage | 95,025 | 0.08 |
| 86: Cataract | 7,817 | 0.01 |
| 87: Retinal detachments; defects; vascular occlusion; and retinopathy | 16,087 | 0.01 |
| 88: Glaucoma | 8,426 | 0.01 |
| 89: Blindness and vision defects | 84,231 | 0.07 |
| 90: Inflammation; infection of eye (except that caused by tuberculosis or sexually transmitted disease) | 866,884 | 0.71 |
| 91: Other eye disorders | 326,584 | 0.27 |
| 92: Otitis media and related conditions | 2,006,284 | 1.64 |
| 93: Conditions associated with dizziness or vertigo | 983,524 | 0.80 |
| 94: Other ear and sense organ disorders | 709,461 | 0.58 |
| 95: Other nervous system disorders | 1,075,746 | 0.88 |
| 96: Heart valve disorders | 28,139 | 0.02 |
| 97: Peri-; endo-; and myocarditis; cardiomyopathy (except that caused by tuberculosis or sexually transmitted disease) | 64,426 | 0.05 |
| 98: Essential hypertension | 595,180 | 0.49 |
| 99: Hypertension with complications and secondary hypertension | 211,430 | 0.17 |
| 100: Acute myocardial infarction | 531,579 | 0.43 |
| 101: Coronary atherosclerosis and other heart disease | 573,770 | 0.47 |
| 102: Nonspecific chest pain | 3,795,046 | 3.10 |
| 103: Pulmonary heart disease | 138,439 | 0.11 |
| 104: Other and ill-defined heart disease | 8,502 | 0.01 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|---|-----------|---------|
| 105: Conduction disorders | 47,613 | 0.04 |
| 106: Cardiac dysrhythmias | 1,265,306 | 1.03 |
| 107: Cardiac arrest and ventricular fibrillation | 165,052 | 0.13 |
| 108: Congestive heart failure; nonhypertensive | 979,899 | 0.80 |
| 109: Acute cerebrovascular disease | 552,677 | 0.45 |
| 110: Occlusion or stenosis of precerebral arteries | 23,162 | 0.02 |
| 111: Other and ill-defined cerebrovascular disease | 20,780 | 0.02 |
| 112: Transient cerebral ischemia | 278,571 | 0.23 |
| 113: Late effects of cerebrovascular disease | 18,203 | 0.01 |
| 114: Peripheral and visceral atherosclerosis | 85,888 | 0.07 |
| 115: Aortic; peripheral; and visceral artery aneurysms | 38,132 | 0.03 |
| 116: Aortic and peripheral arterial embolism or thrombosis | 20,352 | 0.02 |
| 117: Other circulatory disease | 229,814 | 0.19 |
| 118: Phlebitis; thrombophlebitis and thromboembolism | 212,705 | 0.17 |
| 119: Varicose veins of lower extremity | 32,453 | 0.03 |
| 120: Hemorrhoids | 172,585 | 0.14 |
| 121: Other diseases of veins and lymphatics | 50,786 | 0.04 |
| 122: Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 1,733,811 | 1.42 |
| 123: Influenza | 163,399 | 0.13 |
| 124: Acute and chronic tonsillitis | 373,029 | 0.30 |
| 125: Acute bronchitis | 1,430,039 | 1.17 |
| 126: Other upper respiratory infections | 5,518,650 | 4.51 |
| 127: Chronic obstructive pulmonary disease and bronchiectasis | 1,672,876 | 1.37 |
| 128: Asthma | 1,813,469 | 1.48 |
| 129: Aspiration pneumonitis; food/vomitus | 165,090 | 0.13 |
| 130: Pleurisy; pneumothorax; pulmonary collapse | 208,347 | 0.17 |
| 131: Respiratory failure; insufficiency; arrest (adult) | 349,144 | 0.29 |
| 132: Lung disease due to external agents | 13,755 | 0.01 |
| 133: Other lower respiratory disease | 1,904,188 | 1.56 |
| 134: Other upper respiratory disease | 804,962 | 0.66 |
| 135: Intestinal infection | 446,707 | 0.37 |
| 136: Disorders of teeth and jaw | 1,810,538 | 1.48 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|--|-----------|---------|
| 137: Diseases of mouth; excluding dental | 209,551 | 0.17 |
| 138: Esophageal disorders | 420,857 | 0.34 |
| 139: Gastroduodenal ulcer (except hemorrhage) | 64,274 | 0.05 |
| 140: Gastritis and duodenitis | 596,461 | 0.49 |
| 141: Other disorders of stomach and duodenum | 125,464 | 0.10 |
| 142: Appendicitis and other appendiceal conditions | 361,034 | 0.30 |
| 143: Abdominal hernia | 236,437 | 0.19 |
| 144: Regional enteritis and ulcerative colitis | 98,008 | 0.08 |
| 145: Intestinal obstruction without hernia | 341,242 | 0.28 |
| 146: Diverticulosis and diverticulitis | 378,394 | 0.31 |
| 147: Anal and rectal conditions | 150,961 | 0.12 |
| 148: Peritonitis and intestinal abscess | 23,116 | 0.02 |
| 149: Biliary tract disease | 582,569 | 0.48 |
| 151: Other liver diseases | 145,028 | 0.12 |
| 152: Pancreatic disorders (not diabetes) | 338,011 | 0.28 |
| 153: Gastrointestinal hemorrhage | 576,179 | 0.47 |
| 154: Noninfectious gastroenteritis | 1,552,999 | 1.27 |
| 155: Other gastrointestinal disorders | 1,256,454 | 1.03 |
| 156: Nephritis; nephrosis; renal sclerosis | 8,071 | 0.01 |
| 157: Acute and unspecified renal failure | 343,599 | 0.28 |
| 158: Chronic renal failure | 40,654 | 0.03 |
| 159: Urinary tract infections | 2,774,585 | 2.27 |
| 160: Calculus of urinary tract | 1,139,527 | 0.93 |
| 161: Other diseases of kidney and ureters | 56,987 | 0.05 |
| 162: Other diseases of bladder and urethra | 29,327 | 0.02 |
| 163: Genitourinary symptoms and ill-defined conditions | 658,558 | 0.54 |
| 164: Hyperplasia of prostate | 32,891 | 0.03 |
| 165: Inflammatory conditions of male genital organs | 197,797 | 0.16 |
| 166: Other male genital disorders | 157,904 | 0.13 |
| 167: Nonmalignant breast conditions | 130,967 | 0.11 |
| 168: Inflammatory diseases of female pelvic organs | 402,210 | 0.33 |
| 169: Endometriosis | 16,116 | 0.01 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|---|-----------|---------|
| 170: Prolapse of female genital organs | 10,358 | 0.01 |
| 171: Menstrual disorders | 342,012 | 0.28 |
| 172: Ovarian cyst | 227,740 | 0.19 |
| 173: Menopausal disorders | 11,600 | 0.01 |
| 174: Female infertility | 815 | 0.00 |
| 175: Other female genital disorders | 549,208 | 0.45 |
| 176: Contraceptive and procreative management | 8,183 | 0.01 |
| 177: Spontaneous abortion | 179,298 | 0.15 |
| 178: Induced abortion | 39,961 | 0.03 |
| 179: Postabortion complications | 9,144 | 0.01 |
| 180: Ectopic pregnancy | 46,762 | 0.04 |
| 181: Other complications of pregnancy | 1,545,857 | 1.26 |
| 182: Hemorrhage during pregnancy; abruptio placenta; placenta previa | 577,588 | 0.47 |
| 183: Hypertension complicating pregnancy; childbirth and the puerperium | 37,529 | 0.03 |
| 184: Early or threatened labor | 115,926 | 0.09 |
| 185: Prolonged pregnancy | 17,300 | 0.01 |
| 186: Diabetes or abnormal glucose tolerance complicating pregnancy; childbirth; or the puerperium | 14,943 | 0.01 |
| 187: Malposition; malpresentation | 9,078 | 0.01 |
| 188: Fetopelvic disproportion; obstruction | 5,185 | 0.00 |
| 189: Previous C-section | 18,908 | 0.02 |
| 190: Fetal distress and abnormal forces of labor | 24,213 | 0.02 |
| 191: Polyhydramnios and other problems of amniotic cavity | 23,574 | 0.02 |
| 192: Umbilical cord complication | 12,019 | 0.01 |
| 193: OB-related trauma to perineum and vulva | 47,723 | 0.04 |
| 194: Forceps delivery | 1,564 | 0.00 |
| 195: Other complications of birth; puerperium affecting management of mother | 211,079 | 0.17 |
| 196: Normal pregnancy and/or delivery | 84,413 | 0.07 |
| 197: Skin and subcutaneous tissue infections | 3,169,930 | 2.59 |
| 198: Other inflammatory condition of skin | 147,695 | 0.12 |
| 199: Chronic ulcer of skin | 86,068 | 0.07 |
| 200: Other skin disorders | 815,442 | 0.67 |
| 201: Infective arthritis and osteomyelitis (except that caused by tuberculosis or sexually transmitted disease) | 55,032 | 0.04 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|--|-----------|---------|
| 202: Rheumatoid arthritis and related disease | 30,121 | 0.02 |
| 203: Osteoarthritis | 118,585 | 0.10 |
| 204: Other non-traumatic joint disorders | 1,489,378 | 1.22 |
| 205: Spondylosis; intervertebral disc disorders; other back problems | 3,280,997 | 2.68 |
| 206: Osteoporosis | 1,853 | 0.00 |
| 207: Pathological fracture | 57,429 | 0.05 |
| 208: Acquired foot deformities | 6,544 | 0.01 |
| 209: Other acquired deformities | 13,288 | 0.01 |
| 210: Systemic lupus erythematosus and connective tissue disorders | 24,405 | 0.02 |
| 211: Other connective tissue disease | 1,971,189 | 1.61 |
| 212: Other bone disease and musculoskeletal deformities | 195,205 | 0.16 |
| 213: Cardiac and circulatory congenital anomalies | 7,502 | 0.01 |
| 214: Digestive congenital anomalies | 15,929 | 0.01 |
| 215: Genitourinary congenital anomalies | 8,991 | 0.01 |
| 216: Nervous system congenital anomalies | 2,242 | 0.00 |
| 217: Other congenital anomalies | 18,091 | 0.01 |
| 218: Liveborn | 13,981 | 0.01 |
| 219: Short gestation; low birth weight; and fetal growth retardation | 534 | 0.00 |
| 220: Intrauterine hypoxia and birth asphyxia | 353 | 0.00 |
| 221: Respiratory distress syndrome | 454 | 0.00 |
| 222: Hemolytic jaundice and perinatal jaundice | 29,999 | 0.02 |
| 223: Birth trauma | 1,246 | 0.00 |
| 224: Other perinatal conditions | 169,539 | 0.14 |
| 225: Joint disorders and dislocations; trauma-related | 533,234 | 0.44 |
| 226: Fracture of neck of femur (hip) | 313,507 | 0.26 |
| 227: Spinal cord injury | 15,757 | 0.01 |
| 228: Skull and face fractures | 301,893 | 0.25 |
| 229: Fracture of upper limb | 1,980,850 | 1.62 |
| 230: Fracture of lower limb | 1,112,611 | 0.91 |
| 231: Other fractures | 511,694 | 0.42 |
| 232: Sprains and strains | 6,279,820 | 5.13 |
| 233: Intracranial injury | 595,990 | 0.49 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent |
|--|-----------|---------|
| 234: Crushing injury or internal injury | 227,076 | 0.19 |
| 235: Open wounds of head; neck; and trunk | 2,714,747 | 2.22 |
| 236: Open wounds of extremities | 3,577,181 | 2.92 |
| 237: Complication of device; implant or graft | 467,108 | 0.38 |
| 238: Complications of surgical procedures or medical care | 636,974 | 0.52 |
| 239: Superficial injury; contusion | 6,155,725 | 5.03 |
| 240: Burns | 428,428 | 0.35 |
| 241: Poisoning by psychotropic agents | 169,309 | 0.14 |
| 242: Poisoning by other medications and drugs | 403,557 | 0.33 |
| 243: Poisoning by nonmedicinal substances | 340,497 | 0.28 |
| 244: Other injuries and conditions due to external causes | 2,678,453 | 2.19 |
| 245: Syncope | 1,033,819 | 0.85 |
| 246: Fever of unknown origin | 1,456,613 | 1.19 |
| 247: Lymphadenitis | 146,100 | 0.12 |
| 248: Gangrene | 14,232 | 0.01 |
| 249: Shock | 3,514 | 0.00 |
| 250: Nausea and vomiting | 1,555,611 | 1.27 |
| 251: Abdominal pain | 4,673,771 | 3.82 |
| 252: Malaise and fatigue | 392,777 | 0.32 |
| 253: Allergic reactions | 1,562,321 | 1.28 |
| 254: Rehabilitation care; fitting of prostheses; and adjustment of devices | 11,803 | 0.01 |
| 255: Administrative/social admission | 357,249 | 0.29 |
| 256: Medical examination/evaluation | 225,596 | 0.18 |
| 257: Other aftercare | 1,137,176 | 0.93 |
| 258: Other screening for suspected conditions (not mental disorders or infectious disease) | 255,258 | 0.21 |
| 259: Residual codes; unclassified | 943,811 | 0.77 |
| 650: Adjustment disorders | 107,288 | 0.09 |
| 651: Anxiety disorders | 772,103 | 0.63 |
| 652: Attention-deficit, conduct, and disruptive behavior disorders | 83,815 | 0.07 |
| 653: Delirium, dementia, and amnesic and other cognitive disorders | 180,499 | 0.15 |
| 654: Developmental disorders | 28,277 | 0.02 |
| 655: Disorders usually diagnosed in infancy, childhood, or adolescence | 10,555 | 0.01 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for DXCCS1***

| DXCCS1 | Frequency | Percent |
|---|-----------|---------|
| 656: Impulse control disorders, NEC | 14,470 | 0.01 |
| 657: Mood disorders | 1,125,853 | 0.92 |
| 658: Personality disorders | 14,633 | 0.01 |
| 659: Schizophrenia and other psychotic disorders | 498,418 | 0.41 |
| 660: Alcohol-related disorders | 918,794 | 0.75 |
| 661: Substance-related disorders | 478,818 | 0.39 |
| 662: Suicide and intentional self-inflicted injury | 38,974 | 0.03 |
| 663: Screening and history of mental health and substance abuse codes | 121,235 | 0.10 |
| 670: Miscellaneous disorders | 148,860 | 0.12 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for ECODE1

| ECODE1 | Frequency | Percent |
|-------------------|------------------|----------------|
| Blank | 90,377,409 | 73.88 |
| Valid DX | 31,952,927 | 26.12 |
| Invalid DX (invl) | 1,403 | 0.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for EDEVENT***

| EDEVENT | Frequency | Percent |
|--|------------|---------|
| 1: ED visit in which the patient is treated and released | 99,549,128 | 81.38 |
| 2: ED visit in which the patient is admitted to this same hospital | 19,024,006 | 15.55 |
| 3: ED visit in which the patient is transferred to another short-term hospital | 1,383,929 | 1.13 |
| 9: ED visit in which the patient died in the ED | 190,306 | 0.16 |
| 98: ED visit in which patient is not admitted to this same hospital, destination unknown | 2,174,088 | 1.78 |
| 99: ED visit in which the patient is discharged alive, destination unknown | 10,283 | 0.01 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for E_CCS1

| E_CCS1 | Frequency | Percent |
|--|------------|---------|
| :: Missing | 90,377,409 | 73.88 |
| A: Invalid diagnosis | 1,403 | 0.00 |
| 662: Suicide and intentional self-inflicted injury | 421,987 | 0.34 |
| 2601: E Codes: Cut/pierceb | 2,392,377 | 1.96 |
| 2602: E Codes: Drowning/submersion | 16,536 | 0.01 |
| 2603: E Codes: Fall | 8,375,241 | 6.85 |
| 2604: E Codes: Fire/burn | 422,787 | 0.35 |
| 2605: E Codes: Firearm | 76,914 | 0.06 |
| 2606: E Codes: Machinery | 159,244 | 0.13 |
| 2607: E Codes: Motor vehicle traffic (MVT) | 3,364,938 | 2.75 |
| 2608: E Codes: Pedal cyclist; not MVT | 350,502 | 0.29 |
| 2609: E Codes: Pedestrian; not MVT | 24,701 | 0.02 |
| 2610: E Codes: Transport; not MVT | 400,570 | 0.33 |
| 2611: E Codes: Natural/environment | 1,256,635 | 1.03 |
| 2612: E Codes: Overexertion | 2,753,112 | 2.25 |
| 2613: E Codes: Poisoning | 567,220 | 0.46 |
| 2614: E Codes: Struck by; against | 4,293,976 | 3.51 |
| 2615: E Codes: Suffocation | 47,099 | 0.04 |
| 2616: E Codes: Adverse effects of medical care | 880,625 | 0.72 |
| 2617: E Codes: Adverse effects of medical drugs | 1,561,007 | 1.28 |
| 2618: E Codes: Other specified and classifiable | 1,442,128 | 1.18 |
| 2619: E Codes: Other specified; NEC | 675,408 | 0.55 |
| 2620: E Codes: Unspecified | 2,017,293 | 1.65 |
| 2621: E Codes: Place of occurrence | 452,628 | 0.37 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for FEMALE

| FEMALE | Frequency | Percent |
|------------------|------------------|----------------|
| .: Missing | 8,201 | 0.01 |
| .A: Invalid | 574 | 0.00 |
| .C: Inconsistent | 24,023 | 0.02 |
| 0: Male | 55,567,781 | 45.42 |
| 1: Female | 66,731,160 | 54.55 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for HCUPFILE***

| HCUPFILE | Frequency | Percent |
|----------|-------------|---------|
| SEDD | 103,307,733 | 84.45 |
| SID | 19,024,006 | 15.55 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for HOSP_REGION***

| HOSP_REGION | Frequency | Percent |
|--------------------|------------------|----------------|
| 1: Northeast | 23,988,430 | 19.61 |
| 2: Midwest | 28,708,265 | 23.47 |
| 3: South | 48,039,208 | 39.27 |
| 4: West | 21,595,836 | 17.65 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for INTENT_SELF_HARM

| INTENT_SELF_HARM | Frequency | Percent |
|-------------------------|------------------|----------------|
| 0: No | 121,424,682 | 99.26 |
| 1: Yes | 907,057 | 0.74 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for NDX***

| NDX | Frequency | Percent |
|---------------|------------------|----------------|
| 0 | 29,761 | 0.02 |
| 1 | 43,633,527 | 35.67 |
| 2 | 28,540,637 | 23.33 |
| 3 | 15,685,842 | 12.82 |
| 4 | 9,166,282 | 7.49 |
| 5 | 5,814,369 | 4.75 |
| 6 | 4,031,475 | 3.30 |
| 7 | 2,901,931 | 2.37 |
| 8 | 2,359,559 | 1.93 |
| 9 | 3,470,231 | 2.84 |
| 10 | 1,419,104 | 1.16 |
| 11 | 918,074 | 0.75 |
| 12 | 781,097 | 0.64 |
| 13 | 680,595 | 0.56 |
| 14 | 619,539 | 0.51 |
| 15 | 1,222,090 | 1.00 |
| 16 or greater | 1,057,624 | 0.86 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for NECODE***

| NECODE | Frequency | Percent |
|---------------|------------------|----------------|
| 0 | 90,377,409 | 73.88 |
| 1 | 15,739,524 | 12.87 |
| 2 | 14,003,066 | 11.45 |
| 3 | 1,210,530 | 0.99 |
| 4 | 972,258 | 0.79 |
| 5 | 13,685 | 0.01 |
| 6 | 14,449 | 0.01 |
| 7 | 204 | 0.00 |
| 8 | 444 | 0.00 |
| 9 or greater | 170 | 0.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for PAY1***

| PAY1 | Frequency | Percent |
|----------------------|------------------|----------------|
| .: Missing | 258,175 | 0.21 |
| .A: Invalid | 282,307 | 0.23 |
| 1: Medicare | 24,255,732 | 19.83 |
| 2: Medicaid | 26,333,848 | 21.53 |
| 3: Private insurance | 42,874,054 | 35.05 |
| 4: Self-pay | 21,637,961 | 17.69 |
| 5: No charge | 902,340 | 0.74 |
| 6: Other | 5,787,321 | 4.73 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for PAY2***

| PAY2 | Frequency | Percent |
|----------------------|------------------|----------------|
| .: Missing | 94,986,077 | 77.65 |
| .A: Invalid | 1,375,349 | 1.12 |
| 1: Medicare | 2,144,085 | 1.75 |
| 2: Medicaid | 6,003,873 | 4.91 |
| 3: Private insurance | 8,717,135 | 7.13 |
| 4: Self-pay | 7,263,607 | 5.94 |
| 5: No charge | 211,992 | 0.17 |
| 6: Other | 1,629,621 | 1.33 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for PL_NCHS2006***

| PL_NCHS2006 | Frequency | Percent |
|------------------------|------------------|----------------|
| .: Missing | 806,481 | 0.66 |
| 1: Large Central Metro | 30,602,776 | 25.02 |
| 2: Large Fringe Metro | 27,453,461 | 22.44 |
| 3: Medium Metro | 26,359,548 | 21.55 |
| 4: Small Metro | 12,124,812 | 9.91 |
| 5: Micropolitan | 15,221,553 | 12.44 |
| 6: Noncore | 9,763,108 | 7.98 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for TOTCHG_ED***

| TOTCHG_ED | Frequency | Percent |
|-------------------|------------------|----------------|
| .: Missing | 21,869,489 | 17.88 |
| .A: Invalid | 1,652 | 0.00 |
| .C: Inconsistent | 1,561,008 | 1.28 |
| \$100- \$1,000 | 56,973,221 | 46.57 |
| \$1,001- \$5,000 | 37,193,130 | 30.40 |
| \$5,001-\$10,000 | 3,692,834 | 3.02 |
| \$10,001-\$50,000 | 1,036,441 | 0.85 |
| \$50,001-\$75,000 | 3,963 | 0.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for YEAR

| YEAR | Frequency | Percent |
|------|-------------|---------|
| 2007 | 122,331,739 | 100.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Weighted Summary Statistics Report: NEDS 2007 - Core File
Weighted Frequency Distribution for ZIPINC_QRTL***

| ZIPINC_QRTL | Frequency | Percent |
|--------------------|------------------|----------------|
| .: Missing | 2,942,330 | 2.41 |
| .A: Invalid | 18,903 | 0.02 |
| 1: First quartile | 39,521,199 | 32.31 |
| 2: Second quartile | 32,263,459 | 26.37 |
| 3: Third quartile | 27,284,531 | 22.30 |
| 4: Fourth quartile | 20,301,318 | 16.60 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***