

HCUP Summary Statistics Report: NIS 1988 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	526575	0	1.00	7.00	3.90	1.84
AGE : I:Age in years at admission	525834	741	0.00	124.00	43.68	27.77
AGEDAY : I:Age in days (when < 1 year)	67558	459017	0.00	364.00	17.65	59.83
AMONTH : I:Admission month	526575	0	1.00	12.00	6.46	3.46
ASOURCE : I:Admission source	459310	67265	1.00	5.00	3.49	1.90
ATYPE : I:Admission type	467808	58767	1.00	6.00	2.22	1.12
DCCHPR1 : I:CCHPR: principal diagnosis	526244	331	1.00	259.00	149.15	64.00
DIED : I:Died during hospitalization	525573	1002	0.00	1.00	0.03	0.17
DISP : I:Disposition of patient	525573	1002	1.00	20.00	1.94	3.38
DQTR : I:Discharge quarter	526575	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	526575	0	1.00	477.00	255.88	133.56
DRG10 : I:DRG, Version 10	526575	0	1.00	492.00	258.83	134.82
DRGVER : I:DRG grouper version used on disch date	526575	0	4.00	5.00	4.25	0.43
DSNDX : I:Max number of diagnoses from source	526575	0	5.00	25.00	10.09	7.63
DSNPR : I:Max number of procedures from source	526575	0	3.00	25.00	8.97	8.40
DSNUM : I:Data source ID number	526575	0	3.00	12.00	5.69	2.90
DSTYPE : I:Data source type	526575	0	1.00	2.00	1.10	0.29
DXSYS : I:Diagnosis coding system	526575	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	526472	103	0.00	1.00	0.00	0.02
DXV2 : I:Validity flag: diagnosis 2	407225	119350	0.00	1.00	0.00	0.03
DXV3 : I:Validity flag: diagnosis 3	288844	237731	0.00	1.00	0.00	0.03
DXV4 : I:Validity flag: diagnosis 4	204017	322558	0.00	1.00	0.00	0.03
DXV5 : I:Validity flag: diagnosis 5	141923	384652	0.00	1.00	0.00	0.03
DXV6 : I:Validity flag: diagnosis 6	40826	485749	0.00	1.00	0.00	0.04
DXV7 : I:Validity flag: diagnosis 7	24760	501815	0.00	1.00	0.00	0.04
DXV8 : I:Validity flag: diagnosis 8	16656	509919	0.00	1.00	0.00	0.04
DXV9 : I:Validity flag: diagnosis 9	10821	515754	0.00	1.00	0.00	0.04
DXV10 : I:Validity flag: diagnosis 10	3211	523364	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	1912	524663	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	1289	525286	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	792	525783	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	575	526000	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	409	526166	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	526575	0	6002.00	53122.00	17828.22	10956.59

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1988 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	526575	0	6001.00	53077.00	17729.17	11004.36
LOS : I:Length of stay (cleaned)	524425	2150	0.00	2323.00	6.33	12.34
LOS_X : I:Length of stay (uncleaned)	526575	0	-1.00	2323.00	6.34	12.55
MDC : I:MDC in effect on discharge date	526575	0	1.00	24.00	9.73	5.42
MDC10 : I:MDC, Version 10	526575	0	0.00	25.00	9.76	5.49
NDX : I:Number of diagnoses on this discharge	526575	0	0.00	25.00	3.17	1.95
NEOMAT : I:Neonatal and/or maternal DX and/or PR	526575	0	0.00	3.00	0.37	0.68
NPR : I:Number of procedures on this discharge	526575	0	0.00	25.00	1.35	1.53
PAY1 : I:Primary expected payer, uniform	525866	709	1.00	6.00	2.64	1.50
PAY1_N : I:Primary expected payer, nonuniform	525866	709	1.00	12.00	3.77	3.21
PAY2 : I:Secondary expected payer, uniform	85922	440653	1.00	6.00	4.27	1.49
PAY2_N : I:Secondary expected payer, nonuniform	85922	440653	1.00	12.00	7.31	4.00
PCCHPR1 : I:CCHPR: principal procedure	340873	185702	1.00	231.00	124.73	60.57
PRDAY1 : I:No. of days from admission to PR1	269459	257116	-1.00	2110.00	1.67	6.88
PROCESS : I:HCUP-3 discharge processing ID number	526575	0	8.8065E10	8.8536E10	8.8181E10	108931149
PRSYS : I:Procedure coding system	526575	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	340856	185719	0.00	1.00	0.00	0.01
PRV2 : I:Validity flag: procedure 2	189338	337237	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	104531	422044	0.00	1.00	0.00	0.04
PRV4 : I:Validity flag: procedure 4	31385	495190	0.00	1.00	0.00	0.01
PRV5 : I:Validity flag: procedure 5	17745	508830	0.00	1.00	0.00	0.01
PRV6 : I:Validity flag: procedure 6	9526	517049	0.00	1.00	0.00	0.01
PRV7 : I:Validity flag: procedure 7	6360	520215	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	4302	522273	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1807	524768	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	1298	525277	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	734	525841	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	553	526022	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	365	526210	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	291	526284	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	216	526359	0.00	0.00	0.00	0.00
RACE : I:Race	265645	260930	1.00	6.00	1.43	0.91
SEQ : I:HCUP-3 record sequence number	526575	0	6.0029E11	5.3123E12	1.7829E12	1.0957E12
SEX : I:Sex	526472	103	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	499508	27067	1.00	899936.00	5802.55	11645.93
YEAR : Calendar year	526575	0	88.00	88.00	88.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 categs	497072	29503	1.00	4.00	2.56	1.22
ZIPINC8 : I:Median income-pt s zip code-8 categs	458159	68416	1.00	8.00	4.87	1.95
TOTCHG_X : I:Total charges (from data source)	501683	24892	1.00	899936.00	5790.87	11759.61

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
1	53999	10.25
2	92679	17.60
3	89200	16.94
4	83674	15.89
5	81177	15.42
6	74911	14.23
7	50935	9.67

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	47	0.01
A	534	0.10
C	160	0.03
0	67558	12.83
1	3865	0.73
2	2491	0.47
3	1957	0.37
4	1651	0.31
5	1580	0.30
6	1404	0.27
7	1302	0.25
8	1181	0.22
9	1104	0.21
10	1047	0.20
11	1108	0.21
12	1170	0.22
13	1307	0.25
14	1758	0.33
15	2419	0.46
16	3344	0.64
17	4396	0.83
18	5112	0.97
19	5463	1.04
20	5865	1.11
21	6019	1.14
22	6458	1.23
23	6856	1.30
24	7685	1.46
25	7932	1.51
26	8235	1.56
27	8459	1.61
28	8465	1.61
29	8296	1.58
30	8166	1.55

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	7751	1.47
32	7058	1.34
33	6758	1.28
34	6126	1.16
35	5870	1.11
36	5568	1.06
37	5083	0.97
38	4673	0.89
39	4758	0.90
40	4633	0.88
41	4784	0.91
42	3908	0.74
43	3832	0.73
44	4084	0.78
45	4222	0.80
46	3947	0.75
47	3708	0.70
48	3671	0.70
49	3766	0.72
50	3953	0.75
51	3938	0.75
52	4056	0.77
53	4087	0.78
54	4179	0.79
55	4430	0.84
56	4548	0.86
57	4746	0.90
58	5129	0.97
59	5519	1.05
60	5771	1.10
61	5924	1.13
62	6283	1.19
63	6575	1.25
64	6756	1.28

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	7295	1.39
66	7483	1.42
67	7558	1.44
68	7729	1.47
69	7516	1.43
70	7679	1.46
71	7535	1.43
72	7614	1.45
73	8043	1.53
74	7694	1.46
75	7335	1.39
76	7146	1.36
77	7070	1.34
78	6805	1.29
79	6523	1.24
80	6167	1.17
81	5596	1.06
82	5219	0.99
83	4858	0.92
84	4493	0.85
85	4158	0.79
86	3633	0.69
87	3312	0.63
88	2742	0.52
89	2198	0.42
90	1939	0.37
91	1550	0.29
92	1301	0.25
93	1037	0.20
94	814	0.15
95	658	0.12
96	454	0.09
97	288	0.05
98	251	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	159	0.03
100	62	0.01
101	34	0.01
102	29	0.01
103	<= 10	***.***
104	<= 10	***.***
105	<= 10	***.***
106	<= 10	***.***
107	<= 10	***.***
108	<= 10	***.***
109	<= 10	***.***
110	<= 10	***.***
112	<= 10	***.***
113	<= 10	***.***
114	<= 10	***.***
115	<= 10	***.***
116	<= 10	***.***
117	<= 10	***.***
118	<= 10	***.***
119	<= 10	***.***
120	<= 10	***.***
121	<= 10	***.***
122	<= 10	***.***
123	<= 10	***.***
124	<= 10	***.***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGEDAY	Frequency	Percent of Total
.: Missing	458815	87.13
.A: Invalid	42	0.01
.C: Inconsistent	160	0.03
0 days	57846	10.99
1 day	343	0.07
2 days	157	0.03
3 days	214	0.04
4 days	240	0.05
5 days	162	0.03
6 days	97	0.02
7 days	106	0.02
8 days	97	0.02
9 days	69	0.01
10 days	77	0.01
11 - 30 days	1090	0.21
31 - 60 days	1374	0.26
61 - 90 days	916	0.17
91 - 120 days	684	0.13
121 - 150 days	592	0.11
151 - 180 days	582	0.11
181 - 210 days	499	0.09
211 - 240 days	497	0.09
241 - 270 days	503	0.10
271 - 300 days	456	0.09
301 - 330 days	462	0.09
331 - 364 days	495	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	45457	8.63
2: February	44058	8.37
3: March	46070	8.75
4: April	42849	8.14
5: May	44087	8.37
6: June	42861	8.14
7: July	43092	8.18
8: August	44929	8.53
9: September	42836	8.13
10: October	44016	8.36
11: November	43171	8.20
12: December	43149	8.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	16969	3.22
.A: Invalid	191	0.04
.B: Unavailable from Source	50105	9.52
1: Emergency Department	161397	30.65
2: Another Hospital	11116	2.11
3: Other Health Facility, incl. LTC	6643	1.26
4: Court/Law Enforcement	480	0.09
5: Routine, Birth, and Other	279674	53.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	8662	1.64
.B: Unavail from Source	50105	9.52
1: Emergency	156477	29.72
2: Urgent	130279	24.74
3: Elective	116828	22.19
4: Newborn	49426	9.39
5: Delivery	14402	2.74
6: Other	396	0.08

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	28	0.01
A	303	0.06
1	333	0.06
2	2911	0.55
3	206	0.04
4	199	0.04
5	406	0.08
6	421	0.08
7	2229	0.42
8	279	0.05
9	200	0.04
10	<= 10	**, **
11	676	0.13
12	197	0.04
13	439	0.08
14	1828	0.35
15	877	0.17
16	150	0.03
17	442	0.08
18	283	0.05
19	2711	0.51
20	55	0.01
21	259	0.05
22	146	0.03
23	265	0.05
24	2773	0.53
25	576	0.11
26	617	0.12
27	483	0.09
28	112	0.02
29	1804	0.34
30	89	0.02
31	22	0.00
32	1336	0.25

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	394	0.07
34	64	0.01
35	442	0.08
36	193	0.04
37	182	0.03
38	746	0.14
39	668	0.13
40	241	0.05
41	232	0.04
42	4252	0.81
43	289	0.05
44	627	0.12
45	7038	1.34
46	2676	0.51
47	2542	0.48
48	501	0.10
49	188	0.04
50	5690	1.08
51	773	0.15
52	261	0.05
53	14	0.00
54	118	0.02
55	5044	0.96
56	85	0.02
57	50	0.01
58	861	0.16
59	1751	0.33
60	123	0.02
61	804	0.15
62	589	0.11
63	430	0.08
64	142	0.03
65	17	0.00
66	4647	0.88

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	2430	0.46
68	1305	0.25
69	6130	1.16
70	2849	0.54
71	804	0.15
72	967	0.18
73	271	0.05
74	2215	0.42
75	16	0.00
76	769	0.15
77	157	0.03
78	68	0.01
79	161	0.03
80	250	0.05
81	582	0.11
82	261	0.05
83	3822	0.73
84	945	0.18
85	206	0.04
86	392	0.07
87	879	0.17
88	212	0.04
89	50	0.01
90	439	0.08
91	780	0.15
92	1048	0.20
93	955	0.18
94	275	0.05
95	1869	0.35
96	1463	0.28
97	1553	0.29
98	677	0.13
99	1791	0.34
100	8666	1.65

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	21277	4.04
102	6539	1.24
103	1027	0.20
104	120	0.02
105	766	0.15
106	7351	1.40
107	408	0.08
108	11158	2.12
109	7697	1.46
110	1469	0.28
111	300	0.06
112	2816	0.53
113	29	0.01
114	1542	0.29
115	1191	0.23
116	1445	0.27
117	1521	0.29
118	2239	0.43
119	607	0.12
120	1005	0.19
121	213	0.04
122	13816	2.62
123	301	0.06
124	2952	0.56
125	4767	0.91
126	2101	0.40
127	2520	0.48
128	6626	1.26
129	889	0.17
130	1433	0.27
131	2014	0.38
132	131	0.02
133	2773	0.53
134	2127	0.40

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	1872	0.36
136	846	0.16
137	380	0.07
138	1661	0.32
139	1412	0.27
140	2244	0.43
141	510	0.10
142	3576	0.68
143	5420	1.03
144	864	0.16
145	3343	0.63
146	2676	0.51
147	1097	0.21
148	324	0.06
149	8380	1.59
150	772	0.15
151	1260	0.24
152	2089	0.40
153	5476	1.04
154	4132	0.78
155	1990	0.38
156	304	0.06
157	743	0.14
158	776	0.15
159	5569	1.06
160	4403	0.84
161	724	0.14
162	812	0.15
163	816	0.15
164	4360	0.83
165	518	0.10
166	667	0.13
167	783	0.15
168	2403	0.46

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1359	0.26
170	1852	0.35
171	1206	0.23
172	1408	0.27
173	185	0.04
174	131	0.02
175	2064	0.39
176	291	0.06
177	1578	0.30
178	601	0.11
179	117	0.02
180	1176	0.22
181	4497	0.85
182	1251	0.24
183	2144	0.41
184	5049	0.96
185	1294	0.25
186	1115	0.21
187	2310	0.44
188	2975	0.56
189	4803	0.91
190	6579	1.25
191	2493	0.47
192	4021	0.76
193	8504	1.61
194	2110	0.40
195	4549	0.86
196	14353	2.73
197	5024	0.95
198	228	0.04
199	1045	0.20
200	422	0.08
201	1022	0.19
202	521	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	3245	0.62
204	798	0.15
205	9564	1.82
206	46	0.01
207	832	0.16
208	681	0.13
209	544	0.10
210	298	0.06
211	1985	0.38
212	1392	0.26
213	700	0.13
214	310	0.06
215	373	0.07
216	96	0.02
217	980	0.19
218	57523	10.92
219	494	0.09
220	26	0.00
221	116	0.02
222	575	0.11
223	<= 10	**, **
224	664	0.13
225	1826	0.35
226	4344	0.82
227	207	0.04
228	1339	0.25
229	3031	0.58
230	4602	0.87
231	3229	0.61
232	2589	0.49
233	3635	0.69
234	1821	0.35
235	1479	0.28
236	2236	0.42

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

DCCHPR1	Frequency	Percent of Total
237	3937	0.75
238	3946	0.75
239	1292	0.25
240	770	0.15
241	926	0.18
242	2383	0.45
243	560	0.11
244	1900	0.36
245	3058	0.58
246	1119	0.21
247	563	0.11
248	317	0.06
249	249	0.05
250	514	0.10
251	2829	0.54
252	127	0.02
253	345	0.07
254	1530	0.29
255	56	0.01
256	381	0.07
257	1234	0.23
258	<= 10	**, **
259	712	0.14

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	441	0.08
.A: Invalid	561	0.11
0: Did not Die in Hospital	509907	96.83
1: Died in Hospital	15666	2.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	441	0.08
A	561	0.11
1	451365	85.72
2	10001	1.90
3	15498	2.94
4	4282	0.81
5	7480	1.42
6	16584	3.15
7	4697	0.89
20	15666	2.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	134008	25.45
2: Second Quarter	130303	24.75
3: Third Quarter	130905	24.86
4: Fourth Quarter	131359	24.95

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1085	0.21
2	306	0.06
3	257	0.05
4	378	0.07
5	1133	0.22
6	106	0.02
7	251	0.05
8	420	0.08
9	140	0.03
10	621	0.12
11	249	0.05
12	667	0.13
13	316	0.06
14	7133	1.35
15	3145	0.60
16	291	0.06
17	154	0.03
18	347	0.07
19	611	0.12
20	611	0.12
21	411	0.08
22	250	0.05
23	131	0.02
24	1759	0.33
25	2006	0.38
26	1217	0.23
27	333	0.06
28	313	0.06
29	510	0.10
30	395	0.08
31	273	0.05
32	763	0.14
33	535	0.10
34	436	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	358	0.07
36	873	0.17
37	202	0.04
38	32	0.01
39	392	0.07
40	274	0.05
41	77	0.01
42	714	0.14
43	77	0.01
44	245	0.05
45	136	0.03
46	110	0.02
47	143	0.03
48	110	0.02
49	135	0.03
50	287	0.05
51	49	0.01
52	140	0.03
53	761	0.14
54	79	0.02
55	802	0.15
56	720	0.14
57	163	0.03
58	445	0.08
59	614	0.12
60	1534	0.29
61	35	0.01
62	90	0.02
63	1062	0.20
64	213	0.04
65	901	0.17
66	299	0.06
67	76	0.01
68	554	0.11

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
69	535	0.10
70	1233	0.23
71	368	0.07
72	105	0.02
73	349	0.07
74	216	0.04
75	1241	0.24
76	1006	0.19
77	242	0.05
78	768	0.15
79	2120	0.40
80	348	0.07
81	130	0.02
82	2245	0.43
83	286	0.05
84	152	0.03
85	366	0.07
86	93	0.02
87	1261	0.24
88	2014	0.38
89	6714	1.28
90	1984	0.38
91	2436	0.46
92	242	0.05
93	107	0.02
94	346	0.07
95	362	0.07
96	5044	0.96
97	3088	0.59
98	3739	0.71
99	941	0.18
100	936	0.18
101	625	0.12
102	370	0.07

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
103	15	0.00
104	312	0.06
105	495	0.09
106	1667	0.32
107	1700	0.32
108	342	0.06
110	1163	0.22
111	310	0.06
112	3027	0.57
113	642	0.12
114	209	0.04
115	123	0.02
116	1165	0.22
117	89	0.02
118	225	0.04
119	414	0.08
120	571	0.11
121	3415	0.65
122	4096	0.78
123	1288	0.24
124	3072	0.58
125	4819	0.92
126	188	0.04
127	10607	2.01
128	939	0.18
129	217	0.04
130	1431	0.27
131	1077	0.20
132	417	0.08
133	247	0.05
134	1174	0.22
135	244	0.05
136	137	0.03
137	108	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	3908	0.74
139	2611	0.50
140	9730	1.85
141	1756	0.33
142	1506	0.29
143	5398	1.03
144	1224	0.23
145	443	0.08
146	219	0.04
147	104	0.02
148	3410	0.65
149	1229	0.23
150	555	0.11
151	374	0.07
152	233	0.04
153	209	0.04
154	1331	0.25
155	435	0.08
156	205	0.04
157	688	0.13
158	1564	0.30
159	395	0.08
160	932	0.18
161	673	0.13
162	2206	0.42
163	316	0.06
164	258	0.05
165	756	0.14
166	265	0.05
167	2356	0.45
168	83	0.02
169	165	0.03
170	412	0.08
171	251	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	804	0.15
173	205	0.04
174	3248	0.62
175	1303	0.25
176	331	0.06
177	417	0.08
178	524	0.10
179	634	0.12
180	1334	0.25
181	978	0.19
182	6820	1.30
183	5802	1.10
184	3192	0.61
185	428	0.08
186	152	0.03
187	143	0.03
188	964	0.18
189	746	0.14
190	335	0.06
191	341	0.06
192	112	0.02
193	326	0.06
194	119	0.02
195	653	0.12
196	220	0.04
197	1849	0.35
198	3613	0.69
199	113	0.02
200	118	0.02
201	228	0.04
202	901	0.17
203	847	0.16
204	1834	0.35
205	778	0.15

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
206	350	0.07
207	841	0.16
208	895	0.17
209	4742	0.90
210	1887	0.36
211	1182	0.22
212	280	0.05
213	173	0.03
214	1121	0.21
215	3691	0.70
216	310	0.06
217	1111	0.21
218	516	0.10
219	1771	0.34
220	388	0.07
221	217	0.04
222	1470	0.28
223	630	0.12
224	1097	0.21
225	1035	0.20
226	199	0.04
227	950	0.18
228	292	0.06
229	733	0.14
230	223	0.04
231	955	0.18
232	142	0.03
233	245	0.05
234	567	0.11
235	335	0.06
236	1122	0.21
237	80	0.02
238	263	0.05
239	1446	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	329	0.06
241	328	0.06
242	159	0.03
243	7303	1.39
244	219	0.04
245	283	0.05
246	101	0.02
247	552	0.10
248	377	0.07
249	252	0.05
250	143	0.03
251	382	0.07
252	275	0.05
253	528	0.10
254	1017	0.19
255	407	0.08
256	576	0.11
257	848	0.16
258	1223	0.23
259	121	0.02
260	219	0.04
261	741	0.14
262	183	0.03
263	696	0.13
264	285	0.05
265	216	0.04
266	630	0.12
267	265	0.05
268	261	0.05
269	359	0.07
270	670	0.13
271	391	0.07
272	175	0.03
273	140	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	190	0.04
275	34	0.01
276	112	0.02
277	1771	0.34
278	1706	0.32
279	510	0.10
280	621	0.12
281	1097	0.21
282	329	0.06
283	228	0.04
284	290	0.06
285	94	0.02
286	115	0.02
287	225	0.04
288	200	0.04
289	142	0.03
290	695	0.13
291	50	0.01
292	133	0.03
293	41	0.01
294	2985	0.57
295	1213	0.23
296	3790	0.72
297	1463	0.28
298	928	0.18
299	100	0.02
300	303	0.06
301	198	0.04
302	139	0.03
303	493	0.09
304	508	0.10
305	529	0.10
306	243	0.05
307	136	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	254	0.05
309	192	0.04
310	914	0.17
311	1138	0.22
312	92	0.02
313	135	0.03
314	16	0.00
315	758	0.14
316	863	0.16
317	39	0.01
318	199	0.04
319	68	0.01
320	3029	0.58
321	1606	0.30
322	517	0.10
323	1135	0.22
324	2138	0.41
325	242	0.05
326	242	0.05
327	24	0.00
328	48	0.01
329	34	0.01
330	<= 10	**.**
331	671	0.13
332	410	0.08
333	178	0.03
334	292	0.06
335	282	0.05
336	1981	0.38
337	2527	0.48
338	383	0.07
339	371	0.07
340	175	0.03
341	571	0.11

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
342	23	0.00
343	<= 10	**.**
344	79	0.02
345	70	0.01
346	193	0.04
347	65	0.01
348	116	0.02
349	99	0.02
350	409	0.08
351	<= 10	**.**
352	91	0.02
353	139	0.03
354	272	0.05
355	476	0.09
356	1057	0.20
357	331	0.06
358	1779	0.34
359	7521	1.43
360	459	0.09
361	639	0.12
362	44	0.01
363	210	0.04
364	542	0.10
365	305	0.06
366	182	0.03
367	91	0.02
368	1332	0.25
369	787	0.15
370	2798	0.53
371	11657	2.21
372	3438	0.65
373	38044	7.22
374	2679	0.51
375	27	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
376	581	0.11
377	220	0.04
378	1176	0.22
379	2304	0.44
380	408	0.08
381	2174	0.41
382	1049	0.20
383	3418	0.65
384	1411	0.27
385	1056	0.20
386	814	0.15
387	328	0.06
388	308	0.06
389	6717	1.28
390	8174	1.55
391	41622	7.90
392	166	0.03
393	26	0.00
394	186	0.04
395	2157	0.41
396	395	0.08
397	506	0.10
398	554	0.11
399	336	0.06
400	327	0.06
401	181	0.03
402	164	0.03
403	663	0.13
404	370	0.07
405	116	0.02
406	121	0.02
407	89	0.02
408	379	0.07
409	345	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	6259	1.19
411	20	0.00
412	17	0.00
413	306	0.06
414	170	0.03
415	798	0.15
416	2355	0.45
417	414	0.08
418	563	0.11
419	508	0.10
420	210	0.04
421	806	0.15
422	1349	0.26
423	367	0.07
424	222	0.04
425	814	0.15
426	1881	0.36
427	732	0.14
428	366	0.07
429	899	0.17
430	8863	1.68
431	320	0.06
432	144	0.03
433	875	0.17
434	1273	0.24
435	4766	0.91
439	84	0.02
440	615	0.12
441	213	0.04
442	1130	0.21
443	831	0.16
444	228	0.04
445	509	0.10
446	149	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
447	179	0.03
448	32	0.01
449	1512	0.29
450	1465	0.28
451	815	0.15
452	709	0.13
453	610	0.12
454	210	0.04
455	435	0.08
456	31	0.01
457	<= 10	**. **
458	157	0.03
459	126	0.02
460	378	0.07
461	459	0.09
462	1463	0.28
463	278	0.05
464	175	0.03
465	54	0.01
466	490	0.09
467	787	0.15
468	2220	0.42
469	24	0.00
470	1120	0.21
471	134	0.03
472	24	0.00
473	337	0.06
475	1397	0.27
476	241	0.05
477	1566	0.30
478	1380	0.26
479	566	0.11
480	<= 10	**. **
481	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
482	243	0.05
483	823	0.16
484	43	0.01
485	157	0.03
486	501	0.10
487	315	0.06
488	102	0.02
489	736	0.14
490	272	0.05
491	107	0.02
492	139	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
4	395216	75.05
5	131359	24.95

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	269161	51.12
7	16718	3.17
9	135523	25.74
25	105173	19.97

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	274351	52.10
5	11528	2.19
8	71310	13.54
10	64213	12.19
25	105173	19.97

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
3	157452	29.90
4	105173	19.97
5	61604	11.70
6	64213	12.19
8	16718	3.17
10	71310	13.54
11	38577	7.33
12	11528	2.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	476470	90.48
2	50105	9.52

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	28	0.01
Valid DX	526547	99.99

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	28	0.01
C	75	0.01
0	526169	99.92
1	303	0.06

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
CA	105173	19.97
CO	11528	2.19
FL	157452	29.90
IA	38577	7.33
IL	61604	11.70
MA	64213	12.19
NJ	71310	13.54
WA	16718	3.17

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
6001	4517	0.86
6005	184	0.03
6007	486	0.09
6009	131	0.02
6011	93	0.02
6013	891	0.17
6017	543	0.10
6019	2993	0.57
6021	76	0.01
6023	980	0.19
6025	499	0.09
6027	229	0.04
6029	2503	0.48
6031	447	0.08
6035	185	0.04
6037	36465	6.92
6039	535	0.10
6041	198	0.04
6045	885	0.17
6049	12	0.00
6051	82	0.02
6053	1167	0.22
6055	815	0.15
6057	583	0.11
6059	8726	1.66
6061	574	0.11
6063	81	0.02
6065	2684	0.51
6067	4119	0.78
6071	2913	0.55
6073	9320	1.77
6075	2943	0.56
6077	3636	0.69
6079	1623	0.31

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
6081	940	0.18
6083	1401	0.27
6085	6459	1.23
6087	475	0.09
6091	13	0.00
6093	400	0.08
6097	1264	0.24
6099	1378	0.26
6105	96	0.02
6107	486	0.09
6109	143	0.03
8001	1286	0.24
8005	2202	0.42
8015	142	0.03
8021	74	0.01
8031	2890	0.55
8041	2048	0.39
8043	264	0.05
8045	<= 10	**,**
8065	78	0.01
8071	131	0.02
8073	39	0.01
8075	186	0.04
8077	1288	0.24
8087	146	0.03
8089	308	0.06
8095	20	0.00
8097	43	0.01
8099	130	0.02
8103	21	0.00
8107	140	0.03
8121	25	0.00
8125	66	0.01
12001	4882	0.93

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12003	64	0.01
12005	2097	0.40
12007	98	0.02
12009	4903	0.93
12011	14382	2.73
12013	79	0.02
12015	1523	0.29
12017	1089	0.21
12019	865	0.16
12021	1807	0.34
12023	530	0.10
12025	24762	4.70
12027	313	0.06
12031	11278	2.14
12033	4837	0.92
12035	106	0.02
12037	67	0.01
12039	158	0.03
12045	87	0.02
12047	95	0.02
12049	101	0.02
12051	152	0.03
12053	1039	0.20
12055	957	0.18
12057	10450	1.98
12059	115	0.02
12061	1486	0.28
12063	418	0.08
12069	1563	0.30
12071	4731	0.90
12073	3017	0.57
12075	79	0.02
12079	119	0.02
12081	1510	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12083	2020	0.38
12085	1343	0.26
12087	774	0.15
12089	152	0.03
12091	480	0.09
12093	313	0.06
12095	10536	2.00
12097	548	0.10
12099	10031	1.90
12101	2581	0.49
12103	11974	2.27
12105	5474	1.04
12107	628	0.12
12109	678	0.13
12111	519	0.10
12113	582	0.11
12115	4119	0.78
12117	284	0.05
12121	88	0.02
12123	148	0.03
12125	64	0.01
12127	4077	0.77
12131	99	0.02
12133	181	0.03
17001	857	0.16
17007	145	0.03
17021	303	0.06
17029	833	0.16
17031	32298	6.13
17037	564	0.11
17039	111	0.02
17041	75	0.01
17043	2233	0.42
17051	118	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17053	52	0.01
17055	266	0.05
17061	48	0.01
17065	132	0.03
17067	166	0.03
17075	217	0.04
17077	770	0.15
17081	46	0.01
17089	2684	0.51
17095	532	0.10
17097	915	0.17
17099	554	0.11
17105	64	0.01
17107	262	0.05
17111	1322	0.25
17113	1946	0.37
17115	1229	0.23
17119	1958	0.37
17121	182	0.03
17125	68	0.01
17131	120	0.02
17135	189	0.04
17137	585	0.11
17145	101	0.02
17161	542	0.10
17163	341	0.06
17167	4555	0.87
17179	537	0.10
17185	198	0.04
17189	108	0.02
17195	580	0.11
17199	450	0.09
17201	2348	0.45
19001	15	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19003	57	0.01
19005	85	0.02
19007	139	0.03
19009	40	0.01
19011	61	0.01
19013	2424	0.46
19015	164	0.03
19017	157	0.03
19019	87	0.02
19025	192	0.04
19027	271	0.05
19029	200	0.04
19033	1367	0.26
19035	140	0.03
19037	98	0.02
19039	20	0.00
19041	263	0.05
19043	100	0.02
19045	448	0.09
19047	150	0.03
19049	74	0.01
19051	111	0.02
19053	97	0.02
19055	135	0.03
19057	751	0.14
19061	1701	0.32
19063	137	0.03
19065	166	0.03
19067	157	0.03
19069	74	0.01
19071	72	0.01
19073	96	0.02
19075	15	0.00
19077	56	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19079	256	0.05
19081	41	0.01
19083	151	0.03
19085	99	0.02
19087	104	0.02
19089	74	0.01
19091	74	0.01
19093	93	0.02
19095	<= 10	**.**
19097	167	0.03
19099	204	0.04
19101	130	0.02
19103	3849	0.73
19105	102	0.02
19107	16	0.00
19109	87	0.02
19111	615	0.12
19113	3044	0.58
19119	<= 10	**.**
19121	41	0.01
19123	192	0.04
19125	275	0.05
19127	568	0.11
19131	105	0.02
19133	148	0.03
19135	68	0.01
19137	161	0.03
19141	163	0.03
19143	72	0.01
19145	196	0.04
19147	93	0.02
19149	158	0.03
19151	44	0.01
19153	7204	1.37

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19155	1293	0.25
19157	248	0.05
19159	36	0.01
19161	55	0.01
19163	2103	0.40
19165	154	0.03
19167	241	0.05
19169	974	0.18
19175	173	0.03
19177	69	0.01
19179	795	0.15
19183	100	0.02
19185	62	0.01
19187	599	0.11
19189	63	0.01
19191	192	0.04
19193	2618	0.50
19197	71	0.01
25001	1862	0.35
25003	2208	0.42
25005	3402	0.65
25007	169	0.03
25009	6080	1.15
25011	743	0.14
25013	4770	0.91
25015	1097	0.21
25017	10883	2.07
25019	86	0.02
25021	4379	0.83
25023	3316	0.63
25025	18400	3.49
25027	6818	1.29
34001	2641	0.50
34003	8817	1.67

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34005	1345	0.26
34007	4485	0.85
34009	1026	0.19
34011	892	0.17
34013	12368	2.35
34015	1418	0.27
34017	4780	0.91
34019	852	0.16
34021	3092	0.59
34023	4898	0.93
34025	3970	0.75
34027	3398	0.65
34029	3518	0.67
34031	4564	0.87
34033	975	0.19
34035	1408	0.27
34037	1046	0.20
34039	4642	0.88
34041	1175	0.22
53001	15	0.00
53003	100	0.02
53005	125	0.02
53007	111	0.02
53009	583	0.11
53011	1517	0.29
53013	31	0.01
53015	1075	0.20
53019	32	0.01
53025	364	0.07
53027	<= 10	**.*
53029	243	0.05
53033	6106	1.16
53039	79	0.02
53041	641	0.12

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HOSPSTCO	Frequency	Percent of Total
53043	<= 10	**.**
53047	79	0.02
53049	46	0.01
53051	34	0.01
53053	1276	0.24
53057	1096	0.21
53061	1559	0.30
53063	812	0.15
53065	204	0.04
53071	471	0.09
53075	42	0.01
53077	58	0.01

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.C: Inconsistent	2150	0.41
0 days	12482	2.37
1 day	66441	12.62
2 days	94502	17.95
3 days	74382	14.13
4 days	58461	11.10
5 days	42159	8.01
6 days	29246	5.55
7 days	23938	4.55
8 days	19585	3.72
9 days	15456	2.94
10 days	12648	2.40
11 - 30 days	64748	12.30
31 - 60 days	8175	1.55
61 - 90 days	1358	0.26
91 - 120 days	444	0.08
121 - 150 days	159	0.03
151 - 180 days	66	0.01
181 - 210 days	48	0.01
211 - 240 days	30	0.01
241 - 270 days	14	0.00
271 - 300 days	12	0.00
301 - 330 days	<= 10	**.*
331 - 365 days	17	0.00
380	<= 10	**.*
384	<= 10	**.*
400	<= 10	**.*
402	<= 10	**.*
409	<= 10	**.*
411	<= 10	**.*
436	<= 10	**.*
448	<= 10	**.*
455	<= 10	**.*
461	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
463	<= 10	***
465	<= 10	***
496	<= 10	***
505	<= 10	***
506	<= 10	***
512	<= 10	***
519	<= 10	***
582	<= 10	***
590	<= 10	***
617	<= 10	***
621	<= 10	***
632	<= 10	***
672	<= 10	***
675	<= 10	***
678	<= 10	***
683	<= 10	***
707	<= 10	***
713	<= 10	***
816	<= 10	***
823	<= 10	***
893	<= 10	***
916	<= 10	***
920	<= 10	***
934	<= 10	***
959	<= 10	***
1004	<= 10	***
1020	<= 10	***
1069	<= 10	***
1140	<= 10	***
1264	<= 10	***
1310	<= 10	***
1697	<= 10	***
1897	<= 10	***
2323	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	694	0.13
1	28639	5.44
2	3412	0.65
3	13054	2.48
4	41539	7.89
5	75281	14.30
6	47537	9.03
7	14295	2.71
8	42995	8.17
9	14607	2.77
10	12952	2.46
11	17247	3.28
12	7785	1.48
13	16231	3.08
14	71475	13.57
15	59049	11.21
16	4474	0.85
17	10025	1.90
18	7398	1.40
19	14241	2.70
20	7077	1.34
21	9995	1.90
22	735	0.14
23	3708	0.70
24	1020	0.19
25	1110	0.21

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	428276	81.33
Non-Blank	98299	18.67

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	20	0.00
1	119231	22.64
2	118403	22.49
3	84865	16.12
4	62114	11.80
5	101114	19.20
6	16067	3.05
7	8103	1.54
8	5837	1.11
9	7610	1.45
10	1299	0.25
11	623	0.12
12	497	0.09
13	217	0.04
14	166	0.03
15	178	0.03
16	65	0.01
17	41	0.01
18	33	0.01
19	22	0.00
20	13	0.00
21	11	0.00
22	<= 10	**.*
23	<= 10	**.*
24	<= 10	**.*
25	23	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	393932	74.81
1: Maternal	72649	13.80
2: Neonatal	59878	11.37
3: Neonatal and Maternal	116	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	185597	35.25
1	151614	28.79
2	84826	16.11
3	73153	13.89
4	13640	2.59
5	8219	1.56
6	3166	0.60
7	2058	0.39
8	2495	0.47
9	509	0.10
10	564	0.11
11	181	0.03
12	188	0.04
13	74	0.01
14	75	0.01
15	83	0.02
16	44	0.01
17	12	0.00
18	14	0.00
19	<= 10	**,**
20	<= 10	**,**
21	11	0.00
22	<= 10	**,**
23	<= 10	**,**
24	<= 10	**,**
25	18	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	698	0.13
.A: Invalid	11	0.00
1: Medicare	161193	30.61
2: Medicaid	64177	12.19
3: Private Insurance	218002	41.40
4: Self-pay	24219	4.60
5: No Charge	870	0.17
6: Other	57405	10.90

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	698	0.13
A	11	0.00
1	161193	30.61
2	64177	12.19
3	46304	8.79
4	141833	26.94
5	26853	5.10
6	24219	4.60
7	870	0.17
8	127	0.02
9	3795	0.72
10	297	0.06
11	9312	1.77
12	46886	8.90

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	312730	59.39
C	17685	3.36
.: Missing	110238	20.93
1: Medicare	1743	0.33
2: Medicaid	5134	0.97
3: Private Insurance	27773	5.27
4: Self-pay	17927	3.40
5: No Charge	143	0.03
6: Other	33202	6.31

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PAY2_N	Frequency	Percent of Total
.	110238	20.93
B	312730	59.39
C	17685	3.36
1	1743	0.33
2	5134	0.97
3	11747	2.23
4	14446	2.74
5	303	0.06
6	17927	3.40
7	143	0.03
8	<= 10	**,**
9	123	0.02
10	34	0.01
11	545	0.10
12	33776	6.41

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	185645	35.26
A	57	0.01
1	1044	0.20
2	364	0.07
3	4423	0.84
4	4860	0.92
5	556	0.11
6	223	0.04
7	182	0.03
8	201	0.04
9	957	0.18
10	715	0.14
11	31	0.01
12	382	0.07
13	295	0.06
14	174	0.03
15	494	0.09
16	730	0.14
17	31	0.01
18	23	0.00
19	559	0.11
20	412	0.08
21	232	0.04
22	210	0.04
23	190	0.04
24	216	0.04
25	<= 10	**.**
26	404	0.08
27	287	0.05
28	1086	0.21
29	324	0.06
30	2606	0.49
31	121	0.02
32	399	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1704	0.32
34	478	0.09
35	408	0.08
36	830	0.16
37	3276	0.62
38	192	0.04
39	2576	0.49
40	350	0.07
41	187	0.04
42	703	0.13
43	809	0.15
44	3466	0.66
45	2787	0.53
46	15	0.00
47	10226	1.94
48	2349	0.45
49	455	0.09
50	37	0.01
51	1117	0.21
52	651	0.12
53	383	0.07
54	2735	0.52
55	1372	0.26
56	109	0.02
57	990	0.19
58	1143	0.22
59	68	0.01
60	362	0.07
61	1909	0.36
62	367	0.07
63	212	0.04
64	41	0.01
65	1472	0.28
66	354	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1014	0.19
68	205	0.04
69	165	0.03
70	8256	1.57
71	727	0.14
72	197	0.04
73	69	0.01
74	452	0.09
75	533	0.10
76	4300	0.82
77	417	0.08
78	3552	0.67
79	442	0.08
80	3725	0.71
81	883	0.17
82	643	0.12
83	652	0.12
84	6726	1.28
85	3432	0.65
86	1616	0.31
87	616	0.12
88	680	0.13
89	791	0.15
90	888	0.17
91	309	0.06
92	147	0.03
93	456	0.09
94	1356	0.26
95	162	0.03
96	2457	0.47
97	210	0.04
98	194	0.04
99	1661	0.32
100	2205	0.42

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	2043	0.39
102	366	0.07
103	336	0.06
104	514	0.10
105	140	0.03
106	514	0.10
107	418	0.08
108	258	0.05
109	718	0.14
110	311	0.06
111	234	0.04
112	1050	0.20
113	5283	1.00
114	555	0.11
115	13141	2.50
116	201	0.04
117	100	0.02
118	1284	0.24
119	1150	0.22
120	857	0.16
121	1104	0.21
122	713	0.14
123	488	0.09
124	7638	1.45
125	484	0.09
126	245	0.05
127	2251	0.43
128	827	0.16
129	677	0.13
130	193	0.04
131	149	0.03
132	760	0.14
133	14994	2.85
134	14433	2.74

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	4874	0.93
136	1015	0.19
137	11395	2.16
138	191	0.04
139	1709	0.32
140	6443	1.22
141	214	0.04
142	975	0.19
143	524	0.10
144	709	0.13
145	1305	0.25
146	3843	0.73
147	2903	0.55
148	1974	0.37
149	285	0.05
150	161	0.03
151	376	0.07
152	2515	0.48
153	2895	0.55
154	1417	0.27
155	418	0.08
156	77	0.01
157	1189	0.23
158	551	0.10
159	441	0.08
160	2138	0.41
161	735	0.14
162	1185	0.23
163	142	0.03
164	853	0.16
165	237	0.05
166	522	0.10
167	2177	0.41
168	1057	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	3142	0.60
170	835	0.16
171	1245	0.24
172	646	0.12
173	255	0.05
174	841	0.16
175	1411	0.27
176	25	0.00
177	9527	1.81
178	562	0.11
179	1866	0.35
180	962	0.18
181	2223	0.42
182	96	0.02
183	101	0.02
184	22	0.00
185	1327	0.25
186	510	0.10
187	1851	0.35
188	1006	0.19
189	417	0.08
190	390	0.07
191	1442	0.27
192	685	0.13
193	4386	0.83
194	961	0.18
195	794	0.15
196	1690	0.32
197	2202	0.42
198	821	0.16
199	1411	0.27
200	260	0.05
201	1263	0.24
202	721	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	3742	0.71
204	748	0.14
205	4223	0.80
206	143	0.03
207	969	0.18
208	1165	0.22
209	1671	0.32
210	274	0.05
211	1211	0.23
212	174	0.03
213	1718	0.33
214	1049	0.20
215	623	0.12
216	3812	0.72
217	2962	0.56
218	5117	0.97
220	33	0.01
221	678	0.13
222	2069	0.39
223	260	0.05
224	6436	1.22
225	1051	0.20
226	1177	0.22
227	1147	0.22
228	13	0.00
229	103	0.02
231	3523	0.67

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PR1	Frequency	Percent of Total
Blank	185645	35.26
Valid PR	340930	64.74

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	140118	26.61
.B: Unavail from Source	116899	22.20
.C: Inconsistent	99	0.02
-1 day	52	0.01
0 days	138388	26.28
1 day	62662	11.90
2 days	21326	4.05
3 days	12539	2.38
4 days	8234	1.56
5 days	5598	1.06
6 - 30 days	19901	3.78
31 - 60 days	605	0.11
61 - 90 days	99	0.02
91 - 120 days	32	0.01
121 - 150 days	<= 10	**,**
151 - 180 days	<= 10	**,**
181 - 210 days	<= 10	**,**
211 - 240 days	<= 10	**,**
301 - 330 days	<= 10	**,**
368	<= 10	**,**
443	<= 10	**,**
633	<= 10	**,**
670	<= 10	**,**
678	<= 10	**,**
934	<= 10	**,**
1083	<= 10	**,**
2110	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	526575	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	185645	35.26
C	74	0.01
0	340799	64.72
1	57	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	13628	2.59
.B: Unavail from Source	247302	46.96
1: White	204331	38.80
2: Black	24074	4.57
3: Hispanic	27786	5.28
4: Asian/Pacific Islander	6067	1.15
5: Native American	395	0.08
6: Other	2992	0.57

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	26	0.00
C	77	0.01
1	221571	42.08
2	304901	57.90

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	470052	89.27
Non-Blank	56523	10.73

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	24922	4.73
.C: Inconsistent	2145	0.41
\$ 1- \$ 9	26	0.00
\$10	<= 10	**. **
\$11- \$19	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	72424	13.75
\$1,001- \$5,000	271975	51.65
\$5,001- \$10,000	89303	16.96
\$10,001- \$50,000	61700	11.72
\$50,001- \$100,000	3020	0.57
\$100,001- \$200,000	826	0.16
\$200,001- \$300,000	161	0.03
\$300,001- \$400,000	34	0.01
\$400,001- \$500,000	16	0.00
\$500,001-\$1,000,000	16	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
88	526575	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	29503	5.60
1: \$0-\$25,000	139950	26.58
2: \$25,001-\$30,000	107129	20.34
3: \$30,001-\$35,000	83423	15.84
4: \$35,001+	166570	31.63

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	68416	12.99
1: \$0-\$15,000	13103	2.49
2: \$15,001-\$20,000	34545	6.56
3: \$20,001-\$25,000	75704	14.38
4: \$25,001-\$30,000	93249	17.71
5: \$30,001-\$35,000	79104	15.02
6: \$35,001-\$40,000	53246	10.11
7: \$40,001-\$45,000	41804	7.94
8: \$45,001+	67404	12.80

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	525834	Sum Weights	525834
Mean	43.6793285	Sum Observations	22968076
Std Deviation	27.7695761	Variance	771.149354
Skewness	-0.0989282	Kurtosis	-1.1926902
Uncorrected SS	1408725914	Corrected SS	405495778
Coeff Variation	63.5760142	Std Error Mean	0.03829525

Basic Statistical Measures			
Location		Variability	
Mean	43.67933	Std Deviation	27.76958
Median	43.00000	Variance	771.14935
Mode	0.00000	Range	124.00000
		Interquartile Range	46.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1140.594	Pr > t 	<.0001
Sign	M	229138	Pr >= M 	<.0001
Signed Rank	S	5.25E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	124
99%	91
95%	84
90%	79
75% Q3	69
50% Median	43
25% Q1	23
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	47	0.01	6.34
A	534	0.10	72.06
C	160	0.03	21.59
Total	741	0.14	100.00

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	524425	Sum Weights	524425
Mean	6.33441388	Sum Observations	3321925
Std Deviation	12.341505	Variance	152.312745
Skewness	47.464113	Kurtosis	5606.98625
Uncorrected SS	100918907	Corrected SS	79876459.2
Coeff Variation	194.832627	Std Error Mean	0.01704223

Basic Statistical Measures			
Location		Variability	
Mean	6.334414	Std Deviation	12.34150
Median	4.000000	Variance	152.31275
Mode	2.000000	Range	2323
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	371.6893	Pr > t 	<.0001
Sign	M	255971.5	Pr >= M 	<.0001
Signed Rank	S	6.552E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2323
99%	42
95%	20
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	2150	0.41	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	526575	Sum Weights	526575
Mean	6.34262356	Sum Observations	3339867
Std Deviation	12.5507675	Variance	157.521765
Skewness	47.9537597	Kurtosis	5521.38799
Uncorrected SS	104130385	Corrected SS	82946865.9
Coeff Variation	197.879748	Std Error Mean	0.01729578

Basic Statistical Measures			
Location		Variability	
Mean	6.342624	Std Deviation	12.55077
Median	4.000000	Variance	157.52177
Mode	2.000000	Range	2324
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	366.7151	Pr > t 	<.0001
Sign	M	257008.5	Pr >= M 	<.0001
Signed Rank	S	6.605E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2323
99%	42
95%	20
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-1

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	499508	Sum Weights	499508
Mean	5802.54777	Sum Observations	2898419030
Std Deviation	11645.9289	Variance	135627660
Skewness	15.3176638	Kurtosis	519.954301
Uncorrected SS	8.45652E13	Corrected SS	6.7747E13
Coeff Variation	200.703715	Std Error Mean	16.4779397

Basic Statistical Measures			
Location		Variability	
Mean	5802.548	Std Deviation	11646
Median	3080.000	Variance	135627660
Mode	1260.000	Range	899935
		Interquartile Range	4489

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	352.1404	Pr > t 	<.0001
Sign	M	249754	Pr >= M 	<.0001
Signed Rank	S	6.238E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	899936
99%	45202
95%	18721
90%	12132
75% Q3	6035
50% Median	3080
25% Q1	1546
10%	753
5%	489

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	280
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	24922	4.73	92.08
C	2145	0.41	7.92
Total	27067	5.14	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	501683	Sum Weights	501683
Mean	5790.87133	Sum Observations	2905181704
Std Deviation	11759.6132	Variance	138288502
Skewness	15.5412058	Kurtosis	524.911971
Uncorrected SS	8.62004E13	Corrected SS	6.93769E13
Coeff Variation	203.071568	Std Error Mean	16.6026856

Basic Statistical Measures			
Location		Variability	
Mean	5790.871	Std Deviation	11760
Median	3066.000	Variance	138288502
Mode	100.000	Range	899935
		Interquartile Range	4482

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	348.7912	Pr > t 	<.0001
Sign	M	250841.5	Pr >= M 	<.0001
Signed Rank	S	6.292E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	899936.0
99%	45259.0
95%	18690.0
90%	12105.0
75% Q3	6014.0
50% Median	3066.0
25% Q1	1532.0
10%	732.9
5%	470.0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	249.0
0% Min	1.0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	24892	4.73	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*