

HCUP Summary Statistics Report: NIS 1991 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	615618	1	1.00	7.00	3.93	1.84
AGE : I:Age in years at admission	615141	478	0.00	115.00	44.42	28.24
AGEDAY : I:Age in days (when < 1 year)	82670	532949	0.00	364.00	17.31	58.71
AMONTH : I:Admission month	615619	0	1.00	12.00	6.46	3.46
ASOURCE : I:Admission source	555837	59782	1.00	5.00	3.47	1.91
ATYPE : I:Admission type	560230	55389	1.00	6.00	2.20	1.09
DCCHPR1 : I:CCHPR: principal diagnosis	613812	1807	1.00	259.00	149.01	64.29
DIED : I:Died during hospitalization	615080	539	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	615080	539	1.00	20.00	2.01	3.30
DQTR : I:Discharge quarter	615619	0	1.00	4.00	2.50	1.12
DRG : I:DRG in effect on discharge date	615619	0	1.00	492.00	260.75	135.45
DRG10 : I:DRG, Version 10	615619	0	1.00	492.00	260.83	135.48
DRGVER : I:DRG grouper version used on disch date	615619	0	7.00	9.00	7.50	0.87
DSNDX : I:Max number of diagnoses from source	615619	0	5.00	30.00	9.50	8.76
DSNPR : I:Max number of procedures from source	615619	0	3.00	21.00	6.66	6.42
DSNUM : I:Data source ID number	615619	0	3.00	13.00	6.57	3.52
DSTYPE : I:Data source type	615619	0	1.00	2.00	1.08	0.27
DXSYS : I:Diagnosis coding system	615619	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	614055	1564	0.00	1.00	0.00	0.02
DXV2 : I:Validity flag: diagnosis 2	499717	115902	0.00	1.00	0.00	0.02
DXV3 : I:Validity flag: diagnosis 3	377068	238551	0.00	1.00	0.00	0.02
DXV4 : I:Validity flag: diagnosis 4	281369	334250	0.00	1.00	0.00	0.02
DXV5 : I:Validity flag: diagnosis 5	204264	411355	0.00	1.00	0.00	0.02
DXV6 : I:Validity flag: diagnosis 6	40526	575093	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	24867	590752	0.00	1.00	0.00	0.01
DXV8 : I:Validity flag: diagnosis 8	17149	598470	0.00	0.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	11324	604295	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	4169	611450	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	2505	613114	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	1708	613911	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	1171	614448	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	765	614854	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	485	615134	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	615619	0	4009.00	55170.00	22740.11	16076.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1991 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	615619	0	4003.00	55141.00	22646.42	16117.53
LOS : I:Length of stay (cleaned)	615096	523	0.00	7046.00	6.04	14.75
LOS_X : I:Length of stay (uncleaned)	615619	0	-19.00	7046.00	6.05	14.90
MDC : I:MDC in effect on discharge date	615619	0	0.00	25.00	9.80	5.52
MDC10 : I:MDC, Version 10	615619	0	0.00	25.00	9.80	5.52
NDX : I:Number of diagnoses on this discharge	615619	0	0.00	30.00	3.38	1.91
NEOMAT : I:Neonatal and/or maternal DX and/or PR	615619	0	0.00	3.00	0.37	0.69
NPR : I:Number of procedures on this discharge	615619	0	0.00	21.00	1.28	1.44
PAY1 : I:Primary expected payer, uniform	614467	1152	1.00	6.00	2.43	1.34
PAY1_N : I:Primary expected payer, nonuniform	598110	17509	1.00	12.00	3.31	2.73
PAY2 : I:Secondary expected payer, uniform	95743	519876	1.00	6.00	3.70	1.32
PAY2_N : I:Secondary expected payer, nonuniform	95743	519876	1.00	12.00	5.78	3.42
PCCHPR1 : I:CCHPR: principal procedure	388474	227145	1.00	231.00	121.63	60.47
PRDAY1 : I:No. of days from admission to PR1	304142	311477	-4.00	4712.00	1.62	10.83
PROCESS : I:HCUP-3 discharge processing ID number	615619	0	9.104E10	9.1556E10	9.123E10	160849139
PRSYS : I:Procedure coding system	615619	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	388730	226889	0.00	1.00	0.00	0.03
PRV2 : I:Validity flag: procedure 2	217953	397666	0.00	1.00	0.00	0.03
PRV3 : I:Validity flag: procedure 3	122375	493244	0.00	1.00	0.00	0.04
PRV4 : I:Validity flag: procedure 4	25468	590151	0.00	0.00	0.00	0.00
PRV5 : I:Validity flag: procedure 5	13998	601621	0.00	0.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	7491	608128	0.00	0.00	0.00	0.00
PRV7 : I:Validity flag: procedure 7	4941	610678	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	3493	612126	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1948	613671	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	1414	614205	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	810	614809	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	616	615003	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	455	615164	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	333	615286	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	227	615392	0.00	0.00	0.00	0.00
RACE : I:Race	254155	361464	1.00	6.00	1.42	0.93
SEQ : I:HCUP-3 record sequence number	615619	0	4.0099E11	5.5171E12	2.2741E12	1.6076E12
SEX : I:Sex	615593	26	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	591637	23982	1.00	1240872.0	8730.98	18175.82
YEAR : Calendar year	615619	0	91.00	91.00	91.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 categs	595929	19690	1.00	4.00	2.43	1.21
ZIPINC8 : I:Median income-pt s zip code-8 categs	561229	54390	1.00	8.00	4.61	1.86
TOTCHG_X : I:Total charges (from data source)	592170	23449	1.00	2757230.0	8751.07	19006.82

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	<= 10	**. **
1	61023	9.91
2	107163	17.41
3	102142	16.59
4	98444	15.99
5	96152	15.62
6	91250	14.82
7	59444	9.66

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	227	0.04
A	110	0.02
C	141	0.02
0	82668	13.43
1	4789	0.78
2	2902	0.47
3	2220	0.36
4	1814	0.29
5	1675	0.27
6	1548	0.25
7	1388	0.23
8	1246	0.20
9	1253	0.20
10	1321	0.21
11	1306	0.21
12	1470	0.24
13	1564	0.25
14	1930	0.31
15	2510	0.41
16	3377	0.55
17	4506	0.73
18	5291	0.86
19	5896	0.96
20	6868	1.12
21	6865	1.12
22	7357	1.20
23	7053	1.15
24	7171	1.16
25	7540	1.22
26	7976	1.30
27	9518	1.55
28	8794	1.43
29	8897	1.45
30	8927	1.45

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8707	1.41
32	8994	1.46
33	7693	1.25
34	7144	1.16
35	6670	1.08
36	6319	1.03
37	6927	1.13
38	5585	0.91
39	5220	0.85
40	5165	0.84
41	4902	0.80
42	5765	0.94
43	4898	0.80
44	5148	0.84
45	4303	0.70
46	4331	0.70
47	5113	0.83
48	4910	0.80
49	4579	0.74
50	4566	0.74
51	4366	0.71
52	5048	0.82
53	4578	0.74
54	4664	0.76
55	4774	0.78
56	5014	0.81
57	5457	0.89
58	5304	0.86
59	5539	0.90
60	6062	0.98
61	6527	1.06
62	7096	1.15
63	6905	1.12
64	7413	1.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8310	1.35
66	8605	1.40
67	9273	1.51
68	8647	1.40
69	9310	1.51
70	9557	1.55
71	9302	1.51
72	9739	1.58
73	9390	1.53
74	9168	1.49
75	9080	1.47
76	9184	1.49
77	9318	1.51
78	8521	1.38
79	8082	1.31
80	7557	1.23
81	7143	1.16
82	7343	1.19
83	6382	1.04
84	5785	0.94
85	5745	0.93
86	4793	0.78
87	4235	0.69
88	3561	0.58
89	2945	0.48
90	2518	0.41
91	1937	0.31
92	1547	0.25
93	1344	0.22
94	1044	0.17
95	759	0.12
96	519	0.08
97	384	0.06
98	287	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	198	0.03
100	135	0.02
101	94	0.02
102	30	0.00
103	20	0.00
104	<= 10	**. **
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
108	<= 10	**. **
110	<= 10	**. **
114	<= 10	**. **
115	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	532701	86.53
.A: Invalid	108	0.02
.C: Inconsistent	140	0.02
0 days	70656	11.48
1 day	418	0.07
2 days	197	0.03
3 days	275	0.04
4 days	296	0.05
5 days	199	0.03
6 days	125	0.02
7 days	104	0.02
8 days	106	0.02
9 days	94	0.02
10 days	82	0.01
11 - 30 days	1323	0.21
31 - 60 days	1921	0.31
61 - 90 days	1174	0.19
91 - 120 days	882	0.14
121 - 150 days	710	0.12
151 - 180 days	650	0.11
181 - 210 days	653	0.11
211 - 240 days	576	0.09
241 - 270 days	580	0.09
271 - 300 days	550	0.09
301 - 330 days	545	0.09
331 - 364 days	554	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	54106	8.79
2: February	49408	8.03
3: March	52733	8.57
4: April	52480	8.52
5: May	52424	8.52
6: June	48750	7.92
7: July	51711	8.40
8: August	50977	8.28
9: September	50130	8.14
10: October	52793	8.58
11: November	49113	7.98
12: December	50994	8.28

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	9600	1.56
.A: Invalid	355	0.06
.B: Unavailable from Source	49827	8.09
1: Emergency Department	197838	32.14
2: Another Hospital	14726	2.39
3: Other Health Facility, incl. LTC	7068	1.15
4: Court/Law Enforcement	581	0.09
5: Routine, Birth, and Other	335624	54.52

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	5138	0.83
.A: Invalid	424	0.07
.B: Unavail from Source	49827	8.09
1: Emergency	185173	30.08
2: Urgent	169442	27.52
3: Elective	130392	21.18
4: Newborn	61207	9.94
5: Delivery	14015	2.28
6: Other	<= 10	**.*

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	1531	0.25
A	276	0.04
1	325	0.05
2	4698	0.76
3	251	0.04
4	299	0.05
5	307	0.05
6	547	0.09
7	2653	0.43
8	324	0.05
9	153	0.02
10	<= 10	**,**
11	629	0.10
12	208	0.03
13	472	0.08
14	2080	0.34
15	952	0.15
16	157	0.03
17	544	0.09
18	326	0.05
19	2824	0.46
20	47	0.01
21	303	0.05
22	137	0.02
23	211	0.03
24	3059	0.50
25	670	0.11
26	678	0.11
27	450	0.07
28	144	0.02
29	2596	0.42
30	66	0.01
31	19	0.00
32	1246	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	451	0.07
34	72	0.01
35	637	0.10
36	245	0.04
37	161	0.03
38	907	0.15
39	713	0.12
40	217	0.04
41	224	0.04
42	4937	0.80
43	202	0.03
44	710	0.12
45	7539	1.22
46	3286	0.53
47	2933	0.48
48	637	0.10
49	201	0.03
50	6214	1.01
51	957	0.16
52	279	0.05
53	13	0.00
54	145	0.02
55	6697	1.09
56	121	0.02
57	34	0.01
58	865	0.14
59	1940	0.32
60	174	0.03
61	948	0.15
62	759	0.12
63	745	0.12
64	138	0.02
65	15	0.00
66	5681	0.92

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	2438	0.40
68	1765	0.29
69	7640	1.24
70	3553	0.58
71	904	0.15
72	1136	0.18
73	285	0.05
74	2637	0.43
75	<= 10	**.**
76	1077	0.17
77	186	0.03
78	102	0.02
79	221	0.04
80	416	0.07
81	718	0.12
82	290	0.05
83	4153	0.67
84	974	0.16
85	217	0.04
86	154	0.03
87	691	0.11
88	162	0.03
89	44	0.01
90	401	0.07
91	484	0.08
92	792	0.13
93	1194	0.19
94	260	0.04
95	1914	0.31
96	1551	0.25
97	1384	0.22
98	537	0.09
99	2951	0.48
100	11227	1.82

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	24932	4.05
102	8317	1.35
103	1170	0.19
104	123	0.02
105	1088	0.18
106	9067	1.47
107	394	0.06
108	14730	2.39
109	9490	1.54
110	1840	0.30
111	289	0.05
112	3106	0.50
113	16	0.00
114	1895	0.31
115	1367	0.22
116	1544	0.25
117	1811	0.29
118	2756	0.45
119	506	0.08
120	779	0.13
121	242	0.04
122	18533	3.01
123	314	0.05
124	1718	0.28
125	5565	0.90
126	2361	0.38
127	4294	0.70
128	7782	1.26
129	1642	0.27
130	1672	0.27
131	2702	0.44
132	132	0.02
133	2957	0.48
134	1356	0.22

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2423	0.39
136	734	0.12
137	377	0.06
138	2117	0.34
139	1251	0.20
140	2177	0.35
141	686	0.11
142	4091	0.66
143	4083	0.66
144	1101	0.18
145	4202	0.68
146	3237	0.53
147	936	0.15
148	351	0.06
149	10719	1.74
150	861	0.14
151	1423	0.23
152	2746	0.45
153	6358	1.03
154	3595	0.58
155	2302	0.37
156	312	0.05
157	960	0.16
158	636	0.10
159	6929	1.13
160	4343	0.71
161	822	0.13
162	773	0.13
163	755	0.12
164	4445	0.72
165	491	0.08
166	540	0.09
167	687	0.11
168	1980	0.32

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1541	0.25
170	2486	0.40
171	1282	0.21
172	1560	0.25
173	155	0.03
174	89	0.01
175	2273	0.37
176	176	0.03
177	913	0.15
178	396	0.06
179	102	0.02
180	1150	0.19
181	5947	0.97
182	1312	0.21
183	2542	0.41
184	5637	0.92
185	1844	0.30
186	1436	0.23
187	2797	0.45
188	3247	0.53
189	5371	0.87
190	8140	1.32
191	3379	0.55
192	4978	0.81
193	11092	1.80
194	2065	0.34
195	5904	0.96
196	14875	2.42
197	5559	0.90
198	270	0.04
199	1224	0.20
200	335	0.05
201	1179	0.19
202	632	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	5507	0.89
204	916	0.15
205	10530	1.71
206	34	0.01
207	1080	0.18
208	429	0.07
209	624	0.10
210	336	0.05
211	2131	0.35
212	1633	0.27
213	907	0.15
214	396	0.06
215	317	0.05
216	148	0.02
217	1018	0.17
218	69852	11.35
219	553	0.09
220	27	0.00
221	242	0.04
222	705	0.11
223	<= 10	**, **
224	920	0.15
225	2007	0.33
226	5501	0.89
227	227	0.04
228	1349	0.22
229	3143	0.51
230	5108	0.83
231	3349	0.54
232	2750	0.45
233	3670	0.60
234	1967	0.32
235	1346	0.22
236	1930	0.31

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	6318	1.03
238	5408	0.88
239	1274	0.21
240	821	0.13
241	1205	0.20
242	2358	0.38
243	634	0.10
244	1860	0.30
245	3536	0.57
246	1305	0.21
247	450	0.07
248	258	0.04
249	211	0.03
250	548	0.09
251	3044	0.49
252	159	0.03
253	403	0.07
254	3487	0.57
255	110	0.02
256	467	0.08
257	1181	0.19
258	<= 10	**, **
259	643	0.10

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	486	0.08
.A: Invalid	53	0.01
0: Did not Die in Hospital	598286	97.18
1: Died in Hospital	16794	2.73

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	486	0.08
A	53	0.01
1	509031	82.69
2	13360	2.17
3	24934	4.05
4	4614	0.75
5	12088	1.96
6	29241	4.75
7	5018	0.82
20	16794	2.73

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	155455	25.25
2: Second Quarter	154037	25.02
3: Third Quarter	152042	24.70
4: Fourth Quarter	154085	25.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1655	0.27
2	390	0.06
3	413	0.07
4	475	0.08
5	1491	0.24
6	64	0.01
7	252	0.04
8	330	0.05
9	150	0.02
10	823	0.13
11	194	0.03
12	748	0.12
13	465	0.08
14	8726	1.42
15	3440	0.56
16	274	0.04
17	104	0.02
18	475	0.08
19	463	0.08
20	636	0.10
21	765	0.12
22	291	0.05
23	121	0.02
24	2147	0.35
25	1845	0.30
26	1292	0.21
27	377	0.06
28	449	0.07
29	499	0.08
30	494	0.08
31	289	0.05
32	506	0.08
33	372	0.06
34	562	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	354	0.06
36	699	0.11
37	173	0.03
38	26	0.00
39	169	0.03
40	173	0.03
41	53	0.01
42	500	0.08
43	70	0.01
44	208	0.03
45	109	0.02
46	104	0.02
47	107	0.02
48	71	0.01
49	151	0.02
50	291	0.05
51	37	0.01
52	158	0.03
53	608	0.10
54	81	0.01
55	456	0.07
56	297	0.05
57	136	0.02
58	280	0.05
59	311	0.05
60	787	0.13
61	26	0.00
62	95	0.02
63	1107	0.18
64	148	0.02
65	1114	0.18
66	287	0.05
67	70	0.01
68	561	0.09

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
69	464	0.08
70	1213	0.20
71	654	0.11
72	58	0.01
73	292	0.05
74	207	0.03
75	1565	0.25
76	1321	0.21
77	203	0.03
78	856	0.14
79	3610	0.59
80	285	0.05
81	204	0.03
82	2297	0.37
83	339	0.06
84	164	0.03
85	486	0.08
86	62	0.01
87	1338	0.22
88	5011	0.81
89	9098	1.48
90	2017	0.33
91	3190	0.52
92	298	0.05
93	80	0.01
94	498	0.08
95	385	0.06
96	4520	0.73
97	2584	0.42
98	5218	0.85
99	1032	0.17
100	967	0.16
101	742	0.12
102	376	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	25	0.00
104	645	0.10
105	676	0.11
106	2721	0.44
107	2048	0.33
108	595	0.10
110	1664	0.27
111	232	0.04
112	6268	1.02
113	805	0.13
114	230	0.04
115	190	0.03
116	1792	0.29
117	94	0.02
118	211	0.03
119	309	0.05
120	858	0.14
121	4219	0.69
122	3931	0.64
123	1226	0.20
124	4355	0.71
125	4526	0.74
126	223	0.04
127	14247	2.31
128	712	0.12
129	176	0.03
130	2145	0.35
131	1068	0.17
132	321	0.05
133	152	0.02
134	985	0.16
135	196	0.03
136	84	0.01
137	111	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	5120	0.83
139	2496	0.41
140	10512	1.71
141	2318	0.38
142	1448	0.24
143	6969	1.13
144	1881	0.31
145	496	0.08
146	275	0.04
147	84	0.01
148	4672	0.76
149	1001	0.16
150	779	0.13
151	379	0.06
152	213	0.03
153	189	0.03
154	1264	0.21
155	242	0.04
156	235	0.04
157	528	0.09
158	951	0.15
159	544	0.09
160	744	0.12
161	658	0.11
162	987	0.16
163	272	0.04
164	425	0.07
165	710	0.12
166	496	0.08
167	2509	0.41
168	95	0.02
169	133	0.02
170	465	0.08
171	245	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	969	0.16
173	133	0.02
174	5263	0.85
175	1097	0.18
176	423	0.07
177	443	0.07
178	337	0.05
179	779	0.13
180	1966	0.32
181	945	0.15
182	7997	1.30
183	5210	0.85
184	3282	0.53
185	382	0.06
186	154	0.03
187	126	0.02
188	1590	0.26
189	614	0.10
190	341	0.06
191	509	0.08
192	85	0.01
193	350	0.06
194	79	0.01
195	564	0.09
196	117	0.02
197	3000	0.49
198	4702	0.76
199	99	0.02
200	118	0.02
201	143	0.02
202	1091	0.18
203	926	0.15
204	2391	0.39
205	1069	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	369	0.06
207	1187	0.19
208	912	0.15
209	7599	1.23
210	3035	0.49
211	815	0.13
212	340	0.06
213	176	0.03
214	2125	0.35
215	5034	0.82
216	314	0.05
217	1142	0.19
218	933	0.15
219	2196	0.36
220	488	0.08
221	323	0.05
222	1798	0.29
223	1213	0.20
224	1206	0.20
225	821	0.13
226	300	0.05
227	952	0.15
228	302	0.05
229	589	0.10
230	240	0.04
231	1161	0.19
232	150	0.02
233	268	0.04
234	359	0.06
235	396	0.06
236	1346	0.22
237	86	0.01
238	296	0.05
239	1756	0.29

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
240	477	0.08
241	350	0.06
242	135	0.02
243	5732	0.93
244	324	0.05
245	285	0.05
246	61	0.01
247	561	0.09
248	396	0.06
249	363	0.06
250	165	0.03
251	280	0.05
252	286	0.05
253	652	0.11
254	878	0.14
255	324	0.05
256	596	0.10
257	1034	0.17
258	1125	0.18
259	209	0.03
260	344	0.06
261	675	0.11
262	71	0.01
263	863	0.14
264	189	0.03
265	284	0.05
266	434	0.07
267	147	0.02
268	220	0.04
269	462	0.08
270	529	0.09
271	474	0.08
272	239	0.04
273	129	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	122	0.02
275	37	0.01
276	98	0.02
277	2432	0.40
278	1730	0.28
279	469	0.08
280	707	0.11
281	917	0.15
282	319	0.05
283	265	0.04
284	268	0.04
285	143	0.02
286	119	0.02
287	218	0.04
288	163	0.03
289	150	0.02
290	899	0.15
291	35	0.01
292	166	0.03
293	33	0.01
294	3044	0.49
295	1304	0.21
296	5246	0.85
297	1407	0.23
298	1319	0.21
299	121	0.02
300	397	0.06
301	220	0.04
302	217	0.04
303	610	0.10
304	675	0.11
305	439	0.07
306	341	0.06
307	108	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	325	0.05
309	174	0.03
310	1134	0.18
311	959	0.16
312	91	0.01
313	71	0.01
314	14	0.00
315	854	0.14
316	1473	0.24
317	35	0.01
318	191	0.03
319	42	0.01
320	4193	0.68
321	1518	0.25
322	727	0.12
323	1210	0.20
324	2023	0.33
325	264	0.04
326	178	0.03
327	29	0.00
328	33	0.01
329	16	0.00
331	970	0.16
332	339	0.06
333	182	0.03
334	839	0.14
335	435	0.07
336	2496	0.41
337	2245	0.36
338	401	0.07
339	242	0.04
340	135	0.02
341	453	0.07
342	14	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
343	<= 10	**.**
344	121	0.02
345	77	0.01
346	185	0.03
347	28	0.00
348	94	0.02
349	51	0.01
350	402	0.07
351	<= 10	**.**
352	82	0.01
353	195	0.03
354	381	0.06
355	467	0.08
356	1393	0.23
357	350	0.06
358	3184	0.52
359	7959	1.29
360	539	0.09
361	450	0.07
362	11	0.00
363	241	0.04
364	281	0.05
365	283	0.05
366	196	0.03
367	55	0.01
368	989	0.16
369	772	0.13
370	3908	0.63
371	11629	1.89
372	4949	0.80
373	46880	7.62
374	3347	0.54
375	46	0.01
376	738	0.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	218	0.04
378	1150	0.19
379	2634	0.43
380	430	0.07
381	1208	0.20
382	728	0.12
383	3869	0.63
384	1247	0.20
385	1402	0.23
386	1218	0.20
387	1805	0.29
388	1552	0.25
389	6030	0.98
390	11238	1.83
391	49054	7.97
392	177	0.03
393	23	0.00
394	173	0.03
395	2470	0.40
396	429	0.07
397	658	0.11
398	797	0.13
399	269	0.04
400	378	0.06
401	232	0.04
402	109	0.02
403	873	0.14
404	308	0.05
405	117	0.02
406	166	0.03
407	60	0.01
408	263	0.04
409	377	0.06
410	6719	1.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	<= 10	**.*
412	<= 10	**.*
413	333	0.05
414	79	0.01
415	1222	0.20
416	3744	0.61
417	486	0.08
418	810	0.13
419	551	0.09
420	187	0.03
421	861	0.14
422	1800	0.29
423	473	0.08
424	182	0.03
425	951	0.15
426	1899	0.31
427	975	0.16
428	393	0.06
429	1353	0.22
430	11400	1.85
431	406	0.07
432	124	0.02
433	1007	0.16
434	1352	0.22
435	3364	0.55
436	535	0.09
437	1765	0.29
439	80	0.01
440	428	0.07
441	195	0.03
442	550	0.09
443	518	0.08
444	241	0.04
445	421	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
446	133	0.02
447	224	0.04
448	26	0.00
449	1876	0.30
450	1478	0.24
451	789	0.13
452	726	0.12
453	418	0.07
454	298	0.05
455	429	0.07
456	30	0.00
457	19	0.00
458	200	0.03
459	58	0.01
460	446	0.07
461	456	0.07
462	3374	0.55
463	301	0.05
464	154	0.03
465	36	0.01
466	465	0.08
467	875	0.14
468	2617	0.43
469	<= 10	**.*
470	1872	0.30
471	247	0.04
472	29	0.00
473	369	0.06
475	2303	0.37
476	252	0.04
477	1550	0.25
478	2811	0.46
479	609	0.10
480	59	0.01

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
481	100	0.02
482	287	0.05
483	1280	0.21
484	63	0.01
485	199	0.03
486	528	0.09
487	412	0.07
488	214	0.03
489	1437	0.23
490	457	0.07
491	209	0.03
492	262	0.04

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
7	461534	74.97
9	154085	25.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	363103	58.98
6	56479	9.17
7	13182	2.14
9	89808	14.59
30	93047	15.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	416952	67.73
5	15812	2.57
8	41946	6.81
10	47862	7.77
21	93047	15.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
3	159807	25.96
4	93047	15.11
5	63708	10.35
6	47862	7.77
7	56479	9.17
8	13182	2.14
9	16357	2.66
10	41946	6.81
11	34015	5.53
12	15812	2.57
13	73404	11.92

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	565792	91.91
2	49827	8.09

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	1531	0.25
Valid DX	614088	99.75

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	1531	0.25
C	33	0.01
0	613779	99.70
1	276	0.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	16357	2.66
CA	93047	15.11
CO	15812	2.57
FL	159807	25.96
IA	34015	5.53
IL	63708	10.35
MA	47862	7.77
NJ	41946	6.81
PA	73404	11.92
WA	13182	2.14
WI	56479	9.17

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
4003	221	0.04
4005	771	0.13
4013	11435	1.86
4015	686	0.11
4017	278	0.05
4019	2840	0.46
4023	126	0.02
6001	4401	0.71
6005	209	0.03
6007	479	0.08
6009	146	0.02
6013	618	0.10
6015	243	0.04
6017	557	0.09
6019	2940	0.48
6021	44	0.01
6023	641	0.10
6025	688	0.11
6027	196	0.03
6029	2992	0.49
6031	70	0.01
6035	147	0.02
6037	21953	3.57
6039	473	0.08
6041	201	0.03
6045	299	0.05
6049	<= 10	**.**
6051	56	0.01
6055	860	0.14
6059	8917	1.45
6061	649	0.11
6063	72	0.01
6065	3515	0.57
6067	6297	1.02

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HOSPSTCO	Frequency	Percent of Total
6071	2314	0.38
6073	12686	2.06
6075	3884	0.63
6077	3839	0.62
6079	1442	0.23
6081	1062	0.17
6083	1233	0.20
6085	2723	0.44
6087	1455	0.24
6091	12	0.00
6093	410	0.07
6097	1444	0.23
6099	2153	0.35
6105	102	0.02
6107	436	0.07
6109	180	0.03
8001	695	0.11
8005	1513	0.25
8015	119	0.02
8031	6753	1.10
8037	284	0.05
8041	2553	0.41
8043	274	0.04
8045	333	0.05
8065	81	0.01
8071	129	0.02
8073	29	0.00
8075	205	0.03
8077	1341	0.22
8085	267	0.04
8087	294	0.05
8089	349	0.06
8095	18	0.00
8097	161	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
8099	113	0.02
8103	36	0.01
8105	65	0.01
8107	152	0.02
8125	48	0.01
12001	5180	0.84
12005	2184	0.35
12007	76	0.01
12009	4901	0.80
12011	14133	2.30
12013	56	0.01
12015	1870	0.30
12017	1288	0.21
12019	62	0.01
12021	2141	0.35
12023	595	0.10
12025	24832	4.03
12027	296	0.05
12031	10706	1.74
12033	4844	0.79
12035	113	0.02
12037	64	0.01
12039	88	0.01
12045	105	0.02
12047	64	0.01
12049	64	0.01
12051	112	0.02
12053	1112	0.18
12055	1169	0.19
12057	9981	1.62
12059	78	0.01
12061	1390	0.23
12063	499	0.08
12069	1738	0.28

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12071	4957	0.81
12073	3342	0.54
12075	63	0.01
12079	63	0.01
12081	1474	0.24
12083	2250	0.37
12085	1395	0.23
12087	720	0.12
12089	220	0.04
12091	510	0.08
12093	280	0.05
12095	11662	1.89
12097	1443	0.23
12099	10943	1.78
12101	2738	0.44
12103	11427	1.86
12105	5146	0.84
12107	597	0.10
12109	726	0.12
12111	496	0.08
12113	626	0.10
12115	4303	0.70
12117	327	0.05
12121	62	0.01
12123	52	0.01
12125	60	0.01
12127	3958	0.64
12131	85	0.01
12133	141	0.02
17001	733	0.12
17007	164	0.03
17021	316	0.05
17029	858	0.14
17031	38628	6.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17037	515	0.08
17043	2553	0.41
17051	116	0.02
17053	129	0.02
17055	174	0.03
17061	38	0.01
17067	138	0.02
17069	111	0.02
17075	230	0.04
17077	801	0.13
17081	181	0.03
17089	2137	0.35
17095	529	0.09
17097	1829	0.30
17099	583	0.09
17111	1306	0.21
17113	1088	0.18
17115	1106	0.18
17119	1454	0.24
17121	161	0.03
17125	76	0.01
17131	98	0.02
17135	204	0.03
17137	625	0.10
17143	729	0.12
17145	143	0.02
17157	137	0.02
17161	1118	0.18
17163	396	0.06
17165	235	0.04
17167	2578	0.42
17179	44	0.01
17183	43	0.01
17185	155	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17187	158	0.03
17195	679	0.11
17199	412	0.07
19001	39	0.01
19003	45	0.01
19005	63	0.01
19007	138	0.02
19009	52	0.01
19011	30	0.00
19013	2126	0.35
19015	144	0.02
19017	123	0.02
19019	66	0.01
19021	223	0.04
19025	184	0.03
19027	265	0.04
19029	165	0.03
19033	1438	0.23
19035	109	0.02
19037	88	0.01
19039	37	0.01
19041	297	0.05
19043	85	0.01
19045	616	0.10
19047	112	0.02
19049	72	0.01
19051	80	0.01
19053	78	0.01
19055	36	0.01
19057	691	0.11
19059	152	0.02
19061	1583	0.26
19065	65	0.01
19067	121	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19069	60	0.01
19073	73	0.01
19075	<= 10	**.*
19077	43	0.01
19079	201	0.03
19081	42	0.01
19083	148	0.02
19085	85	0.01
19087	126	0.02
19089	72	0.01
19091	51	0.01
19093	79	0.01
19095	<= 10	**.*
19097	146	0.02
19101	137	0.02
19103	2842	0.46
19107	<= 10	**.*
19109	90	0.01
19111	556	0.09
19113	2958	0.48
19117	63	0.01
19119	36	0.01
19121	25	0.00
19123	166	0.03
19125	292	0.05
19127	500	0.08
19131	90	0.01
19133	156	0.03
19135	55	0.01
19137	159	0.03
19141	63	0.01
19143	53	0.01
19145	184	0.03
19147	74	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19149	132	0.02
19151	35	0.01
19153	7327	1.19
19155	1273	0.21
19159	26	0.00
19163	1890	0.31
19165	121	0.02
19167	149	0.02
19169	957	0.16
19175	148	0.02
19177	60	0.01
19179	687	0.11
19183	121	0.02
19185	84	0.01
19187	551	0.09
19189	49	0.01
19191	168	0.03
19193	1202	0.20
19197	70	0.01
25001	1387	0.23
25003	992	0.16
25005	4164	0.68
25009	2121	0.34
25013	4477	0.73
25015	1107	0.18
25017	8918	1.45
25019	84	0.01
25021	4008	0.65
25025	12924	2.10
25027	7680	1.25
34001	2765	0.45
34003	5748	0.93
34005	2009	0.33
34007	4804	0.78

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34009	1128	0.18
34013	5056	0.82
34017	2536	0.41
34019	831	0.13
34021	1184	0.19
34023	1653	0.27
34025	2859	0.46
34027	1133	0.18
34029	3662	0.59
34031	3620	0.59
34033	627	0.10
34037	1075	0.17
34039	1256	0.20
42001	528	0.09
42003	12796	2.08
42005	790	0.13
42009	330	0.05
42011	3179	0.52
42013	2068	0.34
42017	1394	0.23
42021	1194	0.19
42027	130	0.02
42029	1666	0.27
42031	309	0.05
42033	1391	0.23
42035	21	0.00
42039	903	0.15
42043	2034	0.33
42045	2392	0.39
42047	287	0.05
42049	107	0.02
42051	249	0.04
42055	374	0.06
42057	125	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42059	382	0.06
42061	348	0.06
42065	280	0.05
42069	1527	0.25
42071	3903	0.63
42075	1089	0.18
42077	4192	0.68
42079	899	0.15
42081	197	0.03
42085	835	0.14
42087	903	0.15
42089	1088	0.18
42091	4153	0.67
42097	470	0.08
42101	16418	2.67
42105	332	0.05
42107	838	0.14
42115	240	0.04
42119	737	0.12
42125	1123	0.18
42127	393	0.06
42129	790	0.13
53001	18	0.00
53003	115	0.02
53005	137	0.02
53007	113	0.02
53011	1610	0.26
53015	1113	0.18
53019	21	0.00
53021	354	0.06
53025	340	0.06
53027	515	0.08
53029	230	0.04
53033	2728	0.44

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53043	<= 10	**.*
53047	58	0.01
53049	42	0.01
53051	33	0.01
53053	1106	0.18
53057	1149	0.19
53061	209	0.03
53063	935	0.15
53065	160	0.03
53067	1676	0.27
53071	419	0.07
53075	51	0.01
53077	41	0.01
55001	73	0.01
55003	419	0.07
55005	126	0.02
55009	2484	0.40
55013	59	0.01
55015	106	0.02
55017	520	0.08
55019	81	0.01
55021	158	0.03
55025	5937	0.96
55027	683	0.11
55031	203	0.03
55033	187	0.03
55035	1670	0.27
55039	1104	0.18
55043	372	0.06
55045	549	0.09
55047	240	0.04
55049	130	0.02
55053	150	0.02
55055	461	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55059	1414	0.23
55061	37	0.01
55063	2609	0.42
55065	65	0.01
55071	462	0.08
55075	523	0.08
55079	16046	2.61
55081	137	0.02
55083	155	0.03
55085	961	0.16
55087	2018	0.33
55089	277	0.04
55091	75	0.01
55095	376	0.06
55097	572	0.09
55099	108	0.02
55101	2199	0.36
55103	162	0.03
55105	1805	0.29
55107	113	0.02
55109	442	0.07
55111	455	0.07
55115	259	0.04
55117	1106	0.18
55119	129	0.02
55121	100	0.02
55123	243	0.04
55125	118	0.02
55129	210	0.03
55131	177	0.03
55133	2929	0.48
55135	210	0.03
55137	50	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55139	1981	0.32
55141	2244	0.36

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.C: Inconsistent	523	0.08
0 days	11749	1.91
1 day	85574	13.90
2 days	124195	20.17
3 days	84885	13.79
4 days	65457	10.63
5 days	43520	7.07
6 days	32592	5.29
7 days	28333	4.60
8 days	22959	3.73
9 days	17707	2.88
10 days	14547	2.36
11 - 30 days	72935	11.85
31 - 60 days	8503	1.38
61 - 90 days	1335	0.22
91 - 120 days	435	0.07
121 - 150 days	163	0.03
151 - 180 days	69	0.01
181 - 210 days	39	0.01
211 - 240 days	20	0.00
241 - 270 days	15	0.00
271 - 300 days	11	0.00
301 - 330 days	<= 10	**. **
331 - 365 days	<= 10	**. **
368	<= 10	**. **
370	<= 10	**. **
385	<= 10	**. **
389	<= 10	**. **
397	<= 10	**. **
400	<= 10	**. **
402	<= 10	**. **
404	<= 10	**. **
408	<= 10	**. **
420	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
425	<= 10	***.
429	<= 10	***.
440	<= 10	***.
443	<= 10	***.
454	<= 10	***.
467	<= 10	***.
474	<= 10	***.
483	<= 10	***.
519	<= 10	***.
531	<= 10	***.
556	<= 10	***.
573	<= 10	***.
575	<= 10	***.
599	<= 10	***.
604	<= 10	***.
630	<= 10	***.
706	<= 10	***.
825	<= 10	***.
857	<= 10	***.
897	<= 10	***.
979	<= 10	***.
1089	<= 10	***.
1117	<= 10	***.
1204	<= 10	***.
1364	<= 10	***.
1733	<= 10	***.
1907	<= 10	***.
2420	<= 10	***.
3098	<= 10	***.
7046	<= 10	***.

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	1602	0.26
1	32888	5.34
2	2486	0.40
3	11145	1.81
4	52088	8.46
5	93710	15.22
6	50886	8.27
7	17917	2.91
8	50439	8.19
9	15046	2.44
10	15303	2.49
11	19744	3.21
12	8356	1.36
13	17804	2.89
14	83099	13.50
15	72324	11.75
16	5154	0.84
17	10746	1.75
18	10173	1.65
19	17687	2.87
20	8120	1.32
21	9131	1.48
22	796	0.13
23	5664	0.92
24	1203	0.20
25	2108	0.34

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	401577	65.23
Non-Blank	214042	34.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	1509	0.25
1	114327	18.57
2	122669	19.93
3	95719	15.55
4	77108	12.53
5	163754	26.60
6	15664	2.54
7	7717	1.25
8	5825	0.95
9	7158	1.16
10	1664	0.27
11	797	0.13
12	537	0.09
13	406	0.07
14	280	0.05
15	300	0.05
16	71	0.01
17	25	0.00
18	26	0.00
19	20	0.00
20	13	0.00
21	<= 10	**. **
22	<= 10	**. **
23	<= 10	**. **
24	<= 10	**. **
25	<= 10	**. **
26	<= 10	**. **
30	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	458310	74.45
1: Maternal	84291	13.69
2: Neonatal	72965	11.85
3: Neonatal and Maternal	53	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	226815	36.84
1	170838	27.75
2	95590	15.53
3	96908	15.74
4	11470	1.86
5	6507	1.06
6	2550	0.41
7	1448	0.24
8	1545	0.25
9	534	0.09
10	604	0.10
11	194	0.03
12	161	0.03
13	122	0.02
14	106	0.02
15	121	0.02
16	44	0.01
17	23	0.00
18	16	0.00
19	<= 10	**,**
20	<= 10	**,**
21	15	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1	Frequency	Percent of Total
.: Missing	701	0.11
.A: Invalid	451	0.07
1: Medicare	202581	32.91
2: Medicaid	92661	15.05
3: Private Insurance	255664	41.53
4: Self-pay	20867	3.39
5: No Charge	700	0.11
6: Other	41994	6.82

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	17058	2.77
A	451	0.07
1	198883	32.31
2	89103	14.47
3	42688	6.93
4	158324	25.72
5	45787	7.44
6	20867	3.39
7	700	0.11
8	29	0.00
9	3954	0.64
10	512	0.08
11	6147	1.00
12	31116	5.05

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	392442	63.75
C	11399	1.85
.: Missing	116035	18.85
1: Medicare	2328	0.38
2: Medicaid	9022	1.47
3: Private Insurance	42140	6.85
4: Self-pay	23166	3.76
5: No Charge	95	0.02
6: Other	18992	3.09

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	116035	18.85
B	392442	63.75
C	11399	1.85
1	2328	0.38
2	9022	1.47
3	12476	2.03
4	25951	4.22
5	2679	0.44
6	23166	3.76
7	95	0.02
9	308	0.05
10	119	0.02
11	548	0.09
12	19051	3.09

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	226858	36.85
A	287	0.05
1	1486	0.24
2	541	0.09
3	6396	1.04
4	5989	0.97
5	822	0.13
6	160	0.03
7	251	0.04
8	288	0.05
9	1201	0.20
10	922	0.15
11	23	0.00
12	389	0.06
13	152	0.02
14	133	0.02
15	239	0.04
16	568	0.09
17	23	0.00
18	20	0.00
19	442	0.07
20	419	0.07
21	179	0.03
22	105	0.02
23	141	0.02
24	181	0.03
25	<= 10	**.**
26	372	0.06
27	359	0.06
28	530	0.09
29	316	0.05
30	1473	0.24
31	145	0.02
32	337	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1620	0.26
34	916	0.15
35	514	0.08
36	1057	0.17
37	3624	0.59
38	220	0.04
39	2989	0.49
40	350	0.06
41	215	0.03
42	787	0.13
43	1167	0.19
44	5009	0.81
45	5311	0.86
46	20	0.00
47	11958	1.94
48	2970	0.48
49	1052	0.17
50	27	0.00
51	1470	0.24
52	805	0.13
53	284	0.05
54	3332	0.54
55	1571	0.26
56	144	0.02
57	1074	0.17
58	1684	0.27
59	103	0.02
60	394	0.06
61	2925	0.48
62	762	0.12
63	557	0.09
64	90	0.01
65	1628	0.26
66	365	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1184	0.19
68	94	0.02
69	203	0.03
70	10330	1.68
71	1249	0.20
72	262	0.04
73	127	0.02
74	487	0.08
75	708	0.12
76	4965	0.81
77	316	0.05
78	4318	0.70
79	27	0.00
80	4259	0.69
81	672	0.11
82	708	0.12
83	710	0.12
84	8820	1.43
85	2186	0.36
86	1643	0.27
87	721	0.12
88	874	0.14
89	691	0.11
90	1137	0.18
91	424	0.07
92	99	0.02
93	1261	0.20
94	1249	0.20
95	855	0.14
96	2280	0.37
97	295	0.05
98	729	0.12
99	1897	0.31
100	2196	0.36

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	2147	0.35
102	467	0.08
103	408	0.07
104	630	0.10
105	219	0.04
106	744	0.12
107	234	0.04
108	227	0.04
109	581	0.09
110	443	0.07
111	406	0.07
112	1244	0.20
113	5599	0.91
114	1233	0.20
115	17864	2.90
116	163	0.03
117	133	0.02
118	1067	0.17
119	1472	0.24
120	942	0.15
121	1318	0.21
122	737	0.12
123	434	0.07
124	9127	1.48
125	565	0.09
126	140	0.02
127	1408	0.23
128	513	0.08
129	796	0.13
130	172	0.03
131	132	0.02
132	791	0.13
133	17459	2.84
134	15539	2.52

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	6506	1.06
136	1298	0.21
137	16636	2.70
138	223	0.04
139	2172	0.35
140	8212	1.33
141	223	0.04
142	966	0.16
143	347	0.06
144	729	0.12
145	1409	0.23
146	4730	0.77
147	3517	0.57
148	1717	0.28
149	255	0.04
150	166	0.03
151	343	0.06
152	4623	0.75
153	4501	0.73
154	1456	0.24
155	502	0.08
156	76	0.01
157	1580	0.26
158	896	0.15
159	453	0.07
160	2442	0.40
161	893	0.15
162	1280	0.21
163	146	0.02
164	851	0.14
165	134	0.02
166	663	0.11
167	2247	0.36
168	1093	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	3611	0.59
170	685	0.11
171	1317	0.21
172	679	0.11
173	277	0.04
174	1466	0.24
175	1204	0.20
176	90	0.01
177	7091	1.15
178	584	0.09
179	1764	0.29
180	604	0.10
181	1133	0.18
182	43	0.01
183	175	0.03
184	17	0.00
185	683	0.11
186	243	0.04
187	1093	0.18
188	761	0.12
189	365	0.06
190	332	0.05
191	1006	0.16
192	657	0.11
193	4166	0.68
194	538	0.09
195	725	0.12
196	1330	0.22
197	1642	0.27
198	1469	0.24
199	1007	0.16
200	40	0.01
201	1421	0.23
202	505	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	2213	0.36
204	589	0.10
205	2935	0.48
206	87	0.01
207	612	0.10
208	834	0.14
209	960	0.16
210	120	0.02
211	1410	0.23
212	164	0.03
213	2336	0.38
214	923	0.15
215	625	0.10
216	6731	1.09
217	3658	0.59
218	1695	0.28
219	6205	1.01
220	47	0.01
221	617	0.10
222	2620	0.43
223	407	0.07
224	6919	1.12
225	1202	0.20
226	973	0.16
227	980	0.16
228	33	0.01
229	129	0.02
230	<= 10	**.**
231	5504	0.89

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	226858	36.85
Valid PR	388761	63.15

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	183979	29.89
.B: Unavail from Source	127262	20.67
.C: Inconsistent	236	0.04
-4 days	<= 10	**.*
-3 days	12	0.00
-2 days	46	0.01
-1 day	445	0.07
0 days	165378	26.86
1 day	64480	10.47
2 days	22327	3.63
3 days	13060	2.12
4 days	8958	1.46
5 days	6324	1.03
6 - 30 days	22309	3.62
31 - 60 days	664	0.11
61 - 90 days	84	0.01
91 - 120 days	24	0.00
121 - 150 days	<= 10	**.*
151 - 180 days	<= 10	**.*
181 - 210 days	<= 10	**.*
211 - 240 days	<= 10	**.*
241 - 270 days	<= 10	**.*
331 - 365 days	<= 10	**.*
369	<= 10	**.*
373	<= 10	**.*
374	<= 10	**.*
393	<= 10	**.*
424	<= 10	**.*
432	<= 10	**.*
483	<= 10	**.*
536	<= 10	**.*
736	<= 10	**.*
1165	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
2247	<= 10	**. **
4712	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PRSYS	Frequency	Percent of Total
1	615619	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	226858	36.85
C	31	0.01
0	388443	63.10
1	287	0.05

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	19193	3.12
.A: Invalid	<= 10	**. **
.B: Unavail from Source	342270	55.60
1: White	199488	32.40
2: Black	19741	3.21
3: Hispanic	24234	3.94
4: Asian/Pacific Islander	7169	1.16
5: Native American	596	0.10
6: Other	2927	0.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	<= 10	**. **
C	21	0.00
1	258520	41.99
2	357073	58.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	491193	79.79
Non-Blank	124426	20.21

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	23469	3.81
.C: Inconsistent	513	0.08
\$ 1- \$ 9	30	0.00
\$11- \$19	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	58332	9.48
\$1,001- \$5,000	259450	42.14
\$5,001- \$10,000	141596	23.00
\$10,001- \$50,000	121367	19.71
\$50,001- \$100,000	7872	1.28
\$100,001- \$200,000	2259	0.37
\$200,001- \$300,000	447	0.07
\$300,001- \$400,000	152	0.02
\$400,001- \$500,000	51	0.01
\$500,001-\$1,000,000	72	0.01
1033138	<= 10	**. **
1040957	<= 10	**. **
1048054	<= 10	**. **
1119308	<= 10	**. **
1129817	<= 10	**. **
1165276	<= 10	**. **
1240872	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
91	615619	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	19690	3.20
1: \$0-\$25,000	191802	31.16
2: \$25,001-\$30,000	129880	21.10
3: \$30,001-\$35,000	102628	16.67
4: \$35,001+	171619	27.88

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	54390	8.84
1: \$0-\$15,000	15933	2.59
2: \$15,001-\$20,000	46826	7.61
3: \$20,001-\$25,000	114004	18.52
4: \$25,001-\$30,000	117848	19.14
5: \$30,001-\$35,000	98695	16.03
6: \$35,001-\$40,000	65846	10.70
7: \$40,001-\$45,000	42597	6.92
8: \$45,001+	59480	9.66

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	615141	Sum Weights	615141
Mean	44.4201638	Sum Observations	27324664
Std Deviation	28.2427674	Variance	797.65391
Skewness	-0.1424754	Kurtosis	-1.2147744
Uncorrected SS	1704434878	Corrected SS	490668826
Coeff Variation	63.5809618	Std Error Mean	0.03600973

Basic Statistical Measures			
Location		Variability	
Mean	44.42016	Std Deviation	28.24277
Median	45.00000	Variance	797.65391
Mode	0.00000	Range	115.00000
		Interquartile Range	47.00000

Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	1233.56	Pr > t 	<.0001
Sign	M	266236.5	Pr >= M 	<.0001
Signed Rank	S	7.088E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	115
99%	92
95%	85
90%	80
75% Q3	70
50% Median	45
25% Q1	23
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	227	0.04	47.49
A	110	0.02	23.01
C	141	0.02	29.50
Total	478	0.08	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	615096	Sum Weights	615096
Mean	6.04273479	Sum Observations	3716862
Std Deviation	14.7524267	Variance	217.634093
Skewness	213.677758	Kurtosis	89860.7581
Uncorrected SS	156325654	Corrected SS	133865643
Coeff Variation	244.134936	Std Error Mean	0.01881014

Basic Statistical Measures			
Location		Variability	
Mean	6.042735	Std Deviation	14.75243
Median	4.000000	Variance	217.63409
Mode	2.000000	Range	7046
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	321.2488	Pr > t 	<.0001
Sign	M	301673.5	Pr >= M 	<.0001
Signed Rank	S	9.101E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7046
99%	39
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	523	0.08	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	615619	Sum Weights	615619
Mean	6.05151076	Sum Observations	3725425
Std Deviation	14.8984803	Variance	221.964714
Skewness	208.0174	Kurtosis	86345.5851
Uncorrected SS	159189923	Corrected SS	136645474
Coeff Variation	246.194395	Std Error Mean	0.01898829

Basic Statistical Measures			
Location		Variability	
Mean	6.051511	Std Deviation	14.89848
Median	4.000000	Variance	221.96471
Mode	2.000000	Range	7065
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	318.6969	Pr > t 	<.0001
Sign	M	301921.5	Pr >= M 	<.0001
Signed Rank	S	9.116E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7046
99%	39
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-19

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	591637	Sum Weights	591637
Mean	8730.98197	Sum Observations	5165571980
Std Deviation	18175.8164	Variance	330360303
Skewness	16.1285444	Kurtosis	543.646926
Uncorrected SS	2.40554E14	Corrected SS	1.95453E14
Coeff Variation	208.176085	Std Error Mean	23.6301384

Basic Statistical Measures			
Location		Variability	
Mean	8730.982	Std Deviation	18176
Median	4556.000	Variance	330360303
Mode	1900.000	Range	1240871
		Interquartile Range	6839

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	369.485	Pr > t 	<.0001
Sign	M	295818.5	Pr >= M 	<.0001
Signed Rank	S	8.751E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1240872
99%	69686
95%	28135
90%	18276
75% Q3	9083
50% Median	4556
25% Q1	2244
10%	1012
5%	644

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	367
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	23469	3.81	97.86
C	513	0.08	2.14
Total	23982	3.90	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	592170	Sum Weights	592170
Mean	8751.07303	Sum Observations	5182122914
Std Deviation	19006.8155	Variance	361259036
Skewness	23.5070408	Kurtosis	1664.71845
Uncorrected SS	2.59276E14	Corrected SS	2.13926E14
Coeff Variation	217.194114	Std Error Mean	24.6993861

Basic Statistical Measures			
Location		Variability	
Mean	8751.073	Std Deviation	19007
Median	4552.785	Variance	361259036
Mode	1900.000	Range	2757229
		Interquartile Range	6841

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	354.3033	Pr > t 	<.0001
Sign	M	296085	Pr >= M 	<.0001
Signed Rank	S	8.767E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2757230.00
99%	69774.00
95%	28149.71
90%	18281.86
75% Q3	9080.56
50% Median	4552.78
25% Q1	2240.00
10%	1006.55
5%	641.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	361.00
0% Min	1.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	23449	3.81	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*