

HCUP Summary Statistics Report: NIS 1992 - N10Core1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	619574	0	1.00	7.00	3.93	1.83
AGE : I:Age in years at admission	619205	369	0.00	110.00	45.07	28.34
AGEDAY : I:Age in days (when < 1 year)	82785	536789	0.00	364.00	17.04	58.25
AMONTH : I:Admission month	619574	0	1.00	12.00	6.44	3.47
ASOURCE : I:Admission source	563259	56315	1.00	5.00	3.45	1.91
ATYPE : I:Admission type	566369	53205	1.00	6.00	2.20	1.10
DCCHPR1 : I:CCHPR: principal diagnosis	619155	419	1.00	259.00	148.36	64.50
DIED : I:Died during hospitalization	619055	519	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	619055	519	1.00	20.00	2.06	3.32
DQTR : I:Discharge quarter	619574	0	1.00	4.00	2.48	1.12
DRG : I:DRG in effect on discharge date	619574	0	1.00	492.00	260.60	135.45
DRG10 : I:DRG, Version 10	619574	0	1.00	492.00	260.44	135.43
DRGVER : I:DRG grouper version used on disch date	619574	0	9.00	10.00	9.25	0.43
DSNDX : I:Max number of diagnoses from source	619574	0	5.00	30.00	11.03	8.56
DSNPR : I:Max number of procedures from source	619574	0	3.00	21.00	8.64	6.21
DSNUM : I:Data source ID number	619574	0	3.00	13.00	6.55	3.55
DSTYPE : I:Data source type	619574	0	1.00	2.00	1.08	0.28
DXSYS : I:Diagnosis coding system	619574	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	619397	177	0.00	1.00	0.00	0.02
DXV2 : I:Validity flag: diagnosis 2	510425	109149	0.00	1.00	0.00	0.02
DXV3 : I:Validity flag: diagnosis 3	392177	227397	0.00	1.00	0.00	0.02
DXV4 : I:Validity flag: diagnosis 4	297904	321670	0.00	1.00	0.00	0.02
DXV5 : I:Validity flag: diagnosis 5	219533	400041	0.00	1.00	0.00	0.02
DXV6 : I:Validity flag: diagnosis 6	88979	530595	0.00	1.00	0.00	0.00
DXV7 : I:Validity flag: diagnosis 7	60918	558656	0.00	0.00	0.00	0.00
DXV8 : I:Validity flag: diagnosis 8	43127	576447	0.00	0.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	30009	589565	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	15319	604255	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	3353	616221	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	2321	617253	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	1555	618019	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	1033	618541	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	685	618889	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	619574	0	4009.00	55172.00	22331.60	15990.64

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1992 - N10Core1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	619574	0	4003.00	55141.00	22233.64	16030.78
LOS : I:Length of stay (cleaned)	618648	926	0.00	5540.00	5.93	13.07
LOS_X : I:Length of stay (uncleaned)	619574	0	0.00	5540.00	5.95	14.52
MDC : I:MDC in effect on discharge date	619574	0	0.00	25.00	9.83	5.53
MDC10 : I:MDC, Version 10	619574	0	0.00	25.00	9.84	5.52
NDX : I:Number of diagnoses on this discharge	619574	0	0.00	28.00	3.69	2.27
NEOMAT : I:Neonatal and/or maternal DX and/or PR	619574	0	0.00	3.00	0.37	0.69
NPR : I:Number of procedures on this discharge	619574	0	0.00	21.00	1.33	1.58
PAY1 : I:Primary expected payer, uniform	617202	2372	1.00	6.00	2.31	1.21
PAY1_N : I:Primary expected payer, nonuniform	601308	18266	1.00	12.00	3.04	2.27
PAY2 : I:Secondary expected payer, uniform	88130	531444	1.00	6.00	3.62	1.33
PAY2_N : I:Secondary expected payer, nonuniform	88130	531444	1.00	12.00	5.60	3.43
PCCHPR1 : I:CCHPR: principal procedure	387625	231949	1.00	231.00	121.61	60.50
PRDAY1 : I:No. of days from admission to PR1	294494	325080	-4.00	765.00	1.56	4.73
PROCESS : I:HCUP-3 discharge processing ID number	619574	0	9.204E10	9.2556E10	9.2226E10	159499867
PRSYS : I:Procedure coding system	619574	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	387758	231816	0.00	1.00	0.00	0.02
PRV2 : I:Validity flag: procedure 2	216917	402657	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	122733	496841	0.00	1.00	0.00	0.03
PRV4 : I:Validity flag: procedure 4	40377	579197	0.00	0.00	0.00	0.00
PRV5 : I:Validity flag: procedure 5	22044	597530	0.00	0.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	12567	607007	0.00	0.00	0.00	0.00
PRV7 : I:Validity flag: procedure 7	7961	611613	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	5484	614090	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	3361	616213	0.00	1.00	0.00	0.02
PRV10 : I:Validity flag: procedure 10	2412	617162	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	894	618680	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	676	618898	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	505	619069	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	387	619187	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	302	619272	0.00	0.00	0.00	0.00
RACE : I:Race	421224	198350	1.00	6.00	1.42	0.91
SEQ : I:HCUP-3 record sequence number	619574	0	4.0099E11	5.5173E12	2.2333E12	1.5991E12
SEX : I:Sex	619532	42	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	594820	24754	1.00	4503479.0	9871.06	21649.70
YEAR : Calendar year	619574	0	92.00	92.00	92.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 categs	598000	21574	1.00	4.00	2.43	1.21
ZIPINC8 : I:Median income-pt s zip code-8 categs	563483	56091	1.00	8.00	4.61	1.86
TOTCHG_X : I:Total charges (from data source)	595758	23816	0.62	4503479.0	9881.45	21912.66

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
1	60877	9.83
2	108381	17.49
3	104243	16.82
4	98598	15.91
5	96445	15.57
6	91526	14.77
7	59504	9.60

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	198	0.03
A	53	0.01
C	118	0.02
0	82784	13.36
1	4766	0.77
2	2935	0.47
3	2170	0.35
4	1777	0.29
5	1568	0.25
6	1524	0.25
7	1284	0.21
8	1248	0.20
9	1123	0.18
10	1210	0.20
11	1244	0.20
12	1432	0.23
13	1503	0.24
14	1868	0.30
15	2524	0.41
16	3244	0.52
17	4371	0.71
18	4687	0.76
19	5544	0.89
20	6095	0.98
21	6544	1.06
22	7178	1.16
23	6687	1.08
24	6717	1.08
25	7140	1.15
26	7602	1.23
27	8978	1.45
28	8670	1.40
29	8792	1.42
30	8613	1.39

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8607	1.39
32	9063	1.46
33	7737	1.25
34	7197	1.16
35	7059	1.14
36	6386	1.03
37	7012	1.13
38	5776	0.93
39	5454	0.88
40	5202	0.84
41	4994	0.81
42	5599	0.90
43	4848	0.78
44	4994	0.81
45	5234	0.84
46	4378	0.71
47	4951	0.80
48	4582	0.74
49	4877	0.79
50	4734	0.76
51	4487	0.72
52	4931	0.80
53	4736	0.76
54	4726	0.76
55	4896	0.79
56	5022	0.81
57	5607	0.90
58	5277	0.85
59	5422	0.88
60	5961	0.96
61	6247	1.01
62	7165	1.16
63	7066	1.14
64	7435	1.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8192	1.32
66	8415	1.36
67	9596	1.55
68	9297	1.50
69	9172	1.48
70	9612	1.55
71	9968	1.61
72	10605	1.71
73	9373	1.51
74	9675	1.56
75	9538	1.54
76	9142	1.48
77	9654	1.56
78	8832	1.43
79	8528	1.38
80	8104	1.31
81	7597	1.23
82	7645	1.23
83	6517	1.05
84	6141	0.99
85	6107	0.99
86	4864	0.79
87	4427	0.71
88	3915	0.63
89	3247	0.52
90	2706	0.44
91	2165	0.35
92	1717	0.28
93	1279	0.21
94	1059	0.17
95	816	0.13
96	664	0.11
97	439	0.07
98	263	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	201	0.03
100	100	0.02
101	63	0.01
102	34	0.01
103	22	0.00
104	14	0.00
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
108	<= 10	**. **
109	<= 10	**. **
110	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	536618	86.61
.A: Invalid	53	0.01
.C: Inconsistent	118	0.02
0 days	71082	11.47
1 day	390	0.06
2 days	172	0.03
3 days	255	0.04
4 days	259	0.04
5 days	195	0.03
6 days	129	0.02
7 days	98	0.02
8 days	75	0.01
9 days	71	0.01
10 days	86	0.01
11 - 30 days	1353	0.22
31 - 60 days	1734	0.28
61 - 90 days	1215	0.20
91 - 120 days	890	0.14
121 - 150 days	739	0.12
151 - 180 days	665	0.11
181 - 210 days	653	0.11
211 - 240 days	558	0.09
241 - 270 days	576	0.09
271 - 300 days	496	0.08
301 - 330 days	518	0.08
331 - 364 days	576	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	55106	8.89
2: February	50319	8.12
3: March	54834	8.85
4: April	52012	8.39
5: May	51112	8.25
6: June	50850	8.21
7: July	51645	8.34
8: August	50501	8.15
9: September	50334	8.12
10: October	51585	8.33
11: November	49288	7.96
12: December	51988	8.39

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ASOURCE	Frequency	Percent of Total
.: Missing	4849	0.78
.A: Invalid	255	0.04
.B: Unavailable from Source	51211	8.27
1: Emergency Department	201709	32.56
2: Another Hospital	16486	2.66
3: Other Health Facility, incl. LTC	6991	1.13
4: Court/Law Enforcement	575	0.09
5: Routine, Birth, and Other	337498	54.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	1993	0.32
.A: Invalid	<= 10	**.**
.B: Unavail from Source	51211	8.27
1: Emergency	187730	30.30
2: Urgent	169334	27.33
3: Elective	131218	21.18
4: Newborn	63114	10.19
5: Delivery	14971	2.42
6: Other	<= 10	**.**

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	154	0.02
A	265	0.04
1	322	0.05
2	5308	0.86
3	291	0.05
4	338	0.05
5	364	0.06
6	502	0.08
7	2405	0.39
8	306	0.05
9	136	0.02
10	<= 10	**,**
11	649	0.10
12	242	0.04
13	484	0.08
14	2031	0.33
15	917	0.15
16	189	0.03
17	587	0.09
18	311	0.05
19	2742	0.44
20	55	0.01
21	272	0.04
22	137	0.02
23	148	0.02
24	2999	0.48
25	712	0.11
26	673	0.11
27	473	0.08
28	110	0.02
29	2925	0.47
30	70	0.01
31	16	0.00
32	1228	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	503	0.08
34	73	0.01
35	617	0.10
36	266	0.04
37	162	0.03
38	929	0.15
39	734	0.12
40	301	0.05
41	267	0.04
42	5006	0.81
43	161	0.03
44	693	0.11
45	7322	1.18
46	3493	0.56
47	2877	0.46
48	587	0.09
49	197	0.03
50	6457	1.04
51	1014	0.16
52	294	0.05
53	14	0.00
54	122	0.02
55	7353	1.19
56	148	0.02
57	35	0.01
58	889	0.14
59	1832	0.30
60	180	0.03
61	1053	0.17
62	745	0.12
63	713	0.12
64	131	0.02
65	<= 10	**.**
66	5588	0.90

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	2685	0.43
68	1804	0.29
69	8131	1.31
70	3912	0.63
71	981	0.16
72	1212	0.20
73	292	0.05
74	2596	0.42
75	<= 10	**.**
76	948	0.15
77	209	0.03
78	77	0.01
79	235	0.04
80	412	0.07
81	756	0.12
82	393	0.06
83	3910	0.63
84	822	0.13
85	225	0.04
86	109	0.02
87	588	0.09
88	99	0.02
89	43	0.01
90	411	0.07
91	360	0.06
92	662	0.11
93	1198	0.19
94	230	0.04
95	1939	0.31
96	1544	0.25
97	1502	0.24
98	613	0.10
99	3387	0.55
100	11770	1.90

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	25561	4.13
102	9167	1.48
103	1278	0.21
104	97	0.02
105	1062	0.17
106	9328	1.51
107	394	0.06
108	15851	2.56
109	9962	1.61
110	2022	0.33
111	336	0.05
112	3184	0.51
113	20	0.00
114	2011	0.32
115	1436	0.23
116	1676	0.27
117	1778	0.29
118	2917	0.47
119	405	0.07
120	654	0.11
121	202	0.03
122	18029	2.91
123	240	0.04
124	1393	0.22
125	3944	0.64
126	1912	0.31
127	6686	1.08
128	7593	1.23
129	1725	0.28
130	1545	0.25
131	2627	0.42
132	157	0.03
133	2933	0.47
134	1189	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2509	0.40
136	687	0.11
137	321	0.05
138	2318	0.37
139	1188	0.19
140	2889	0.47
141	696	0.11
142	4065	0.66
143	3788	0.61
144	1096	0.18
145	4427	0.71
146	3524	0.57
147	884	0.14
148	340	0.05
149	10431	1.68
150	931	0.15
151	1347	0.22
152	2832	0.46
153	5895	0.95
154	3568	0.58
155	2396	0.39
156	271	0.04
157	1081	0.17
158	667	0.11
159	6724	1.09
160	4070	0.66
161	795	0.13
162	666	0.11
163	657	0.11
164	3825	0.62
165	450	0.07
166	443	0.07
167	680	0.11
168	1795	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1537	0.25
170	2679	0.43
171	1330	0.21
172	1527	0.25
173	167	0.03
174	78	0.01
175	2198	0.35
176	146	0.02
177	808	0.13
178	313	0.05
179	86	0.01
180	980	0.16
181	5914	0.95
182	1362	0.22
183	2643	0.43
184	5674	0.92
185	1777	0.29
186	1573	0.25
187	2875	0.46
188	3213	0.52
189	5240	0.85
190	8044	1.30
191	3510	0.57
192	5016	0.81
193	11147	1.80
194	2003	0.32
195	6322	1.02
196	13980	2.26
197	5611	0.91
198	243	0.04
199	1301	0.21
200	303	0.05
201	1189	0.19
202	592	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	6218	1.00
204	1070	0.17
205	10440	1.69
206	39	0.01
207	1223	0.20
208	341	0.06
209	533	0.09
210	329	0.05
211	2092	0.34
212	1739	0.28
213	851	0.14
214	429	0.07
215	267	0.04
216	152	0.02
217	969	0.16
218	70540	11.39
219	439	0.07
220	28	0.00
221	190	0.03
222	665	0.11
223	16	0.00
224	946	0.15
225	1834	0.30
226	5686	0.92
227	185	0.03
228	1313	0.21
229	3078	0.50
230	5058	0.82
231	3259	0.53
232	2725	0.44
233	3418	0.55
234	1872	0.30
235	1227	0.20
236	1598	0.26

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	6802	1.10
238	5544	0.89
239	1152	0.19
240	823	0.13
241	1261	0.20
242	2418	0.39
243	560	0.09
244	1894	0.31
245	3359	0.54
246	1230	0.20
247	478	0.08
248	245	0.04
249	192	0.03
250	544	0.09
251	3115	0.50
252	168	0.03
253	412	0.07
254	4182	0.67
255	62	0.01
256	402	0.06
257	1171	0.19
258	<= 10	**.**
259	649	0.10

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	405	0.07
.A: Invalid	114	0.02
0: Did not Die in Hospital	602084	97.18
1: Died in Hospital	16971	2.74

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	405	0.07
A	114	0.02
1	504449	81.42
2	13998	2.26
3	27715	4.47
4	5362	0.87
5	12770	2.06
6	32485	5.24
7	5305	0.86
20	16971	2.74

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	159512	25.75
2: Second Quarter	154917	25.00
3: Third Quarter	152031	24.54
4: Fourth Quarter	153114	24.71

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1637	0.26
2	313	0.05
3	399	0.06
4	467	0.08
5	1682	0.27
6	59	0.01
7	302	0.05
8	345	0.06
9	131	0.02
10	844	0.14
11	197	0.03
12	903	0.15
13	467	0.08
14	9249	1.49
15	3524	0.57
16	314	0.05
17	120	0.02
18	566	0.09
19	419	0.07
20	572	0.09
21	656	0.11
22	261	0.04
23	140	0.02
24	2129	0.34
25	1620	0.26
26	1165	0.19
27	351	0.06
28	499	0.08
29	435	0.07
30	476	0.08
31	261	0.04
32	417	0.07
33	364	0.06
34	617	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	292	0.05
36	552	0.09
37	147	0.02
38	19	0.00
39	131	0.02
40	111	0.02
41	47	0.01
42	396	0.06
43	60	0.01
44	209	0.03
45	140	0.02
46	136	0.02
47	96	0.02
48	88	0.01
49	143	0.02
50	247	0.04
51	26	0.00
52	123	0.02
53	494	0.08
54	68	0.01
55	329	0.05
56	238	0.04
57	155	0.03
58	216	0.03
59	199	0.03
60	600	0.10
61	19	0.00
62	112	0.02
63	1043	0.17
64	160	0.03
65	1145	0.18
66	240	0.04
67	60	0.01
68	485	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	413	0.07
70	1123	0.18
71	394	0.06
72	63	0.01
73	292	0.05
74	188	0.03
75	1578	0.25
76	1393	0.22
77	173	0.03
78	937	0.15
79	3918	0.63
80	298	0.05
81	175	0.03
82	2231	0.36
83	316	0.05
84	152	0.02
85	452	0.07
86	60	0.01
87	1363	0.22
88	7425	1.20
89	9121	1.47
90	1624	0.26
91	2805	0.45
92	322	0.05
93	80	0.01
94	424	0.07
95	317	0.05
96	2754	0.44
97	2269	0.37
98	5335	0.86
99	961	0.16
100	962	0.16
101	735	0.12
102	319	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	49	0.01
104	746	0.12
105	704	0.11
106	3034	0.49
107	2313	0.37
108	461	0.07
110	1782	0.29
111	264	0.04
112	7230	1.17
113	864	0.14
114	203	0.03
115	251	0.04
116	1834	0.30
117	102	0.02
118	178	0.03
119	223	0.04
120	886	0.14
121	4440	0.72
122	3697	0.60
123	1277	0.21
124	4746	0.77
125	4078	0.66
126	209	0.03
127	15472	2.50
128	732	0.12
129	155	0.03
130	2269	0.37
131	1105	0.18
132	410	0.07
133	154	0.02
134	1130	0.18
135	198	0.03
136	91	0.01
137	95	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	5309	0.86
139	2490	0.40
140	10208	1.65
141	2254	0.36
142	1319	0.21
143	7780	1.26
144	2053	0.33
145	492	0.08
146	316	0.05
147	95	0.02
148	4832	0.78
149	864	0.14
150	839	0.14
151	426	0.07
152	204	0.03
153	173	0.03
154	1267	0.20
155	268	0.04
156	274	0.04
157	516	0.08
158	782	0.13
159	608	0.10
160	736	0.12
161	561	0.09
162	739	0.12
163	201	0.03
164	449	0.07
165	678	0.11
166	530	0.09
167	2476	0.40
168	80	0.01
169	105	0.02
170	472	0.08
171	210	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	999	0.16
173	127	0.02
174	6525	1.05
175	1184	0.19
176	436	0.07
177	402	0.06
178	319	0.05
179	801	0.13
180	2185	0.35
181	943	0.15
182	7692	1.24
183	4968	0.80
184	3280	0.53
185	372	0.06
186	143	0.02
187	99	0.02
188	1699	0.27
189	549	0.09
190	313	0.05
191	518	0.08
192	75	0.01
193	365	0.06
194	50	0.01
195	495	0.08
196	77	0.01
197	3185	0.51
198	4459	0.72
199	109	0.02
200	113	0.02
201	72	0.01
202	1174	0.19
203	1020	0.16
204	2471	0.40
205	1023	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	315	0.05
207	1209	0.20
208	844	0.14
209	8433	1.36
210	3033	0.49
211	858	0.14
212	297	0.05
213	183	0.03
214	2467	0.40
215	5190	0.84
216	327	0.05
217	1123	0.18
218	1056	0.17
219	2231	0.36
220	516	0.08
221	308	0.05
222	1764	0.28
223	1280	0.21
224	1122	0.18
225	697	0.11
226	314	0.05
227	861	0.14
228	261	0.04
229	476	0.08
230	226	0.04
231	1130	0.18
232	151	0.02
233	282	0.05
234	381	0.06
235	359	0.06
236	1462	0.24
237	89	0.01
238	311	0.05
239	1829	0.30

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	450	0.07
241	286	0.05
242	140	0.02
243	5193	0.84
244	342	0.06
245	346	0.06
246	68	0.01
247	635	0.10
248	428	0.07
249	428	0.07
250	178	0.03
251	233	0.04
252	235	0.04
253	694	0.11
254	754	0.12
255	304	0.05
256	638	0.10
257	1018	0.16
258	1070	0.17
259	217	0.04
260	318	0.05
261	636	0.10
262	72	0.01
263	931	0.15
264	179	0.03
265	290	0.05
266	370	0.06
267	87	0.01
268	187	0.03
269	466	0.08
270	529	0.09
271	545	0.09
272	237	0.04
273	116	0.02

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
274	128	0.02
275	29	0.00
276	89	0.01
277	2594	0.42
278	1571	0.25
279	495	0.08
280	626	0.10
281	868	0.14
282	270	0.04
283	251	0.04
284	249	0.04
285	192	0.03
286	138	0.02
287	248	0.04
288	177	0.03
289	167	0.03
290	815	0.13
291	31	0.01
292	164	0.03
293	24	0.00
294	3005	0.49
295	1285	0.21
296	5724	0.92
297	1267	0.20
298	1716	0.28
299	108	0.02
300	426	0.07
301	225	0.04
302	240	0.04
303	705	0.11
304	647	0.10
305	409	0.07
306	328	0.05
307	101	0.02

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
308	267	0.04
309	140	0.02
310	1090	0.18
311	830	0.13
312	82	0.01
313	70	0.01
314	<= 10	**.**
315	912	0.15
316	1654	0.27
317	44	0.01
318	181	0.03
319	34	0.01
320	4198	0.68
321	1364	0.22
322	725	0.12
323	1221	0.20
324	1782	0.29
325	219	0.04
326	153	0.02
327	25	0.00
328	18	0.00
329	15	0.00
330	<= 10	**.**
331	1030	0.17
332	330	0.05
333	148	0.02
334	1153	0.19
335	560	0.09
336	2247	0.36
337	1849	0.30
338	285	0.05
339	204	0.03
340	97	0.02
341	386	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	15	0.00
343	<= 10	**.**
344	210	0.03
345	57	0.01
346	179	0.03
347	31	0.01
348	83	0.01
349	47	0.01
350	387	0.06
351	<= 10	**.**
352	55	0.01
353	187	0.03
354	428	0.07
355	468	0.08
356	1484	0.24
357	367	0.06
358	3387	0.55
359	7985	1.29
360	493	0.08
361	401	0.06
362	11	0.00
363	232	0.04
364	246	0.04
365	290	0.05
366	184	0.03
367	49	0.01
368	880	0.14
369	731	0.12
370	4101	0.66
371	11489	1.85
372	5072	0.82
373	46399	7.49
374	3416	0.55
375	39	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
376	700	0.11
377	194	0.03
378	980	0.16
379	2658	0.43
380	382	0.06
381	1057	0.17
382	678	0.11
383	3824	0.62
384	1278	0.21
385	1387	0.22
386	1247	0.20
387	1791	0.29
388	1649	0.27
389	6001	0.97
390	11531	1.86
391	49224	7.94
392	163	0.03
393	28	0.00
394	153	0.02
395	2463	0.40
396	435	0.07
397	631	0.10
398	797	0.13
399	263	0.04
400	404	0.07
401	251	0.04
402	108	0.02
403	1000	0.16
404	265	0.04
405	91	0.01
406	154	0.02
407	50	0.01
408	205	0.03
409	327	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	6484	1.05
411	<= 10	**. **
412	<= 10	**. **
413	280	0.05
414	79	0.01
415	1314	0.21
416	4252	0.69
417	502	0.08
418	853	0.14
419	568	0.09
420	172	0.03
421	727	0.12
422	1575	0.25
423	471	0.08
424	172	0.03
425	974	0.16
426	1797	0.29
427	1067	0.17
428	402	0.06
429	1397	0.23
430	12365	2.00
431	442	0.07
432	90	0.01
433	1054	0.17
434	1404	0.23
435	3242	0.52
436	643	0.10
437	1849	0.30
439	76	0.01
440	375	0.06
441	157	0.03
442	590	0.10
443	497	0.08
444	214	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
445	380	0.06
446	125	0.02
447	242	0.04
448	44	0.01
449	1995	0.32
450	1406	0.23
451	784	0.13
452	726	0.12
453	378	0.06
454	284	0.05
455	456	0.07
456	16	0.00
457	<= 10	**,**
458	211	0.03
459	73	0.01
460	464	0.07
461	389	0.06
462	4066	0.66
463	335	0.05
464	149	0.02
465	35	0.01
466	593	0.10
467	725	0.12
468	2711	0.44
469	16	0.00
470	387	0.06
471	291	0.05
472	19	0.00
473	371	0.06
475	2492	0.40
476	218	0.04
477	1438	0.23
478	3093	0.50
479	564	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
480	76	0.01
481	132	0.02
482	300	0.05
483	1299	0.21
484	53	0.01
485	200	0.03
486	531	0.09
487	402	0.06
488	229	0.04
489	1573	0.25
490	492	0.08
491	285	0.05
492	376	0.06

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
9	466460	75.29
10	153114	24.71

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	204248	32.97
6	54762	8.84
7	11227	1.81
9	85515	13.80
10	164064	26.48
30	99758	16.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	252835	40.81
5	17402	2.81
8	42501	6.86
10	207078	33.42
21	99758	16.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
3	164064	26.48
4	99758	16.10
5	62340	10.06
6	43014	6.94
7	54762	8.84
8	11227	1.81
9	15894	2.57
10	42501	6.86
11	33809	5.46
12	17402	2.81
13	74803	12.07

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	568363	91.73
2	51211	8.27

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	154	0.02
Valid DX	619420	99.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	154	0.02
C	23	0.00
0	619132	99.93
1	265	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPST	Frequency	Percent of Total
AZ	15894	2.57
CA	99758	16.10
CO	17402	2.81
FL	164064	26.48
IA	33809	5.46
IL	62340	10.06
MA	43014	6.94
NJ	42501	6.86
PA	74803	12.07
WA	11227	1.81
WI	54762	8.84

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
4003	137	0.02
4013	11484	1.85
4015	552	0.09
4017	295	0.05
4019	3067	0.50
4021	93	0.02
4023	266	0.04
6001	2182	0.35
6005	255	0.04
6007	453	0.07
6009	151	0.02
6015	248	0.04
6019	2867	0.46
6021	32	0.01
6023	1314	0.21
6025	688	0.11
6027	193	0.03
6029	2959	0.48
6031	413	0.07
6035	142	0.02
6037	25368	4.09
6041	221	0.04
6045	788	0.13
6049	<= 10	**.**
6051	66	0.01
6055	839	0.14
6059	8613	1.39
6061	614	0.10
6063	69	0.01
6065	3482	0.56
6067	7758	1.25
6071	4567	0.74
6073	14393	2.32
6075	4332	0.70

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HOSPSTCO	Frequency	Percent of Total
6077	3859	0.62
6079	651	0.11
6081	1389	0.22
6083	1289	0.21
6085	2789	0.45
6087	1444	0.23
6091	<= 10	**.**
6093	382	0.06
6097	2187	0.35
6099	2039	0.33
6105	104	0.02
6107	434	0.07
6109	166	0.03
8001	665	0.11
8005	1609	0.26
8013	685	0.11
8015	111	0.02
8031	8089	1.31
8037	261	0.04
8041	2311	0.37
8043	279	0.05
8045	330	0.05
8065	76	0.01
8071	135	0.02
8073	33	0.01
8075	213	0.03
8077	1333	0.22
8085	299	0.05
8087	299	0.05
8089	267	0.04
8095	19	0.00
8097	148	0.02
8099	128	0.02
8103	27	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
8105	39	0.01
8125	46	0.01
12001	5195	0.84
12003	13	0.00
12005	2109	0.34
12007	74	0.01
12009	5109	0.82
12011	15118	2.44
12013	84	0.01
12015	1897	0.31
12017	1392	0.22
12019	14	0.00
12021	2267	0.37
12023	529	0.09
12025	25577	4.13
12027	360	0.06
12031	10680	1.72
12033	4951	0.80
12035	131	0.02
12037	69	0.01
12045	98	0.02
12047	64	0.01
12051	97	0.02
12053	973	0.16
12055	1181	0.19
12057	9932	1.60
12059	78	0.01
12061	1398	0.23
12063	516	0.08
12069	1872	0.30
12071	4993	0.81
12073	3399	0.55
12075	81	0.01
12079	50	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12081	1483	0.24
12083	2253	0.36
12085	1386	0.22
12087	759	0.12
12089	235	0.04
12091	516	0.08
12093	296	0.05
12095	12077	1.95
12097	1350	0.22
12099	11914	1.92
12101	2825	0.46
12103	12218	1.97
12105	5217	0.84
12107	641	0.10
12111	585	0.09
12113	618	0.10
12115	4503	0.73
12117	406	0.07
12121	43	0.01
12123	33	0.01
12125	56	0.01
12127	4095	0.66
12131	109	0.02
12133	145	0.02
17001	725	0.12
17007	138	0.02
17021	277	0.04
17029	756	0.12
17031	36678	5.92
17043	2828	0.46
17045	112	0.02
17051	126	0.02
17053	106	0.02
17055	126	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17061	32	0.01
17067	124	0.02
17069	92	0.01
17075	234	0.04
17077	806	0.13
17089	2281	0.37
17091	1055	0.17
17095	490	0.08
17097	1917	0.31
17099	547	0.09
17111	1180	0.19
17113	1077	0.17
17115	2072	0.33
17119	1489	0.24
17125	64	0.01
17131	88	0.01
17135	178	0.03
17141	143	0.02
17143	713	0.12
17145	131	0.02
17149	152	0.02
17157	138	0.02
17161	1029	0.17
17163	452	0.07
17165	195	0.03
17167	2506	0.40
17179	41	0.01
17183	48	0.01
17185	145	0.02
17195	658	0.11
17199	391	0.06
19001	46	0.01
19003	59	0.01
19005	67	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19007	124	0.02
19009	42	0.01
19011	28	0.00
19013	2132	0.34
19015	170	0.03
19017	98	0.02
19019	52	0.01
19021	214	0.03
19025	177	0.03
19027	291	0.05
19029	154	0.02
19033	1342	0.22
19035	99	0.02
19037	88	0.01
19039	38	0.01
19041	302	0.05
19043	87	0.01
19045	589	0.10
19047	79	0.01
19049	74	0.01
19051	76	0.01
19053	73	0.01
19057	672	0.11
19059	145	0.02
19061	1564	0.25
19063	167	0.03
19065	94	0.02
19067	114	0.02
19073	71	0.01
19075	17	0.00
19077	41	0.01
19079	206	0.03
19081	34	0.01
19083	146	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19085	76	0.01
19087	128	0.02
19089	81	0.01
19091	58	0.01
19093	76	0.01
19095	<= 10	**.**
19097	143	0.02
19101	152	0.02
19103	2869	0.46
19109	82	0.01
19111	575	0.09
19113	2868	0.46
19117	39	0.01
19119	30	0.00
19121	30	0.00
19123	168	0.03
19125	278	0.04
19127	483	0.08
19131	81	0.01
19133	137	0.02
19135	50	0.01
19137	172	0.03
19141	41	0.01
19143	55	0.01
19145	161	0.03
19147	70	0.01
19149	120	0.02
19151	39	0.01
19153	7312	1.18
19155	1226	0.20
19157	230	0.04
19159	27	0.00
19163	1983	0.32
19165	96	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19167	142	0.02
19169	939	0.15
19175	147	0.02
19177	61	0.01
19179	652	0.11
19183	110	0.02
19185	87	0.01
19187	556	0.09
19189	29	0.00
19191	142	0.02
19193	1152	0.19
19197	79	0.01
25001	1396	0.23
25003	1028	0.17
25005	4208	0.68
25007	71	0.01
25009	2093	0.34
25013	4584	0.74
25015	1034	0.17
25017	11890	1.92
25019	79	0.01
25021	2731	0.44
25025	6759	1.09
25027	7141	1.15
34001	2702	0.44
34003	5795	0.94
34005	2053	0.33
34007	4843	0.78
34009	1026	0.17
34013	5123	0.83
34017	3310	0.53
34019	854	0.14
34021	1106	0.18
34023	1698	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34025	2841	0.46
34027	1094	0.18
34029	3768	0.61
34031	3667	0.59
34033	650	0.10
34037	778	0.13
34039	1193	0.19
42003	14493	2.34
42005	742	0.12
42009	328	0.05
42011	3178	0.51
42013	2103	0.34
42015	26	0.00
42017	1411	0.23
42021	1219	0.20
42027	111	0.02
42029	1855	0.30
42031	316	0.05
42033	1315	0.21
42035	20	0.00
42039	885	0.14
42041	169	0.03
42045	2879	0.46
42047	394	0.06
42049	1969	0.32
42051	249	0.04
42055	368	0.06
42057	107	0.02
42059	336	0.05
42061	371	0.06
42065	488	0.08
42069	1442	0.23
42071	3832	0.62
42073	336	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42075	1065	0.17
42077	4139	0.67
42079	892	0.14
42081	1315	0.21
42083	132	0.02
42085	1331	0.21
42087	884	0.14
42089	1046	0.17
42091	3929	0.63
42097	456	0.07
42101	13860	2.24
42105	297	0.05
42107	830	0.13
42115	299	0.05
42119	723	0.12
42125	1159	0.19
42127	388	0.06
42129	1116	0.18
53001	16	0.00
53003	105	0.02
53005	127	0.02
53007	106	0.02
53011	1623	0.26
53015	1093	0.18
53019	18	0.00
53021	377	0.06
53025	364	0.06
53027	469	0.08
53033	2669	0.43
53043	<= 10	**.*
53047	56	0.01
53049	49	0.01
53051	33	0.01
53053	1163	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53057	1171	0.19
53061	215	0.03
53063	918	0.15
53065	170	0.03
53071	407	0.07
53075	52	0.01
53077	17	0.00
55001	66	0.01
55003	417	0.07
55005	122	0.02
55009	2339	0.38
55013	51	0.01
55015	96	0.02
55017	480	0.08
55019	90	0.01
55021	151	0.02
55025	5917	0.96
55027	614	0.10
55031	173	0.03
55033	205	0.03
55035	1597	0.26
55039	1080	0.17
55043	368	0.06
55045	529	0.09
55047	234	0.04
55049	140	0.02
55053	147	0.02
55055	445	0.07
55059	1354	0.22
55061	29	0.00
55063	2516	0.41
55065	60	0.01
55071	840	0.14
55075	492	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55079	14893	2.40
55081	128	0.02
55083	151	0.02
55085	923	0.15
55087	2004	0.32
55089	262	0.04
55091	65	0.01
55095	405	0.07
55097	546	0.09
55099	109	0.02
55101	2133	0.34
55103	156	0.03
55105	1722	0.28
55107	121	0.02
55109	424	0.07
55111	434	0.07
55115	264	0.04
55117	1085	0.18
55119	119	0.02
55121	98	0.02
55123	229	0.04
55125	97	0.02
55129	206	0.03
55131	164	0.03
55133	3053	0.49
55135	201	0.03
55137	54	0.01
55139	1913	0.31
55141	2251	0.36

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
.C: Inconsistent	926	0.15
0 days	12010	1.94
1 day	89981	14.52
2 days	124985	20.17
3 days	87446	14.11
4 days	62872	10.15
5 days	43300	6.99
6 days	32873	5.31
7 days	28833	4.65
8 days	23026	3.72
9 days	17468	2.82
10 days	14010	2.26
11 - 30 days	71524	11.54
31 - 60 days	8323	1.34
61 - 90 days	1264	0.20
91 - 120 days	394	0.06
121 - 150 days	130	0.02
151 - 180 days	74	0.01
181 - 210 days	44	0.01
211 - 240 days	22	0.00
241 - 270 days	15	0.00
271 - 300 days	11	0.00
301 - 330 days	<= 10	**.*
331 - 365 days	<= 10	**.*
366	<= 10	**.*
368	<= 10	**.*
370	<= 10	**.*
407	<= 10	**.*
418	<= 10	**.*
433	<= 10	**.*
440	<= 10	**.*
442	<= 10	**.*
450	<= 10	**.*
458	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
460	<= 10	**. **
475	<= 10	**. **
493	<= 10	**. **
505	<= 10	**. **
507	<= 10	**. **
595	<= 10	**. **
597	<= 10	**. **
628	<= 10	**. **
676	<= 10	**. **
726	<= 10	**. **
852	<= 10	**. **
887	<= 10	**. **
894	<= 10	**. **
941	<= 10	**. **
1340	<= 10	**. **
1414	<= 10	**. **
1512	<= 10	**. **
1534	<= 10	**. **
1706	<= 10	**. **
1863	<= 10	**. **
2749	<= 10	**. **
5540	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	194	0.03
1	33142	5.35
2	2156	0.35
3	9741	1.57
4	52024	8.40
5	97991	15.82
6	51520	8.32
7	17787	2.87
8	51301	8.28
9	14659	2.37
10	16037	2.59
11	19256	3.11
12	7901	1.28
13	17880	2.89
14	82462	13.31
15	72848	11.76
16	5087	0.82
17	10562	1.70
18	10468	1.69
19	18707	3.02
20	8272	1.34
21	9000	1.45
22	797	0.13
23	6296	1.02
24	1190	0.19
25	2296	0.37

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	243052	39.23
Non-Blank	376522	60.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	151	0.02
1	108939	17.58
2	118268	19.09
3	94285	15.22
4	78378	12.65
5	130567	21.07
6	28068	4.53
7	17791	2.87
8	13114	2.12
9	14694	2.37
10	11966	1.93
11	1032	0.17
12	766	0.12
13	522	0.08
14	348	0.06
15	304	0.05
16	104	0.02
17	61	0.01
18	60	0.01
19	43	0.01
20	33	0.01
21	21	0.00
22	13	0.00
23	<= 10	**. **
24	<= 10	**. **
25	20	0.00
26	<= 10	**. **
27	<= 10	**. **
28	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	462399	74.63
1: Maternal	83634	13.50
2: Neonatal	73487	11.86
3: Neonatal and Maternal	54	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	231747	37.40
1	170904	27.58
2	94189	15.20
3	82356	13.29
4	18333	2.96
5	9478	1.53
6	4606	0.74
7	2477	0.40
8	2123	0.34
9	949	0.15
10	1518	0.25
11	218	0.04
12	171	0.03
13	118	0.02
14	85	0.01
15	134	0.02
16	44	0.01
17	30	0.00
18	14	0.00
19	24	0.00
20	13	0.00
21	43	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1	Frequency	Percent of Total
.: Missing	2336	0.38
.A: Invalid	36	0.01
1: Medicare	213430	34.45
2: Medicaid	103995	16.78
3: Private Insurance	241814	39.03
4: Self-pay	34093	5.50
5: No Charge	587	0.09
6: Other	23283	3.76

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	18230	2.94
A	36	0.01
1	209630	33.83
2	100267	16.18
3	42200	6.81
4	128808	20.79
5	62205	10.04
6	34093	5.50
7	587	0.09
8	46	0.01
9	4960	0.80
10	2463	0.40
11	8088	1.31
12	7961	1.28

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	405730	65.49
C	12234	1.97
.: Missing	113337	18.29
.A: Invalid	143	0.02
1: Medicare	2489	0.40
2: Medicaid	9205	1.49
3: Private Insurance	41504	6.70
4: Self-pay	18040	2.91
5: No Charge	129	0.02
6: Other	16763	2.71

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	113337	18.29
A	143	0.02
B	405730	65.49
C	12234	1.97
1	2489	0.40
2	9205	1.49
3	12243	1.98
4	25610	4.13
5	2777	0.45
6	18040	2.91
7	129	0.02
8	<= 10	**,**
9	23	0.00
10	114	0.02
11	563	0.09
12	16935	2.73

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	231781	37.41
A	168	0.03
1	1385	0.22
2	502	0.08
3	6721	1.08
4	5462	0.88
5	888	0.14
6	154	0.02
7	264	0.04
8	223	0.04
9	1217	0.20
10	832	0.13
11	32	0.01
12	408	0.07
13	109	0.02
14	60	0.01
15	199	0.03
16	440	0.07
17	25	0.00
18	21	0.00
19	391	0.06
20	376	0.06
21	147	0.02
22	72	0.01
23	140	0.02
24	123	0.02
25	11	0.00
26	331	0.05
27	324	0.05
28	447	0.07
29	254	0.04
30	1100	0.18
31	124	0.02
32	321	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1466	0.24
34	956	0.15
35	490	0.08
36	1034	0.17
37	3559	0.57
38	251	0.04
39	2912	0.47
40	376	0.06
41	231	0.04
42	844	0.14
43	1220	0.20
44	5534	0.89
45	6092	0.98
46	20	0.00
47	12090	1.95
48	3046	0.49
49	1184	0.19
50	26	0.00
51	1650	0.27
52	859	0.14
53	199	0.03
54	3025	0.49
55	1743	0.28
56	201	0.03
57	1189	0.19
58	1921	0.31
59	101	0.02
60	421	0.07
61	3036	0.49
62	804	0.13
63	578	0.09
64	122	0.02
65	1401	0.23
66	375	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1296	0.21
68	30	0.00
69	225	0.04
70	11103	1.79
71	1309	0.21
72	234	0.04
73	118	0.02
74	488	0.08
75	802	0.13
76	4806	0.78
77	267	0.04
78	4367	0.70
79	33	0.01
80	4263	0.69
81	537	0.09
82	765	0.12
83	662	0.11
84	8683	1.40
85	1759	0.28
86	1707	0.28
87	695	0.11
88	865	0.14
89	666	0.11
90	1168	0.19
91	428	0.07
92	98	0.02
93	1440	0.23
94	1320	0.21
95	874	0.14
96	2201	0.36
97	309	0.05
98	758	0.12
99	1801	0.29
100	1933	0.31

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	1960	0.32
102	491	0.08
103	393	0.06
104	695	0.11
105	242	0.04
106	742	0.12
107	158	0.03
108	202	0.03
109	550	0.09
110	436	0.07
111	400	0.06
112	1095	0.18
113	4800	0.77
114	1628	0.26
115	17963	2.90
116	162	0.03
117	114	0.02
118	921	0.15
119	1457	0.24
120	846	0.14
121	1360	0.22
122	605	0.10
123	395	0.06
124	9583	1.55
125	567	0.09
126	132	0.02
127	1246	0.20
128	465	0.08
129	873	0.14
130	178	0.03
131	134	0.02
132	824	0.13
133	16056	2.59
134	15576	2.51

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	6977	1.13
136	1436	0.23
137	17342	2.80
138	254	0.04
139	1891	0.31
140	8426	1.36
141	194	0.03
142	964	0.16
143	266	0.04
144	719	0.12
145	1331	0.21
146	4738	0.76
147	3458	0.56
148	1732	0.28
149	206	0.03
150	157	0.03
151	311	0.05
152	5178	0.84
153	4822	0.78
154	1580	0.26
155	522	0.08
156	89	0.01
157	1659	0.27
158	997	0.16
159	470	0.08
160	2313	0.37
161	876	0.14
162	1318	0.21
163	179	0.03
164	777	0.13
165	136	0.02
166	644	0.10
167	2180	0.35
168	1034	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	3713	0.60
170	647	0.10
171	1313	0.21
172	645	0.10
173	245	0.04
174	1964	0.32
175	1094	0.18
176	133	0.02
177	6585	1.06
178	545	0.09
179	1685	0.27
180	487	0.08
181	732	0.12
182	44	0.01
183	191	0.03
184	21	0.00
185	585	0.09
186	189	0.03
187	917	0.15
188	691	0.11
189	320	0.05
190	330	0.05
191	871	0.14
192	592	0.10
193	4094	0.66
194	347	0.06
195	704	0.11
196	1237	0.20
197	1468	0.24
198	1504	0.24
199	829	0.13
200	29	0.00
201	1454	0.23
202	429	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	1805	0.29
204	493	0.08
205	2713	0.44
206	134	0.02
207	561	0.09
208	836	0.13
209	901	0.15
210	96	0.02
211	1419	0.23
212	184	0.03
213	2388	0.39
214	873	0.14
215	668	0.11
216	7530	1.22
217	3671	0.59
218	1738	0.28
219	6544	1.06
220	50	0.01
221	633	0.10
222	2554	0.41
223	656	0.11
224	6855	1.11
225	1191	0.19
226	900	0.15
227	1139	0.18
228	510	0.08
229	107	0.02
230	<= 10	**.**
231	5343	0.86

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	231781	37.41
Valid PR	387793	62.59

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	189029	30.51
.B: Unavail from Source	123270	19.90
.C: Inconsistent	12781	2.06
-4 days	<= 10	**. **
-3 days	15	0.00
-2 days	86	0.01
-1 day	623	0.10
0 days	161993	26.15
1 day	61247	9.89
2 days	21401	3.45
3 days	12893	2.08
4 days	8573	1.38
5 days	5945	0.96
6 - 30 days	20994	3.39
31 - 60 days	589	0.10
61 - 90 days	79	0.01
91 - 120 days	24	0.00
121 - 150 days	<= 10	**. **
151 - 180 days	<= 10	**. **
181 - 210 days	<= 10	**. **
211 - 240 days	<= 10	**. **
331 - 365 days	<= 10	**. **
366	<= 10	**. **
412	<= 10	**. **
502	<= 10	**. **
623	<= 10	**. **
765	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	619574	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	231781	37.41
C	35	0.01
0	387590	62.56
1	168	0.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	16671	2.69
.A: Invalid	13	0.00
.B: Unavail from Source	181666	29.32
1: White	323706	52.25
2: Black	44071	7.11
3: Hispanic	38886	6.28
4: Asian/Pacific Islander	8192	1.32
5: Native American	938	0.15
6: Other	5431	0.88

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	<= 10	**. **
C	32	0.01
1	259734	41.92
2	359798	58.07

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	400562	64.65
Non-Blank	219012	35.35

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	23835	3.85
.C: Inconsistent	919	0.15
\$ 1- \$ 9	<= 10	**. **
\$11- \$19	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	51583	8.33
\$1,001- \$5,000	238577	38.51
\$5,001- \$10,000	151137	24.39
\$10,001- \$50,000	140094	22.61
\$50,001- \$100,000	9631	1.55
\$100,001- \$200,000	2788	0.45
\$200,001- \$300,000	562	0.09
\$300,001- \$400,000	230	0.04
\$400,001- \$500,000	74	0.01
\$500,001-\$1,000,000	111	0.02
1020563	<= 10	**. **
1052301	<= 10	**. **
1059481	<= 10	**. **
1202789	<= 10	**. **
1237722	<= 10	**. **
1261641	<= 10	**. **
1391654	<= 10	**. **
1407212	<= 10	**. **
1497020	<= 10	**. **
1738039	<= 10	**. **
1938493	<= 10	**. **
4503479	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
92	619574	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	21574	3.48
1: \$0-\$25,000	191421	30.90
2: \$25,001-\$30,000	130871	21.12
3: \$30,001-\$35,000	102195	16.49
4: \$35,001+	173513	28.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	56091	9.05
1: \$0-\$15,000	16132	2.60
2: \$15,001-\$20,000	46598	7.52
3: \$20,001-\$25,000	114004	18.40
4: \$25,001-\$30,000	118630	19.15
5: \$30,001-\$35,000	98408	15.88
6: \$35,001-\$40,000	66490	10.73
7: \$40,001-\$45,000	43020	6.94
8: \$45,001+	60201	9.72

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	619205	Sum Weights	619205
Mean	45.0730711	Sum Observations	27909471
Std Deviation	28.3360957	Variance	802.934322
Skewness	-0.1768366	Kurtosis	-1.2057464
Uncorrected SS	1755145715	Corrected SS	497180144
Coeff Variation	62.867018	Std Error Mean	0.03600997

Basic Statistical Measures			
Location		Variability	
Mean	45.07307	Std Deviation	28.33610
Median	46.00000	Variance	802.93432
Mode	0.00000	Range	110.00000
		Interquartile Range	48.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1251.683	Pr > t 	<.0001
Sign	M	268210.5	Pr >= M 	<.0001
Signed Rank	S	7.194E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	110
99%	92
95%	85
90%	81
75% Q3	71
50% Median	46
25% Q1	23
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	198	0.03	53.66
A	53	0.01	14.36
C	118	0.02	31.98
Total	369	0.06	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	618648	Sum Weights	618648
Mean	5.92896445	Sum Observations	3667942
Std Deviation	13.0653062	Variance	170.702226
Skewness	161.016362	Kurtosis	57519.4681
Uncorrected SS	127351518	Corrected SS	105604420
Coeff Variation	220.36405	Std Error Mean	0.01661108

Basic Statistical Measures			
Location		Variability	
Mean	5.928964	Std Deviation	13.06531
Median	3.000000	Variance	170.70223
Mode	2.000000	Range	5540
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	356.9284	Pr > t 	<.0001
Sign	M	303319	Pr >= M 	<.0001
Signed Rank	S	9.2E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	5540
99%	38
95%	18
90%	13
75% Q3	7
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	926	0.15	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	619574	Sum Weights	619574
Mean	5.94584505	Sum Observations	3683891
Std Deviation	14.521445	Variance	210.872365
Skewness	155.6721	Kurtosis	46095.4695
Uncorrected SS	152554669	Corrected SS	130650824
Coeff Variation	244.228447	Std Error Mean	0.01844859

Basic Statistical Measures			
Location		Variability	
Mean	5.945845	Std Deviation	14.52145
Median	3.000000	Variance	210.87237
Mode	2.000000	Range	5540
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	322.2926	Pr > t 	<.0001
Sign	M	303763.5	Pr >= M 	<.0001
Signed Rank	S	9.227E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	5540
99%	38
95%	18
90%	13
75% Q3	7
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	594820	Sum Weights	594820
Mean	9871.06321	Sum Observations	5871505816
Std Deviation	21649.7003	Variance	468709523
Skewness	30.5240329	Kurtosis	3709.48799
Uncorrected SS	3.36755E14	Corrected SS	2.78797E14
Coeff Variation	219.324908	Std Error Mean	28.0710791

Basic Statistical Measures			
Location		Variability	
Mean	9871.063	Std Deviation	21650
Median	5155.000	Variance	468709523
Mode	1900.000	Range	4503478
		Interquartile Range	7723

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	351.6453	Pr > t 	<.0001
Sign	M	297410	Pr >= M 	<.0001
Signed Rank	S	8.845E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4503479.0
99%	77533.0
95%	31721.5
90%	20481.5
75% Q3	10275.0
50% Median	5155.0
25% Q1	2552.0
10%	1132.0
5%	700.0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	389.0
0% Min	1.0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	23835	3.85	96.29
C	919	0.15	3.71
Total	24754	4.00	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	595758	Sum Weights	595758
Mean	9881.44673	Sum Observations	5886950940
Std Deviation	21912.6561	Variance	480164496
Skewness	30.2446564	Kurtosis	3560.19018
Uncorrected SS	3.44233E14	Corrected SS	2.86061E14
Coeff Variation	221.755545	Std Error Mean	28.3896528

Basic Statistical Measures			
Location		Variability	
Mean	9881.447	Std Deviation	21913
Median	5148.000	Variance	480164496
Mode	1900.000	Range	4503478
		Interquartile Range	7725

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	348.0651	Pr > t 	<.0001
Sign	M	297879	Pr >= M 	<.0001
Signed Rank	S	8.873E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4503479.00
99%	77654.00
95%	31733.00
90%	20491.00
75% Q3	10269.00
50% Median	5148.00
25% Q1	2544.00
10%	1121.55
5%	691.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	377.00
0% Min	0.62

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	23816	3.84	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*