

HCUP Summary Statistics Report: NIS 1993 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	505910	147987	1.00	7.00	3.92	1.83
AGE : I:Age in years at admission	653717	180	0.00	123.00	45.11	28.23
AGEDAY : I:Age in days (when < 1 year)	85464	568433	0.00	364.00	17.68	59.54
AMONTH : I:Admission month	653897	0	1.00	12.00	6.46	3.46
ASOURCE : I:Admission source	606698	47199	1.00	5.00	3.43	1.91
ATYPE : I:Admission type	566435	87462	1.00	6.00	2.18	1.12
D10CWT_U : H:10% sample discharge wght in universe	653897	0	10.19	189.73	53.09	16.54
DCCHPR1 : I:CCHPR: principal diagnosis	652581	1316	1.00	259.00	146.78	64.57
DIED : I:Died during hospitalization	652573	1324	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	652573	1324	1.00	20.00	2.04	3.29
DQTR : I:Discharge quarter	653897	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	653897	0	1.00	494.00	260.84	137.21
DRG10 : I:DRG, Version 10	653897	0	1.00	492.00	260.10	136.78
DRGVER : I:DRG grouper version used on disch date	653897	0	10.00	11.00	10.25	0.43
DSNDX : I:Max number of diagnoses from source	653897	0	5.00	30.00	12.89	7.72
DSNPR : I:Max number of procedures from source	653897	0	3.00	30.00	10.20	6.17
DSNUM : I:Data source ID number	653897	0	2.00	19.00	7.45	5.06
DSTYPE : I:Data source type	653897	0	1.00	2.00	1.10	0.31
DXV1 : I:Validity flag: principal diagnosis	653790	107	0.00	1.00	0.00	0.04
DXSYS : I:Diagnosis coding system	653897	0	1.00	1.00	1.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	653897	0	4012.00	55173.00	23916.12	14962.17
HOSPSTCO : Hospital state/county FIPS code	605036	48861	4003.00	55141.00	23043.77	14910.89
LOS : I:Length of stay (cleaned)	653274	623	0.00	2645.00	5.82	11.45
LOS_X : I:Length of stay (uncleaned)	653897	0	-1082.00	7801.00	5.84	15.20
MDC : I:MDC in effect on discharge date	653897	0	0.00	25.00	9.82	5.61
MDC10 : I:MDC, Version 10	653897	0	0.00	25.00	9.82	5.61
NDX : I:Number of diagnoses on this discharge	653897	0	0.00	28.00	3.94	2.47
NEOMAT : I:Neonatal and/or maternal DX and/or PR	653897	0	0.00	3.00	0.36	0.68
NPR : I:Number of procedures on this discharge	653897	0	0.00	21.00	1.44	1.68
PAY1 : I:Primary expected payer, uniform	648718	5179	1.00	6.00	2.29	1.20
PAY1_N : I:Primary expected payer, nonuniform	587087	66810	1.00	12.00	2.98	2.18
PAY2 : I:Secondary expected payer, uniform	120005	533892	1.00	6.00	3.35	1.15
PAY2_N : I:Secondary expected payer, nonuniform	106533	547364	1.00	12.00	5.02	2.95
PCCHPR1 : I:CCHPR: principal procedure	418019	235878	1.00	231.00	125.05	62.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1993 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
PRDAY1 : I:No. of days from admission to PR1	342392	311505	-4.00	1482.00	1.52	4.96
PROCESS : I:HCUP-3 discharge processing ID number	653897	0	9.304E10	9.3551E10	9.3239E10	149775909
PRSYS : I:Procedure coding system	653897	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	418140	235757	0.00	1.00	0.00	0.02
RACE : I:Race	500103	153794	1.00	6.00	1.47	1.00
SEQ : I:HCUP-3 record sequence number	653897	0	4.0129E11	5.5174E12	2.3917E12	1.4962E12
SEX : I:Sex	653819	78	1.00	2.00	1.58	0.49
TOTCHG : I:Total charges (cleaned)	635185	18712	1.00	2457276.0	9895.46	20030.93
TOTCHG_X : I:Total charges (from data source)	635814	18083	1.00	2457276.0	9906.45	20124.60
ZIPINC4 : I:Median income-pt's zip code-4 categs	624855	29042	1.00	4.00	2.43	1.22
ZIPINC8 : I:Median income-pt's zip code-8 categs	566453	87444	1.00	8.00	4.65	1.92
DXV2 : I:Validity flag: diagnosis 2	32264	621633	0.00	1.00	0.00	0.01
DXV3 : I:Validity flag: diagnosis 3	23994	629903	0.00	1.00	0.00	0.01
DXV4 : I:Validity flag: diagnosis 4	17724	636173	0.00	1.00	0.00	0.01
DXV5 : I:Validity flag: diagnosis 5	12690	641207	0.00	1.00	0.00	0.01
DXV6 : I:Validity flag: diagnosis 6	6871	647026	0.00	0.00	0.00	0.00
DXV7 : I:Validity flag: diagnosis 7	5016	648881	0.00	0.00	0.00	0.00
DXV8 : I:Validity flag: diagnosis 8	3627	650270	0.00	0.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	2499	651398	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	1796	652101	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	1182	652715	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	851	653046	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	592	653305	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	419	653478	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	305	653592	0.00	0.00	0.00	0.00
PRV2 : I:Validity flag: procedure 2	36800	617097	0.00	0.00	0.00	0.00
PRV3 : I:Validity flag: procedure 3	21932	631965	0.00	0.00	0.00	0.00
PRV4 : I:Validity flag: procedure 4	11767	642130	0.00	0.00	0.00	0.00
PRV5 : I:Validity flag: procedure 5	7013	646884	0.00	0.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	4370	649527	0.00	0.00	0.00	0.00
PRV7 : I:Validity flag: procedure 7	2852	651045	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	1974	651923	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1414	652483	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	1031	652866	0.00	0.00	0.00	0.00

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
PRV11 : I:Validity flag: procedure 11	685	653212	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	487	653410	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	366	653531	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	276	653621	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	200	653697	0.00	0.00	0.00	0.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	143135	21.89
B	4852	0.74
1	49470	7.57
2	88202	13.49
3	85237	13.04
4	81922	12.53
5	78667	12.03
6	74131	11.34
7	48281	7.38

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	<= 10	**.**
A	12	0.00
C	158	0.02
0	85467	13.07
1	4955	0.76
2	3221	0.49
3	2476	0.38
4	2047	0.31
5	1794	0.27
6	1668	0.26
7	1516	0.23
8	1349	0.21
9	1283	0.20
10	1318	0.20
11	1276	0.20
12	1477	0.23
13	1720	0.26
14	2149	0.33
15	2753	0.42
16	3788	0.58
17	4573	0.70
18	5199	0.80
19	5647	0.86
20	6080	0.93
21	6605	1.01
22	7272	1.11
23	7115	1.09
24	7042	1.08
25	7216	1.10
26	7920	1.21
27	8516	1.30
28	8736	1.34
29	9065	1.39
30	9233	1.41

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8897	1.36
32	9191	1.41
33	8278	1.27
34	7906	1.21
35	7615	1.16
36	7195	1.10
37	7350	1.12
38	6345	0.97
39	6094	0.93
40	5986	0.92
41	5700	0.87
42	5941	0.91
43	5367	0.82
44	5319	0.81
45	5718	0.87
46	5945	0.91
47	5338	0.82
48	5080	0.78
49	5200	0.80
50	5658	0.87
51	5292	0.81
52	5455	0.83
53	5118	0.78
54	5120	0.78
55	5261	0.80
56	5377	0.82
57	5919	0.91
58	5923	0.91
59	5814	0.89
60	6234	0.95
61	6717	1.03
62	7277	1.11
63	7181	1.10
64	7649	1.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8588	1.31
66	8851	1.35
67	9298	1.42
68	9635	1.47
69	9899	1.51
70	9837	1.50
71	10245	1.57
72	10688	1.63
73	10344	1.58
74	9702	1.48
75	9605	1.47
76	9501	1.45
77	9606	1.47
78	9419	1.44
79	9069	1.39
80	8528	1.30
81	7922	1.21
82	7876	1.20
83	7161	1.10
84	6305	0.96
85	6289	0.96
86	5355	0.82
87	4569	0.70
88	4207	0.64
89	3458	0.53
90	2895	0.44
91	2367	0.36
92	2035	0.31
93	1511	0.23
94	1165	0.18
95	894	0.14
96	597	0.09
97	495	0.08
98	327	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	235	0.04
100	128	0.02
101	58	0.01
102	37	0.01
103	31	0.00
104	12	0.00
105	17	0.00
106	<= 10	**. **
107	<= 10	**. **
109	<= 10	**. **
113	<= 10	**. **
114	<= 10	**. **
115	<= 10	**. **
122	<= 10	**. **
123	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	568263	86.90
.A: Invalid	12	0.00
.C: Inconsistent	158	0.02
0 days	73028	11.17
1 day	474	0.07
2 days	197	0.03
3 days	267	0.04
4 days	274	0.04
5 days	178	0.03
6 days	132	0.02
7 days	105	0.02
8 days	83	0.01
9 days	88	0.01
10 days	65	0.01
11 - 30 days	1392	0.21
31 - 60 days	1904	0.29
61 - 90 days	1244	0.19
91 - 120 days	916	0.14
121 - 150 days	778	0.12
151 - 180 days	711	0.11
181 - 210 days	658	0.10
211 - 240 days	635	0.10
241 - 270 days	563	0.09
271 - 300 days	579	0.09
301 - 330 days	558	0.09
331 - 364 days	635	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	55732	8.52
2: February	53186	8.13
3: March	59709	9.13
4: April	54793	8.38
5: May	53759	8.22
6: June	53259	8.14
7: July	53700	8.21
8: August	54522	8.34
9: September	53291	8.15
10: October	53580	8.19
11: November	52925	8.09
12: December	55441	8.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	15909	2.43
.A: Invalid	11	0.00
.B: Unavailable from Source	31279	4.78
1: Emergency Department	218068	33.35
2: Another Hospital	20294	3.10
3: Other Health Facility, incl. LTC	10870	1.66
4: Court/Law Enforcement	435	0.07
5: Routine, Birth, and Other	357031	54.60

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	4046	0.62
.A: Invalid	272	0.04
.B: Unavail from Source	83144	12.72
1: Emergency	199411	30.50
2: Urgent	163065	24.94
3: Elective	125652	19.22
4: Newborn	62111	9.50
5: Delivery	15778	2.41
6: Other	418	0.06

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	39	0.01
A	1277	0.20
1	412	0.06
2	6197	0.95
3	352	0.05
4	371	0.06
5	436	0.07
6	492	0.08
7	2400	0.37
8	299	0.05
9	143	0.02
10	13	0.00
11	719	0.11
12	264	0.04
13	471	0.07
14	2128	0.33
15	885	0.14
16	205	0.03
17	602	0.09
18	315	0.05
19	2913	0.45
20	64	0.01
21	291	0.04
22	161	0.02
23	175	0.03
24	3142	0.48
25	756	0.12
26	665	0.10
27	440	0.07
28	159	0.02
29	2485	0.38
30	61	0.01
31	17	0.00
32	1204	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	587	0.09
34	61	0.01
35	639	0.10
36	323	0.05
37	154	0.02
38	1046	0.16
39	830	0.13
40	312	0.05
41	288	0.04
42	5353	0.82
43	168	0.03
44	775	0.12
45	8519	1.30
46	3650	0.56
47	2886	0.44
48	709	0.11
49	217	0.03
50	6880	1.05
51	1234	0.19
52	310	0.05
53	17	0.00
54	156	0.02
55	7930	1.21
56	152	0.02
57	29	0.00
58	997	0.15
59	1884	0.29
60	179	0.03
61	1342	0.21
62	808	0.12
63	814	0.12
64	149	0.02
65	13	0.00
66	6238	0.95

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	3695	0.57
68	2146	0.33
69	9209	1.41
70	4288	0.66
71	1095	0.17
72	1348	0.21
73	331	0.05
74	2856	0.44
75	<= 10	**.**
76	1017	0.16
77	237	0.04
78	120	0.02
79	209	0.03
80	477	0.07
81	702	0.11
82	396	0.06
83	4383	0.67
84	915	0.14
85	255	0.04
86	193	0.03
87	791	0.12
88	202	0.03
89	39	0.01
90	493	0.08
91	507	0.08
92	679	0.10
93	1221	0.19
94	223	0.03
95	1905	0.29
96	1538	0.24
97	1638	0.25
98	705	0.11
99	3765	0.58
100	12582	1.92

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	26176	4.00
102	9718	1.49
103	1336	0.20
104	93	0.01
105	1147	0.18
106	10211	1.56
107	392	0.06
108	17358	2.65
109	10270	1.57
110	1990	0.30
111	414	0.06
112	3205	0.49
113	16	0.00
114	2218	0.34
115	1484	0.23
116	1410	0.22
117	1763	0.27
118	3154	0.48
119	381	0.06
120	588	0.09
121	241	0.04
122	21652	3.31
123	318	0.05
124	1327	0.20
125	4109	0.63
126	2365	0.36
127	8259	1.26
128	9136	1.40
129	2139	0.33
130	1702	0.26
131	2684	0.41
132	174	0.03
133	3077	0.47
134	1214	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2645	0.40
136	706	0.11
137	389	0.06
138	2471	0.38
139	1208	0.18
140	2936	0.45
141	847	0.13
142	4143	0.63
143	3688	0.56
144	1097	0.17
145	4535	0.69
146	3851	0.59
147	858	0.13
148	379	0.06
149	10217	1.56
150	981	0.15
151	1484	0.23
152	3149	0.48
153	5923	0.91
154	3356	0.51
155	2526	0.39
156	286	0.04
157	1236	0.19
158	650	0.10
159	7114	1.09
160	4189	0.64
161	835	0.13
162	764	0.12
163	648	0.10
164	3393	0.52
165	476	0.07
166	455	0.07
167	769	0.12
168	1785	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1514	0.23
170	2650	0.41
171	1390	0.21
172	1478	0.23
173	187	0.03
174	71	0.01
175	2108	0.32
176	132	0.02
177	872	0.13
178	480	0.07
179	110	0.02
180	1046	0.16
181	6608	1.01
182	1265	0.19
183	3062	0.47
184	5738	0.88
185	1836	0.28
186	1662	0.25
187	2949	0.45
188	3073	0.47
189	5359	0.82
190	8062	1.23
191	3963	0.61
192	5160	0.79
193	12044	1.84
194	1979	0.30
195	6579	1.01
196	13246	2.03
197	6212	0.95
198	250	0.04
199	1422	0.22
200	301	0.05
201	1320	0.20
202	619	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	6313	0.97
204	881	0.13
205	10398	1.59
206	39	0.01
207	1108	0.17
208	280	0.04
209	608	0.09
210	384	0.06
211	2029	0.31
212	1692	0.26
213	989	0.15
214	424	0.06
215	351	0.05
216	162	0.02
217	1102	0.17
218	72549	11.09
219	491	0.08
220	12	0.00
221	194	0.03
222	645	0.10
223	21	0.00
224	977	0.15
225	1750	0.27
226	6017	0.92
227	234	0.04
228	1247	0.19
229	2842	0.43
230	5282	0.81
231	3268	0.50
232	2481	0.38
233	3245	0.50
234	1889	0.29
235	1241	0.19
236	1535	0.23

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	7472	1.14
238	5964	0.91
239	1062	0.16
240	935	0.14
241	1271	0.19
242	2470	0.38
243	600	0.09
244	1797	0.27
245	3343	0.51
246	1390	0.21
247	464	0.07
248	371	0.06
249	147	0.02
250	553	0.08
251	3062	0.47
252	211	0.03
253	365	0.06
254	4571	0.70
255	70	0.01
256	497	0.08
257	1020	0.16
258	22	0.00
259	733	0.11

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	660	0.10
.A: Invalid	664	0.10
0: Did not Die in Hospital	635057	97.12
1: Died in Hospital	17516	2.68

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	660	0.10
A	664	0.10
1	532456	81.43
2	14125	2.16
3	30231	4.62
4	4591	0.70
5	14212	2.17
6	33126	5.07
7	6316	0.97
20	17516	2.68

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	166974	25.54
2: Second Quarter	163162	24.95
3: Third Quarter	161054	24.63
4: Fourth Quarter	162707	24.88

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1752	0.27
2	287	0.04
3	478	0.07
4	512	0.08
5	1646	0.25
6	28	0.00
7	298	0.05
8	326	0.05
9	171	0.03
10	930	0.14
11	216	0.03
12	835	0.13
13	537	0.08
14	9153	1.40
15	3630	0.56
16	324	0.05
17	132	0.02
18	680	0.10
19	416	0.06
20	659	0.10
21	706	0.11
22	95	0.01
23	197	0.03
24	2425	0.37
25	1729	0.26
26	1292	0.20
27	409	0.06
28	523	0.08
29	415	0.06
30	442	0.07
31	240	0.04
32	359	0.05
33	288	0.04
34	689	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	342	0.05
36	818	0.13
37	191	0.03
38	25	0.00
39	202	0.03
40	150	0.02
41	34	0.01
42	625	0.10
43	64	0.01
44	232	0.04
45	142	0.02
46	145	0.02
47	98	0.01
48	110	0.02
49	146	0.02
50	258	0.04
51	29	0.00
52	144	0.02
53	433	0.07
54	56	0.01
55	374	0.06
56	188	0.03
57	173	0.03
58	213	0.03
59	179	0.03
60	471	0.07
61	22	0.00
62	76	0.01
63	993	0.15
64	170	0.03
65	1153	0.18
66	275	0.04
67	62	0.01
68	653	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	450	0.07
70	1312	0.20
71	647	0.10
72	75	0.01
73	315	0.05
74	185	0.03
75	1763	0.27
76	1336	0.20
77	180	0.03
78	941	0.14
79	4575	0.70
80	325	0.05
81	244	0.04
82	2456	0.38
83	367	0.06
84	152	0.02
85	497	0.08
86	66	0.01
87	1400	0.21
88	9140	1.40
89	11007	1.68
90	2003	0.31
91	3373	0.52
92	388	0.06
93	71	0.01
94	520	0.08
95	324	0.05
96	2953	0.45
97	2738	0.42
98	6184	0.95
99	1007	0.15
100	975	0.15
101	776	0.12
102	312	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	50	0.01
104	804	0.12
105	804	0.12
106	3308	0.51
107	2414	0.37
108	488	0.07
110	1877	0.29
111	291	0.04
112	8372	1.28
113	980	0.15
114	235	0.04
115	241	0.04
116	2180	0.33
117	112	0.02
118	202	0.03
119	188	0.03
120	951	0.15
121	4684	0.72
122	3748	0.57
123	1241	0.19
124	4864	0.74
125	3645	0.56
126	244	0.04
127	17207	2.63
128	696	0.11
129	160	0.02
130	2581	0.39
131	1128	0.17
132	648	0.10
133	175	0.03
134	1293	0.20
135	198	0.03
136	76	0.01
137	100	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	5665	0.87
139	2643	0.40
140	10021	1.53
141	2283	0.35
142	1296	0.20
143	8292	1.27
144	2373	0.36
145	470	0.07
146	295	0.05
147	76	0.01
148	5009	0.77
149	898	0.14
150	916	0.14
151	428	0.07
152	217	0.03
153	185	0.03
154	1308	0.20
155	274	0.04
156	281	0.04
157	553	0.08
158	698	0.11
159	654	0.10
160	717	0.11
161	511	0.08
162	545	0.08
163	233	0.04
164	508	0.08
165	683	0.10
166	540	0.08
167	2446	0.37
168	109	0.02
169	132	0.02
170	482	0.07
171	182	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	1109	0.17
173	117	0.02
174	6817	1.04
175	1141	0.17
176	520	0.08
177	452	0.07
178	297	0.05
179	815	0.12
180	2233	0.34
181	940	0.14
182	8126	1.24
183	4917	0.75
184	3047	0.47
185	371	0.06
186	147	0.02
187	113	0.02
188	1746	0.27
189	571	0.09
190	340	0.05
191	573	0.09
192	80	0.01
193	319	0.05
194	51	0.01
195	432	0.07
196	85	0.01
197	3376	0.52
198	4227	0.65
199	106	0.02
200	98	0.01
201	80	0.01
202	1276	0.20
203	1033	0.16
204	2751	0.42
205	1153	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	266	0.04
207	1190	0.18
208	795	0.12
209	8816	1.35
210	3320	0.51
211	855	0.13
212	384	0.06
213	212	0.03
214	2609	0.40
215	5389	0.82
216	310	0.05
217	1221	0.19
218	1126	0.17
219	2283	0.35
220	541	0.08
221	298	0.05
222	1614	0.25
223	1254	0.19
224	1006	0.15
225	657	0.10
226	326	0.05
227	808	0.12
228	256	0.04
229	412	0.06
230	214	0.03
231	1046	0.16
232	110	0.02
233	298	0.05
234	336	0.05
235	378	0.06
236	1382	0.21
237	86	0.01
238	333	0.05
239	1746	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	519	0.08
241	321	0.05
242	142	0.02
243	4703	0.72
244	431	0.07
245	302	0.05
246	78	0.01
247	564	0.09
248	433	0.07
249	421	0.06
250	157	0.02
251	215	0.03
252	163	0.02
253	635	0.10
254	681	0.10
255	304	0.05
256	573	0.09
257	1076	0.16
258	1095	0.17
259	212	0.03
260	395	0.06
261	716	0.11
262	74	0.01
263	996	0.15
264	206	0.03
265	268	0.04
266	400	0.06
267	93	0.01
268	217	0.03
269	517	0.08
270	504	0.08
271	609	0.09
272	224	0.03
273	112	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	147	0.02
275	26	0.00
276	105	0.02
277	2848	0.44
278	1698	0.26
279	631	0.10
280	617	0.09
281	753	0.12
282	275	0.04
283	256	0.04
284	250	0.04
285	163	0.02
286	160	0.02
287	216	0.03
288	203	0.03
289	225	0.03
290	984	0.15
291	46	0.01
292	149	0.02
293	24	0.00
294	3084	0.47
295	1356	0.21
296	6087	0.93
297	1396	0.21
298	1732	0.26
299	117	0.02
300	542	0.08
301	223	0.03
302	217	0.03
303	714	0.11
304	717	0.11
305	452	0.07
306	326	0.05
307	101	0.02

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
308	322	0.05
309	141	0.02
310	1116	0.17
311	885	0.14
312	84	0.01
313	65	0.01
314	16	0.00
315	1037	0.16
316	1826	0.28
317	97	0.01
318	212	0.03
319	40	0.01
320	4500	0.69
321	1389	0.21
322	792	0.12
323	1310	0.20
324	1739	0.27
325	233	0.04
326	106	0.02
327	31	0.00
328	26	0.00
329	<= 10	**,**
330	<= 10	**,**
331	1146	0.18
332	335	0.05
333	168	0.03
334	972	0.15
335	492	0.08
336	1949	0.30
337	1639	0.25
338	221	0.03
339	176	0.03
340	102	0.02
341	375	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	13	0.00
343	17	0.00
344	205	0.03
345	57	0.01
346	169	0.03
347	33	0.01
348	106	0.02
349	32	0.00
350	396	0.06
351	<= 10	**.**
352	73	0.01
353	224	0.03
354	480	0.07
355	433	0.07
356	1547	0.24
357	362	0.06
358	3781	0.58
359	7588	1.16
360	521	0.08
361	328	0.05
362	<= 10	**.**
363	251	0.04
364	227	0.03
365	249	0.04
366	208	0.03
367	43	0.01
368	851	0.13
369	814	0.12
370	4684	0.72
371	10941	1.67
372	5922	0.91
373	47362	7.24
374	3793	0.58
375	48	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
376	714	0.11
377	186	0.03
378	1045	0.16
379	2539	0.39
380	567	0.09
381	1175	0.18
382	641	0.10
383	4143	0.63
384	1229	0.19
385	1430	0.22
386	1275	0.19
387	1990	0.30
388	1917	0.29
389	6042	0.92
390	13573	2.08
391	48627	7.44
392	163	0.02
393	36	0.01
394	151	0.02
395	2629	0.40
396	567	0.09
397	696	0.11
398	879	0.13
399	294	0.04
400	432	0.07
401	221	0.03
402	107	0.02
403	1178	0.18
404	236	0.04
405	123	0.02
406	171	0.03
407	72	0.01
408	170	0.03
409	329	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	7588	1.16
411	<= 10	**. **
412	<= 10	**. **
413	342	0.05
414	68	0.01
415	1392	0.21
416	4922	0.75
417	590	0.09
418	928	0.14
419	615	0.09
420	155	0.02
421	740	0.11
422	1599	0.24
423	449	0.07
424	175	0.03
425	1016	0.16
426	1914	0.29
427	1179	0.18
428	458	0.07
429	1703	0.26
430	13898	2.13
431	554	0.08
432	83	0.01
433	1336	0.20
434	1834	0.28
435	4271	0.65
436	725	0.11
437	1673	0.26
439	94	0.01
440	430	0.07
441	169	0.03
442	608	0.09
443	449	0.07
444	197	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
445	293	0.04
446	95	0.01
447	217	0.03
448	33	0.01
449	2145	0.33
450	1342	0.21
451	802	0.12
452	864	0.13
453	352	0.05
454	358	0.05
455	391	0.06
456	16	0.00
457	19	0.00
458	248	0.04
459	71	0.01
460	511	0.08
461	484	0.07
462	4456	0.68
463	379	0.06
464	126	0.02
465	36	0.01
466	413	0.06
467	849	0.13
468	2588	0.40
469	<= 10	**.**
470	2158	0.33
471	236	0.04
472	22	0.00
473	393	0.06
475	2750	0.42
476	200	0.03
477	1467	0.22
478	3086	0.47
479	572	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
480	50	0.01
481	223	0.03
482	380	0.06
483	1341	0.21
484	49	0.01
485	216	0.03
486	538	0.08
487	388	0.06
488	207	0.03
489	2303	0.35
490	657	0.10
491	274	0.04
492	498	0.08

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
10	491190	75.12
11	162707	24.88

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	62420	9.55
6	33566	5.13
9	85555	13.08
10	249080	38.09
11	61124	9.35
15	13196	2.02
16	48722	7.45
30	100234	15.33

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	87162	13.33
5	36567	5.59
6	144012	22.02
8	24196	3.70
10	199808	30.56
15	61918	9.47
21	72927	11.15
25	22455	3.43
30	4852	0.74

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	61124	9.35
3	143127	21.89
4	72927	11.15
5	62733	9.59
6	30275	4.63
7	44434	6.80
8	9287	1.42
9	12785	1.96
10	24196	3.70
11	27743	4.24
12	13196	2.02
13	40811	6.24
14	26406	4.04
15	8824	1.35
16	48722	7.45
18	4852	0.74
19	22455	3.43

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	585651	89.56
2	68246	10.44

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	39	0.01
Valid DX	653858	99.99

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	39	0.01
C	68	0.01
0	652513	99.79
1	1277	0.20

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	12785	1.96
CA	72927	11.15
CO	13196	2.02
CT	4852	0.74
FL	143127	21.89
IA	27743	4.24
IL	62733	9.59
KS	22455	3.43
MA	30275	4.63
MD	48722	7.45
NJ	24196	3.70
NY	61124	9.35
OR	8824	1.35
PA	40811	6.24
SC	26406	4.04
WA	9287	1.42
WI	44434	6.80

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
.	48861	7.47
04003	196	0.03
04013	8328	1.27
04015	563	0.09
04017	310	0.05
04019	3254	0.50
04021	134	0.02
06005	272	0.04
06007	486	0.07
06009	138	0.02
06015	295	0.05
06019	2732	0.42
06021	29	0.00
06023	1293	0.20
06025	692	0.11
06027	167	0.03
06029	2071	0.32
06031	422	0.06
06037	18782	2.87
06041	227	0.03
06055	823	0.13
06059	7486	1.14
06063	72	0.01
06065	2583	0.40
06067	4514	0.69
06071	1645	0.25
06073	11279	1.72
06075	248	0.04
06077	3166	0.48
06079	605	0.09
06081	2521	0.39
06083	1247	0.19
06085	4374	0.67
06087	1420	0.22

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06091	<= 10	**.*
06093	373	0.06
06097	2211	0.34
06099	18	0.00
06105	100	0.02
06107	461	0.07
06109	170	0.03
08001	523	0.08
08005	1708	0.26
08015	108	0.02
08031	5907	0.90
08037	242	0.04
08043	281	0.04
08059	812	0.12
08065	87	0.01
08067	514	0.08
08071	153	0.02
08073	31	0.00
08075	191	0.03
08077	1389	0.21
08085	344	0.05
08087	188	0.03
08089	344	0.05
08095	20	0.00
08097	151	0.02
08099	129	0.02
08103	29	0.00
08125	45	0.01
09001	586	0.09
09003	869	0.13
09005	479	0.07
09009	2589	0.40
09013	329	0.05
12001	5278	0.81

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12005	2046	0.31
12007	103	0.02
12009	4099	0.63
12011	15034	2.30
12013	65	0.01
12015	1823	0.28
12017	1390	0.21
12021	2249	0.34
12023	526	0.08
12025	22971	3.51
12027	323	0.05
12031	9012	1.38
12033	4804	0.73
12035	135	0.02
12037	61	0.01
12039	71	0.01
12045	72	0.01
12047	56	0.01
12051	110	0.02
12053	1423	0.22
12055	1249	0.19
12057	8455	1.29
12059	91	0.01
12061	1394	0.21
12063	496	0.08
12069	933	0.14
12071	4245	0.65
12073	2602	0.40
12075	89	0.01
12079	41	0.01
12081	1541	0.24
12083	2340	0.36
12085	1473	0.23
12087	807	0.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12089	248	0.04
12091	570	0.09
12093	316	0.05
12095	12025	1.84
12097	424	0.06
12099	8919	1.36
12101	1925	0.29
12103	9293	1.42
12105	3636	0.56
12107	653	0.10
12109	761	0.12
12111	626	0.10
12113	285	0.04
12115	3521	0.54
12117	598	0.09
12121	34	0.01
12123	45	0.01
12125	58	0.01
12127	1552	0.24
12131	97	0.01
12133	134	0.02
17007	145	0.02
17029	763	0.12
17031	31295	4.79
17043	4303	0.66
17045	101	0.02
17051	140	0.02
17053	114	0.02
17061	32	0.00
17067	142	0.02
17069	79	0.01
17077	805	0.12
17089	2332	0.36
17091	1033	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17095	471	0.07
17097	2117	0.32
17099	194	0.03
17105	322	0.05
17109	453	0.07
17111	1219	0.19
17115	1916	0.29
17119	1448	0.22
17121	895	0.14
17125	67	0.01
17135	172	0.03
17141	134	0.02
17143	4230	0.65
17147	46	0.01
17149	138	0.02
17163	1478	0.23
17165	223	0.03
17167	2504	0.38
17177	602	0.09
17179	54	0.01
17185	141	0.02
17195	685	0.10
17199	385	0.06
17201	1555	0.24
19001	50	0.01
19003	61	0.01
19011	24	0.00
19013	1033	0.16
19015	160	0.02
19019	59	0.01
19025	182	0.03
19027	287	0.04
19029	163	0.02
19033	1316	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19043	98	0.01
19045	541	0.08
19047	99	0.02
19049	75	0.01
19053	81	0.01
19057	722	0.11
19059	142	0.02
19061	1100	0.17
19063	139	0.02
19067	111	0.02
19075	21	0.00
19077	46	0.01
19085	76	0.01
19087	141	0.02
19089	64	0.01
19101	151	0.02
19103	2835	0.43
19109	62	0.01
19111	621	0.09
19113	2764	0.42
19119	31	0.00
19123	192	0.03
19125	271	0.04
19127	463	0.07
19131	77	0.01
19133	131	0.02
19143	49	0.01
19145	53	0.01
19149	109	0.02
19151	36	0.01
19153	7167	1.10
19155	1245	0.19
19157	240	0.04
19163	2309	0.35

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19165	106	0.02
19167	16	0.00
19169	915	0.14
19175	130	0.02
19177	50	0.01
19179	666	0.10
19183	125	0.02
19185	83	0.01
19197	55	0.01
24001	985	0.15
24003	3248	0.50
24005	23629	3.61
24009	588	0.09
24013	910	0.14
24015	595	0.09
24017	573	0.09
24019	427	0.07
24021	1496	0.23
24023	357	0.05
24025	684	0.10
24029	336	0.05
24031	7642	1.17
24033	2113	0.32
24037	610	0.09
24039	73	0.01
24041	903	0.14
24043	1514	0.23
24045	1966	0.30
24047	73	0.01
25003	1009	0.15
25005	2635	0.40
25007	153	0.02
25009	1029	0.16
25013	4642	0.71

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
25015	858	0.13
25017	6827	1.04
25021	1682	0.26
25025	7584	1.16
25027	3856	0.59
34001	355	0.05
34003	2375	0.36
34005	567	0.09
34007	4827	0.74
34009	1032	0.16
34013	5641	0.86
34017	1628	0.25
34021	1021	0.16
34025	2723	0.42
34027	1019	0.16
34029	1596	0.24
34033	647	0.10
34037	765	0.12
36001	16	0.00
36003	412	0.06
36005	5814	0.89
36009	156	0.02
36013	1243	0.19
36025	243	0.04
36027	2525	0.39
36029	7761	1.19
36031	77	0.01
36047	6829	1.04
36049	213	0.03
36055	1374	0.21
36059	2072	0.32
36061	13704	2.10
36063	829	0.13
36065	1906	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36067	1110	0.17
36069	323	0.05
36071	1477	0.23
36075	549	0.08
36077	1489	0.23
36081	2112	0.32
36083	1379	0.21
36087	154	0.02
36089	460	0.07
36093	160	0.02
36097	170	0.03
36101	575	0.09
36103	2060	0.32
36105	771	0.12
36111	836	0.13
36117	228	0.03
36119	2097	0.32
41007	317	0.05
41011	804	0.12
41013	97	0.01
41017	181	0.03
41019	642	0.10
41023	73	0.01
41033	350	0.05
41035	710	0.11
41039	2624	0.40
41047	227	0.03
41051	2037	0.31
41059	244	0.04
41061	239	0.04
41065	279	0.04
42003	8331	1.27
42005	787	0.12
42011	3122	0.48

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42013	83	0.01
42017	844	0.13
42021	727	0.11
42029	1869	0.29
42031	253	0.04
42033	565	0.09
42041	162	0.02
42045	2863	0.44
42049	1817	0.28
42057	80	0.01
42059	297	0.05
42061	381	0.06
42065	525	0.08
42069	1503	0.23
42071	1207	0.18
42073	337	0.05
42077	584	0.09
42079	910	0.14
42081	98	0.01
42085	385	0.06
42089	1069	0.16
42091	822	0.13
42097	169	0.03
42101	7943	1.21
42105	311	0.05
42107	849	0.13
42115	178	0.03
42119	679	0.10
42129	1061	0.16
53001	18	0.00
53005	145	0.02
53007	95	0.01
53009	540	0.08
53011	1613	0.25

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53019	18	0.00
53021	406	0.06
53025	379	0.06
53027	422	0.06
53033	2641	0.40
53043	<= 10	**.**
53049	38	0.01
53053	1315	0.20
53061	225	0.03
53063	955	0.15
53071	390	0.06
53075	77	0.01
55003	403	0.06
55005	106	0.02
55009	879	0.13
55013	56	0.01
55015	81	0.01
55017	108	0.02
55019	88	0.01
55021	149	0.02
55025	5879	0.90
55027	319	0.05
55031	162	0.02
55033	184	0.03
55035	1591	0.24
55039	1025	0.16
55043	351	0.05
55045	500	0.08
55047	231	0.04
55055	455	0.07
55059	1400	0.21
55061	34	0.01
55063	1588	0.24
55071	847	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55079	11769	1.80
55081	125	0.02
55083	83	0.01
55087	2027	0.31
55091	68	0.01
55093	119	0.02
55095	47	0.01
55097	518	0.08
55101	2103	0.32
55103	158	0.02
55105	1727	0.26
55107	127	0.02
55109	307	0.05
55111	448	0.07
55115	244	0.04
55117	1067	0.16
55119	115	0.02
55121	39	0.01
55123	55	0.01
55125	92	0.01
55129	83	0.01
55131	167	0.03
55133	3003	0.46
55135	212	0.03
55137	48	0.01
55139	995	0.15
55141	2252	0.34

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.C: Inconsistent	623	0.10
0 days	12393	1.90
1 day	103850	15.88
2 days	130657	19.98
3 days	93293	14.27
4 days	63613	9.73
5 days	45968	7.03
6 days	35307	5.40
7 days	30609	4.68
8 days	23351	3.57
9 days	17946	2.74
10 days	14192	2.17
11 - 30 days	71186	10.89
31 - 60 days	8572	1.31
61 - 90 days	1468	0.22
91 - 120 days	444	0.07
121 - 150 days	177	0.03
151 - 180 days	88	0.01
181 - 210 days	47	0.01
211 - 240 days	33	0.01
241 - 270 days	16	0.00
271 - 300 days	<= 10	**.**
301 - 330 days	<= 10	**.**
331 - 365 days	<= 10	**.**
366	<= 10	**.**
372	<= 10	**.**
373	<= 10	**.**
374	<= 10	**.**
376	<= 10	**.**
378	<= 10	**.**
384	<= 10	**.**
392	<= 10	**.**
393	<= 10	**.**
395	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
408	<= 10	***
417	<= 10	***
418	<= 10	***
427	<= 10	***
507	<= 10	***
511	<= 10	***
515	<= 10	***
553	<= 10	***
575	<= 10	***
581	<= 10	***
591	<= 10	***
610	<= 10	***
702	<= 10	***
727	<= 10	***
735	<= 10	***
783	<= 10	***
817	<= 10	***
847	<= 10	***
874	<= 10	***
933	<= 10	***
965	<= 10	***
1066	<= 10	***
1098	<= 10	***
1264	<= 10	***
1284	<= 10	***
1426	<= 10	***
1630	<= 10	***
1634	<= 10	***
2476	<= 10	***
2645	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	1929	0.30
1	34061	5.21
2	2860	0.44
3	10398	1.59
4	59988	9.17
5	103951	15.90
6	52454	8.02
7	18090	2.77
8	51095	7.81
9	15537	2.38
10	16975	2.60
11	20444	3.13
12	7083	1.08
13	17974	2.75
14	85067	13.01
15	74912	11.46
16	5572	0.85
17	12125	1.85
18	11431	1.75
19	20981	3.21
20	9931	1.52
21	9035	1.38
22	898	0.14
23	6745	1.03
24	1194	0.18
25	3167	0.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	201711	30.85
Non-Blank	452186	69.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NDX	Frequency	Percent of Total
0	38	0.01
1	104603	16.00
2	120051	18.36
3	99782	15.26
4	83064	12.70
5	120133	18.37
6	36414	5.57
7	25318	3.87
8	18765	2.87
9	20968	3.21
10	19012	2.91
11	1955	0.30
12	1137	0.17
13	792	0.12
14	565	0.09
15	975	0.15
16	92	0.01
17	49	0.01
18	57	0.01
19	35	0.01
20	19	0.00
21	17	0.00
22	14	0.00
23	<= 10	**. **
24	<= 10	**. **
25	15	0.00
26	<= 10	**. **
27	<= 10	**. **
28	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	491890	75.22
1: Maternal	86319	13.20
2: Neonatal	75623	11.56
3: Neonatal and Maternal	65	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NPR	Frequency	Percent of Total
0	235675	36.04
1	176482	26.99
2	100922	15.43
3	80801	12.36
4	26279	4.02
5	14211	2.17
6	10284	1.57
7	3111	0.48
8	2216	0.34
9	1127	0.17
10	1742	0.27
11	288	0.04
12	196	0.03
13	140	0.02
14	124	0.02
15	183	0.03
16	29	0.00
17	18	0.00
18	17	0.00
19	<= 10	**,**
20	16	0.00
21	26	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1	Frequency	Percent of Total
.: Missing	5177	0.79
.A: Invalid	<= 10	**.**
1: Medicare	223678	34.21
2: Medicaid	119711	18.31
3: Private Insurance	244557	37.40
4: Self-pay	36804	5.63
5: No Charge	804	0.12
6: Other	23164	3.54

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	66808	10.22
A	<= 10	**.**
1	203719	31.15
2	107252	16.40
3	39168	5.99
4	116327	17.79
5	66473	10.17
6	34251	5.24
7	804	0.12
8	11	0.00
9	4793	0.73
10	1752	0.27
11	5880	0.90
12	6657	1.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	319413	48.85
C	11205	1.71
.: Missing	203274	31.09
1: Medicare	3416	0.52
2: Medicaid	15999	2.45
3: Private Insurance	62261	9.52
4: Self-pay	25010	3.82
5: No Charge	138	0.02
6: Other	13181	2.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	217552	33.27
B	319413	48.85
C	10399	1.59
1	2926	0.45
2	12671	1.94
3	16903	2.58
4	31814	4.87
5	3913	0.60
6	24918	3.81
7	138	0.02
8	<= 10	**,**
9	43	0.01
10	38	0.01
11	507	0.08
12	12661	1.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	235700	36.05
A	178	0.03
1	1315	0.20
2	568	0.09
3	6906	1.06
4	5701	0.87
5	1037	0.16
6	129	0.02
7	317	0.05
8	241	0.04
9	1280	0.20
10	1004	0.15
11	45	0.01
12	499	0.08
13	136	0.02
14	191	0.03
15	271	0.04
16	481	0.07
17	32	0.00
18	28	0.00
19	433	0.07
20	661	0.10
21	198	0.03
22	76	0.01
23	138	0.02
24	131	0.02
25	11	0.00
26	325	0.05
27	372	0.06
28	369	0.06
29	306	0.05
30	962	0.15
31	137	0.02
32	315	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1582	0.24
34	1089	0.17
35	611	0.09
36	1131	0.17
37	3569	0.55
38	292	0.04
39	2976	0.46
40	392	0.06
41	229	0.04
42	858	0.13
43	1318	0.20
44	5903	0.90
45	7046	1.08
46	17	0.00
47	11810	1.81
48	3381	0.52
49	1489	0.23
50	36	0.01
51	1746	0.27
52	844	0.13
53	160	0.02
54	3386	0.52
55	1731	0.26
56	229	0.04
57	1343	0.21
58	2171	0.33
59	123	0.02
60	394	0.06
61	3268	0.50
62	836	0.13
63	651	0.10
64	205	0.03
65	1432	0.22
66	374	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1268	0.19
68	28	0.00
69	197	0.03
70	11146	1.70
71	1406	0.22
72	261	0.04
73	106	0.02
74	458	0.07
75	774	0.12
76	4749	0.73
77	281	0.04
78	4453	0.68
79	32	0.00
80	4351	0.67
81	479	0.07
82	767	0.12
83	645	0.10
84	8608	1.32
85	1549	0.24
86	1777	0.27
87	532	0.08
88	1027	0.16
89	633	0.10
90	1217	0.19
91	482	0.07
92	150	0.02
93	1599	0.24
94	1447	0.22
95	1029	0.16
96	2224	0.34
97	287	0.04
98	890	0.14
99	1976	0.30
100	1831	0.28

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	2128	0.33
102	482	0.07
103	444	0.07
104	769	0.12
105	219	0.03
106	837	0.13
107	193	0.03
108	320	0.05
109	534	0.08
110	425	0.06
111	485	0.07
112	1186	0.18
113	4211	0.64
114	1410	0.22
115	19988	3.06
116	118	0.02
117	112	0.02
118	913	0.14
119	1361	0.21
120	719	0.11
121	1421	0.22
122	595	0.09
123	335	0.05
124	9789	1.50
125	599	0.09
126	199	0.03
127	1325	0.20
128	389	0.06
129	869	0.13
130	193	0.03
131	158	0.02
132	1025	0.16
133	15393	2.35
134	15600	2.39

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	6988	1.07
136	1567	0.24
137	18526	2.83
138	221	0.03
139	2020	0.31
140	9648	1.48
141	201	0.03
142	819	0.13
143	193	0.03
144	698	0.11
145	1125	0.17
146	5039	0.77
147	3623	0.55
148	1719	0.26
149	167	0.03
150	137	0.02
151	250	0.04
152	5337	0.82
153	4973	0.76
154	1346	0.21
155	522	0.08
156	92	0.01
157	1857	0.28
158	1190	0.18
159	496	0.08
160	2417	0.37
161	846	0.13
162	1301	0.20
163	192	0.03
164	756	0.12
165	134	0.02
166	702	0.11
167	2259	0.35
168	1182	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	4038	0.62
170	655	0.10
171	1322	0.20
172	707	0.11
173	251	0.04
174	2282	0.35
175	1209	0.18
176	109	0.02
177	7123	1.09
178	619	0.09
179	1972	0.30
180	513	0.08
181	510	0.08
182	38	0.01
183	213	0.03
184	<= 10	**,**
185	613	0.09
186	225	0.03
187	979	0.15
188	716	0.11
189	307	0.05
190	314	0.05
191	805	0.12
192	757	0.12
193	5363	0.82
194	520	0.08
195	835	0.13
196	1634	0.25
197	1956	0.30
198	1730	0.26
199	883	0.14
200	33	0.01
201	1712	0.26
202	505	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	2572	0.39
204	494	0.08
205	2337	0.36
206	272	0.04
207	592	0.09
208	880	0.13
209	952	0.15
210	123	0.02
211	1562	0.24
212	167	0.03
213	2476	0.38
214	1025	0.16
215	972	0.15
216	8046	1.23
217	4838	0.74
218	2669	0.41
219	8152	1.25
220	94	0.01
221	806	0.12
222	2978	0.46
223	820	0.13
224	8200	1.25
225	1315	0.20
226	1206	0.18
227	1309	0.20
228	2848	0.44
229	111	0.02
231	9563	1.46

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PR1	Frequency	Percent of Total
Blank	235700	36.05
Valid PR	418197	63.95

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	194715	29.78
.B: Unavail from Source	116084	17.75
.C: Inconsistent	706	0.11
-4 days	<= 10	**. **
-3 days	12	0.00
-2 days	116	0.02
-1 day	880	0.13
0 days	189322	28.95
1 day	71495	10.93
2 days	25453	3.89
3 days	14536	2.22
4 days	9701	1.48
5 days	6685	1.02
6 - 30 days	23306	3.56
31 - 60 days	725	0.11
61 - 90 days	99	0.02
91 - 120 days	31	0.00
121 - 150 days	<= 10	**. **
151 - 180 days	<= 10	**. **
181 - 210 days	<= 10	**. **
211 - 240 days	<= 10	**. **
271 - 300 days	<= 10	**. **
366	<= 10	**. **
394	<= 10	**. **
424	<= 10	**. **
521	<= 10	**. **
1482	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	653897	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	235700	36.05
C	57	0.01
0	417962	63.92
1	178	0.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	19353	2.96
.A: Invalid	<= 10	**.**
.B: Unavail from Source	134440	20.56
1: White	370307	56.63
2: Black	69545	10.64
3: Hispanic	40050	6.12
4: Asian/Pacific Islander	6805	1.04
5: Native American	1549	0.24
6: Other	11847	1.81

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	16	0.00
C	62	0.01
1	273692	41.86
2	380127	58.13

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	396261	60.60
Non-Blank	257636	39.40

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	18104	2.77
.C: Inconsistent	608	0.09
\$ 1- \$ 9	28	0.00
\$11- \$19	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	51660	7.90
\$1,001- \$5,000	255353	39.05
\$5,001- \$10,000	161529	24.70
\$10,001- \$50,000	152169	23.27
\$50,001- \$100,000	10493	1.60
\$100,001- \$200,000	2962	0.45
\$200,001- \$300,000	617	0.09
\$300,001- \$400,000	198	0.03
\$400,001- \$500,000	79	0.01
\$500,001-\$1,000,000	87	0.01
1241565	<= 10	**. **
1345235	<= 10	**. **
1501724	<= 10	**. **
1865455	<= 10	**. **
2014940	<= 10	**. **
2457276	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC4	Frequency	Percent of Total
.: Missing	29042	4.44
1: \$0-\$25,000	203504	31.12
2: \$25,001-\$30,000	136056	20.81
3: \$30,001-\$35,000	99315	15.19
4: \$35,001+	185980	28.44

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC8	Frequency	Percent of Total
.: Missing	87444	13.37
1: \$0-\$15,000	19601	3.00
2: \$15,001-\$20,000	45695	6.99
3: \$20,001-\$25,000	111380	17.03
4: \$25,001-\$30,000	118644	18.14
5: \$30,001-\$35,000	94030	14.38
6: \$35,001-\$40,000	65292	9.99
7: \$40,001-\$45,000	41912	6.41
8: \$45,001+	69899	10.69

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	653717	Sum Weights	653717
Mean	45.1132264	Sum Observations	29491283
Std Deviation	28.2289733	Variance	796.874935
Skewness	-0.1744042	Kurtosis	-1.1869853
Uncorrected SS	1851376821	Corrected SS	520929895
Coeff Variation	62.5736078	Std Error Mean	0.03491405

Basic Statistical Measures			
Location		Variability	
Mean	45.11323	Std Deviation	28.22897
Median	46.00000	Variance	796.87494
Mode	0.00000	Range	123.00000
		Interquartile Range	46.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1292.123	Pr > t 	<.0001
Sign	M	284125	Pr >= M 	<.0001
Signed Rank	S	8.073E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	123
99%	92
95%	85
90%	81
75% Q3	70
50% Median	46
25% Q1	24
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	10	0.00	5.56
A	12	0.00	6.67
C	158	0.02	87.78
Total	180	0.03	100.00

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	653274	Sum Weights	653274
Mean	5.82148073	Sum Observations	3803022
Std Deviation	11.4501768	Variance	131.106549
Skewness	63.6816805	Kurtosis	10469.1222
Uncorrected SS	107787588	Corrected SS	85648368.7
Coeff Variation	196.688392	Std Error Mean	0.01416656

Basic Statistical Measures			
Location		Variability	
Mean	5.821481	Std Deviation	11.45018
Median	3.000000	Variance	131.10655
Mode	2.000000	Range	2645
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	410.931	Pr > t 	<.0001
Sign	M	320440.5	Pr >= M 	<.0001
Signed Rank	S	1.027E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2645
99%	39
95%	18
90%	12
75% Q3	7
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	623	0.10	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	653897	Sum Weights	653897
Mean	5.83713184	Sum Observations	3816883
Std Deviation	15.1977507	Variance	230.971625
Skewness	234.356073	Kurtosis	109347.994
Uncorrected SS	173311071	Corrected SS	151031422
Coeff Variation	260.363327	Std Error Mean	0.01879423

Basic Statistical Measures			
Location		Variability	
Mean	5.837132	Std Deviation	15.19775
Median	3.000000	Variance	230.97163
Mode	2.000000	Range	8883
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	310.581	Pr > t 	<.0001
Sign	M	320725.5	Pr >= M 	<.0001
Signed Rank	S	1.029E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7801
99%	39
95%	18
90%	12
75% Q3	7
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-1082

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	635185	Sum Weights	635185
Mean	9895.46122	Sum Observations	6285448534
Std Deviation	20030.9329	Variance	401238273
Skewness	18.2151635	Kurtosis	981.17811
Uncorrected SS	3.17058E14	Corrected SS	2.5486E14
Coeff Variation	202.42546	Std Error Mean	25.1333894

Basic Statistical Measures			
Location		Variability	
Mean	9895.461	Std Deviation	20031
Median	5217.000	Variance	401238273
Mode	750.000	Range	2457275
		Interquartile Range	7807

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	393.7177	Pr > t 	<.0001
Sign	M	317592.5	Pr >= M 	<.0001
Signed Rank	S	1.009E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2457276
99%	78675
95%	31735
90%	20646
75% Q3	10417
50% Median	5217
25% Q1	2610
10%	1190
5%	736

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	406
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	18104	2.77	96.75
C	608	0.09	3.25
Total	18712	2.86	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	635814	Sum Weights	635814
Mean	9906.44913	Sum Observations	6298659047
Std Deviation	20124.5994	Variance	404999503
Skewness	18.2457993	Kurtosis	973.558126
Uncorrected SS	3.19901E14	Corrected SS	2.57504E14
Coeff Variation	203.146447	Std Error Mean	25.2384222

Basic Statistical Measures			
Location		Variability	
Mean	9906.449	Std Deviation	20125
Median	5216.000	Variance	404999503
Mode	750.000	Range	2457275
		Interquartile Range	7815

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	392.5146	Pr > t 	<.0001
Sign	M	317907	Pr >= M 	<.0001
Signed Rank	S	1.011E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2457276.00
99%	78852.00
95%	31765.00
90%	20678.00
75% Q3	10421.69
50% Median	5216.00
25% Q1	2607.00
10%	1185.00
5%	732.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	400.12
0% Min	1.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	18083	2.77	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*