

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	493036	145465	1.00	7.00	3.94	1.83
AGE : I:Age in years at admission	638268	233	0.00	110.00	45.59	28.30
AGEDAY : I:Age in days (when < 1 year)	84226	554275	0.00	364.00	16.04	56.51
AMONTH : I:Admission month	638501	0	1.00	12.00	6.47	3.47
ASOURCE : I:Admission source	601184	37317	1.00	5.00	3.39	1.92
ATYPE : I:Admission type	619585	18916	1.00	6.00	2.18	1.14
D10CWT_U : H:10% sample discharge wght in universe	638501	0	11.30	271.08	54.22	18.90
DCCHPR1 : I:CCHPR: principal diagnosis	637908	593	1.00	260.00	147.24	64.68
DIED : I:Died during hospitalization	638124	377	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	638124	377	1.00	20.00	2.12	3.31
DQTR : I:Discharge quarter	638501	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	638501	0	1.00	495.00	263.03	138.77
DRG10 : I:DRG, Version 10	638501	0	1.00	492.00	260.27	137.13
DRGVER : I:DRG grouper version used on disch date	638501	0	11.00	12.00	11.25	0.43
DSNDX : I:Max number of diagnoses from source	638501	0	5.00	30.00	14.14	7.96
DSNPR : I:Max number of procederes from source	638501	0	3.00	30.00	11.46	6.17
DSNUM : I:Data source ID number	638501	0	2.00	19.00	7.45	5.08
DSTYPE : I:Data source type	638501	0	1.00	2.00	1.09	0.29
DXV1 : I:Validity flag: principal diagnosis	638391	110	0.00	1.00	0.00	0.03
DXSYS : I:Diagnosis coding system	638501	0	1.00	1.00	1.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	638501	0	4015.00	55172.00	23674.58	15270.30
HOSPSTCO : Hospital state/county FIPS code	590927	47574	4003.00	55141.00	22785.59	15245.64
LOS : I:Length of stay (cleaned)	637036	1465	0.00	3394.00	5.52	11.41
LOS_X : I:Length of stay (uncleaned)	638501	0	-364.00	19066.00	5.61	37.15
MDC : I:MDC in effect on discharge date	638501	0	0.00	25.00	9.86	5.64
MDC10 : I:MDC, Version 10	638501	0	0.00	25.00	9.86	5.64
NDX : I:Number of diagnoses on this discharge	638501	0	0.00	28.00	4.25	2.73
NEOMAT : I:Neonatal and/or maternal DX and/or PR	638501	0	0.00	3.00	0.37	0.68
NPR : I:Number of procederes on this discharge	638501	0	0.00	21.00	1.45	1.76
PAY1 : I:Primary expected payer, uniform	634430	4071	1.00	6.00	2.29	1.22
PAY1_N : I:Primary expected payer, nonuniform	574110	64391	1.00	12.00	3.00	2.26
PAY2 : I:Secondary expected payer, uniform	121722	516779	1.00	6.00	3.13	0.90
PAY2_N : I:Secondary expected payer, nonuniform	107987	530514	1.00	12.00	4.33	2.12
PCCHPR1 : I:CCHPR: principal procedure	403743	234758	1.00	231.00	124.34	62.31

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
PRDAY1 : I:No. of days from admission to PR1	328938	309563	-4.00	12641.00	1.47	22.41
PROCESS : I:HCUP-3 discharge processing ID number	638501	0	9.404E10	9.4551E10	9.4236E10	152885798
PRSYS : I:Procedure coding system	638501	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	403757	234744	0.00	1.00	0.00	0.01
RACE : I:Race	495126	143375	1.00	6.00	1.46	0.94
SEQ : I:HCUP-3 record sequence number	638501	0	4.0159E11	5.5173E12	2.3676E12	1.527E12
SEQ_SID : I:HCUP-3 SID record sequence number	638501	0	4.0059E11	5.5148E12	2.3624E12	1.5289E12
SEX : I:Sex	638406	95	1.00	2.00	1.58	0.49
TOTCHG : I:Total charges (cleaned)	622229	16272	1.00	2146925.0	10311.02	20216.63
TOTCHG_X : I:Total charges (from data source)	623692	14809	1.00	2946780.0	10328.47	20893.61
ZIPINC4 : I:Median income-pt's zip code-4 categs	613842	24659	1.00	4.00	2.45	1.23
ZIPINC8 : I:Median income-pt's zip code-8 categs	558925	79576	1.00	8.00	4.68	1.93
DXV2 : I:Validity flag: diagnosis 2	31297	607204	0.00	1.00	0.00	0.01
DXV3 : I:Validity flag: diagnosis 3	23977	614524	0.00	1.00	0.00	0.01
DXV4 : I:Validity flag: diagnosis 4	18019	620482	0.00	1.00	0.00	0.01
DXV5 : I:Validity flag: diagnosis 5	13185	625316	0.00	0.00	0.00	0.00
DXV6 : I:Validity flag: diagnosis 6	7121	631380	0.00	0.00	0.00	0.00
DXV7 : I:Validity flag: diagnosis 7	5311	633190	0.00	0.00	0.00	0.00
DXV8 : I:Validity flag: diagnosis 8	3850	634651	0.00	0.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	2793	635708	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	2028	636473	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	1393	637108	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	1052	637449	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	765	637736	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	531	637970	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	402	638099	0.00	0.00	0.00	0.00
PRV2 : I:Validity flag: procedure 2	37490	601011	0.00	1.00	0.00	0.01
PRV3 : I:Validity flag: procedure 3	22405	616096	0.00	1.00	0.00	0.01
PRV4 : I:Validity flag: procedure 4	11714	626787	0.00	0.00	0.00	0.00
PRV5 : I:Validity flag: procedure 5	6603	631898	0.00	0.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	3954	634547	0.00	0.00	0.00	0.00
PRV7 : I:Validity flag: procedure 7	2508	635993	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	1752	636749	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1240	637261	0.00	0.00	0.00	0.00

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
PRV10 : I:Validity flag: procedure 10	903	637598	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	625	637876	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	451	638050	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	326	638175	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	243	638258	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	184	638317	0.00	0.00	0.00	0.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	139059	21.78
B	6406	1.00
1	47631	7.46
2	84857	13.29
3	82950	12.99
4	78668	12.32
5	77843	12.19
6	73642	11.53
7	47445	7.43

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	39	0.01
A	26	0.00
C	168	0.03
0	84227	13.19
1	4456	0.70
2	2725	0.43
3	2129	0.33
4	1772	0.28
5	1553	0.24
6	1425	0.22
7	1307	0.20
8	1158	0.18
9	1116	0.17
10	1159	0.18
11	1179	0.18
12	1430	0.22
13	1542	0.24
14	1999	0.31
15	2587	0.41
16	3464	0.54
17	4558	0.71
18	4918	0.77
19	5459	0.85
20	5605	0.88
21	6001	0.94
22	6517	1.02
23	6992	1.10
24	6950	1.09
25	6973	1.09
26	7151	1.12
27	8018	1.26
28	8034	1.26
29	8487	1.33
30	8770	1.37

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8770	1.37
32	9044	1.42
33	8157	1.28
34	7723	1.21
35	7346	1.15
36	7046	1.10
37	7434	1.16
38	6307	0.99
39	6053	0.95
40	5985	0.94
41	5798	0.91
42	6099	0.96
43	5357	0.84
44	5258	0.82
45	5285	0.83
46	5609	0.88
47	6089	0.95
48	4735	0.74
49	4885	0.77
50	5308	0.83
51	5563	0.87
52	5566	0.87
53	5230	0.82
54	5193	0.81
55	5140	0.81
56	5310	0.83
57	5685	0.89
58	5580	0.87
59	5973	0.94
60	5831	0.91
61	6168	0.97
62	6716	1.05
63	6917	1.08
64	7228	1.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	7965	1.25
66	8586	1.34
67	9136	1.43
68	9241	1.45
69	9483	1.49
70	9743	1.53
71	9833	1.54
72	10696	1.68
73	10123	1.59
74	10165	1.59
75	9421	1.48
76	9679	1.52
77	9766	1.53
78	9221	1.44
79	8884	1.39
80	8425	1.32
81	8174	1.28
82	8049	1.26
83	7069	1.11
84	6752	1.06
85	6383	1.00
86	5537	0.87
87	4886	0.77
88	4191	0.66
89	3486	0.55
90	3011	0.47
91	2515	0.39
92	2063	0.32
93	1680	0.26
94	1260	0.20
95	798	0.12
96	645	0.10
97	477	0.07
98	351	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	217	0.03
100	134	0.02
101	68	0.01
102	39	0.01
103	28	0.00
104	20	0.00
105	<= 10	**. **
106	<= 10	**. **
108	<= 10	**. **
109	<= 10	**. **
110	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	554089	86.78
.A: Invalid	18	0.00
.C: Inconsistent	168	0.03
0 days	72866	11.41
1 day	406	0.06
2 days	182	0.03
3 days	248	0.04
4 days	240	0.04
5 days	190	0.03
6 days	111	0.02
7 days	97	0.02
8 days	72	0.01
9 days	59	0.01
10 days	75	0.01
11 - 30 days	1327	0.21
31 - 60 days	1828	0.29
61 - 90 days	1135	0.18
91 - 120 days	822	0.13
121 - 150 days	690	0.11
151 - 180 days	657	0.10
181 - 210 days	628	0.10
211 - 240 days	560	0.09
241 - 270 days	520	0.08
271 - 300 days	492	0.08
301 - 330 days	473	0.07
331 - 364 days	548	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	56449	8.84
2: February	50099	7.85
3: March	56687	8.88
4: April	52577	8.23
5: May	53557	8.39
6: June	52758	8.26
7: July	51696	8.10
8: August	54071	8.47
9: September	51753	8.11
10: October	52745	8.26
11: November	52312	8.19
12: December	53797	8.43

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	7934	1.24
.A: Invalid	23	0.00
.B: Unavailable from Source	29360	4.60
1: Emergency Department	221451	34.68
2: Another Hospital	20000	3.13
3: Other Health Facility, incl. LTC	10329	1.62
4: Court/Law Enforcement	476	0.07
5: Routine, Birth, and Other	348928	54.65

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	4226	0.66
.A: Invalid	<= 10	**. **
.B: Unavail from Source	14689	2.30
1: Emergency	226377	35.45
2: Urgent	165687	25.95
3: Elective	138846	21.75
4: Newborn	69686	10.91
5: Delivery	18319	2.87
6: Other	670	0.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	74	0.01
A	519	0.08
1	349	0.05
2	6408	1.00
3	302	0.05
4	442	0.07
5	756	0.12
6	431	0.07
7	2185	0.34
8	348	0.05
9	166	0.03
10	28	0.00
11	679	0.11
12	206	0.03
13	470	0.07
14	2068	0.32
15	850	0.13
16	192	0.03
17	581	0.09
18	294	0.05
19	2804	0.44
20	67	0.01
21	222	0.03
22	104	0.02
23	150	0.02
24	2851	0.45
25	737	0.12
26	660	0.10
27	452	0.07
28	138	0.02
29	2213	0.35
30	40	0.01
31	<= 10	**.**
32	1065	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	485	0.08
34	54	0.01
35	574	0.09
36	304	0.05
37	113	0.02
38	890	0.14
39	747	0.12
40	323	0.05
41	206	0.03
42	4988	0.78
43	163	0.03
44	749	0.12
45	6702	1.05
46	3694	0.58
47	2890	0.45
48	689	0.11
49	177	0.03
50	7470	1.17
51	717	0.11
52	292	0.05
53	13	0.00
54	131	0.02
55	8168	1.28
56	72	0.01
57	22	0.00
58	946	0.15
59	1864	0.29
60	184	0.03
61	1369	0.21
62	816	0.13
63	810	0.13
64	126	0.02
65	12	0.00
66	5646	0.88

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	3987	0.62
68	2304	0.36
69	9685	1.52
70	4644	0.73
71	1170	0.18
72	1327	0.21
73	356	0.06
74	2929	0.46
75	<= 10	**.**
76	791	0.12
77	216	0.03
78	128	0.02
79	270	0.04
80	358	0.06
81	614	0.10
82	386	0.06
83	4148	0.65
84	924	0.14
85	267	0.04
86	164	0.03
87	724	0.11
88	191	0.03
89	31	0.00
90	436	0.07
91	423	0.07
92	536	0.08
93	1176	0.18
94	207	0.03
95	1899	0.30
96	1489	0.23
97	1495	0.23
98	689	0.11
99	3892	0.61
100	12778	2.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	25324	3.97
102	9172	1.44
103	1425	0.22
104	110	0.02
105	1175	0.18
106	10133	1.59
107	363	0.06
108	17006	2.66
109	10885	1.70
110	2243	0.35
111	450	0.07
112	3227	0.51
113	33	0.01
114	2218	0.35
115	1466	0.23
116	1250	0.20
117	1625	0.25
118	3302	0.52
119	374	0.06
120	505	0.08
121	244	0.04
122	21314	3.34
123	239	0.04
124	1081	0.17
125	3601	0.56
126	1769	0.28
127	8375	1.31
128	7934	1.24
129	2390	0.37
130	1681	0.26
131	2744	0.43
132	156	0.02
133	2862	0.45
134	1012	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2440	0.38
136	662	0.10
137	379	0.06
138	2501	0.39
139	1173	0.18
140	2773	0.43
141	787	0.12
142	4144	0.65
143	3313	0.52
144	1197	0.19
145	4702	0.74
146	4016	0.63
147	769	0.12
148	385	0.06
149	9810	1.54
150	1095	0.17
151	1385	0.22
152	3348	0.52
153	6243	0.98
154	3035	0.48
155	2480	0.39
156	259	0.04
157	1314	0.21
158	601	0.09
159	6913	1.08
160	3631	0.57
161	753	0.12
162	651	0.10
163	667	0.10
164	2630	0.41
165	408	0.06
166	377	0.06
167	717	0.11
168	1612	0.25

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1395	0.22
170	2717	0.43
171	1210	0.19
172	1257	0.20
173	180	0.03
174	48	0.01
175	2061	0.32
176	100	0.02
177	716	0.11
178	349	0.05
179	75	0.01
180	913	0.14
181	6514	1.02
182	1250	0.20
183	2988	0.47
184	5330	0.83
185	2020	0.32
186	1472	0.23
187	2821	0.44
188	2851	0.45
189	5118	0.80
190	8024	1.26
191	3869	0.61
192	5092	0.80
193	12506	1.96
194	1922	0.30
195	6777	1.06
196	12313	1.93
197	6306	0.99
198	220	0.03
199	1454	0.23
200	290	0.05
201	1344	0.21
202	557	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	6807	1.07
204	785	0.12
205	9625	1.51
206	29	0.00
207	1281	0.20
208	216	0.03
209	567	0.09
210	344	0.05
211	1977	0.31
212	1674	0.26
213	742	0.12
214	344	0.05
215	294	0.05
216	118	0.02
217	956	0.15
218	72359	11.33
219	431	0.07
220	19	0.00
221	173	0.03
222	572	0.09
223	18	0.00
224	947	0.15
225	1511	0.24
226	5885	0.92
227	230	0.04
228	1132	0.18
229	2796	0.44
230	5379	0.84
231	3163	0.50
232	2138	0.33
233	3099	0.49
234	1929	0.30
235	1106	0.17
236	1346	0.21

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	8097	1.27
238	5927	0.93
239	1012	0.16
240	928	0.15
241	1332	0.21
242	2736	0.43
243	600	0.09
244	1641	0.26
245	3342	0.52
246	1266	0.20
247	410	0.06
248	898	0.14
249	163	0.03
250	527	0.08
251	2857	0.45
252	200	0.03
253	357	0.06
254	5040	0.79
255	87	0.01
256	372	0.06
257	1123	0.18
258	20	0.00
259	746	0.12
260	<= 10	**.**

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	316	0.05
.A: Invalid	61	0.01
0: Did not Die in Hospital	621140	97.28
1: Died in Hospital	16984	2.66

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	316	0.05
A	61	0.01
1	507982	79.56
2	14279	2.24
3	33531	5.25
4	4566	0.72
5	15310	2.40
6	39222	6.14
7	6250	0.98
20	16984	2.66

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	162492	25.45
2: Second Quarter	159490	24.98
3: Third Quarter	157793	24.71
4: Fourth Quarter	158726	24.86

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1739	0.27
2	328	0.05
3	385	0.06
4	473	0.07
5	2019	0.32
6	35	0.01
7	296	0.05
8	267	0.04
9	157	0.02
10	862	0.14
11	186	0.03
12	897	0.14
13	404	0.06
14	9701	1.52
15	3871	0.61
16	352	0.06
17	133	0.02
18	811	0.13
19	393	0.06
20	631	0.10
21	497	0.08
22	83	0.01
23	198	0.03
24	2396	0.38
25	1624	0.25
26	1153	0.18
27	433	0.07
28	541	0.08
29	348	0.05
30	413	0.06
31	246	0.04
32	296	0.05
33	222	0.03
34	646	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	308	0.05
36	765	0.12
37	196	0.03
38	14	0.00
39	137	0.02
40	108	0.02
41	45	0.01
42	571	0.09
43	43	0.01
44	211	0.03
45	110	0.02
46	148	0.02
47	115	0.02
48	98	0.02
49	156	0.02
50	250	0.04
51	34	0.01
52	135	0.02
53	322	0.05
54	62	0.01
55	271	0.04
56	141	0.02
57	181	0.03
58	169	0.03
59	86	0.01
60	332	0.05
61	23	0.00
62	88	0.01
63	925	0.14
64	163	0.03
65	1133	0.18
66	241	0.04
67	60	0.01
68	593	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	391	0.06
70	1066	0.17
71	343	0.05
72	52	0.01
73	303	0.05
74	184	0.03
75	1766	0.28
76	1310	0.21
77	139	0.02
78	1016	0.16
79	4832	0.76
80	330	0.05
81	236	0.04
82	2275	0.36
83	337	0.05
84	144	0.02
85	501	0.08
86	62	0.01
87	1433	0.22
88	9165	1.44
89	10830	1.70
90	1756	0.28
91	3359	0.53
92	420	0.07
93	78	0.01
94	538	0.08
95	321	0.05
96	2482	0.39
97	2413	0.38
98	5250	0.82
99	949	0.15
100	865	0.14
101	799	0.13
102	275	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	44	0.01
104	779	0.12
105	766	0.12
106	3295	0.52
107	2506	0.39
108	462	0.07
110	1973	0.31
111	246	0.04
112	8490	1.33
113	1075	0.17
114	292	0.05
115	283	0.04
116	2265	0.35
117	131	0.02
118	185	0.03
119	155	0.02
120	1017	0.16
121	4624	0.72
122	3691	0.58
123	1220	0.19
124	4910	0.77
125	3137	0.49
126	230	0.04
127	17033	2.67
128	724	0.11
129	136	0.02
130	2718	0.43
131	1091	0.17
132	2148	0.34
133	257	0.04
134	1211	0.19
135	238	0.04
136	69	0.01
137	97	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	5683	0.89
139	2497	0.39
140	7911	1.24
141	2170	0.34
142	1389	0.22
143	7846	1.23
144	2495	0.39
145	427	0.07
146	301	0.05
147	65	0.01
148	5091	0.80
149	780	0.12
150	939	0.15
151	382	0.06
152	212	0.03
153	164	0.03
154	1390	0.22
155	296	0.05
156	235	0.04
157	458	0.07
158	566	0.09
159	635	0.10
160	653	0.10
161	453	0.07
162	450	0.07
163	177	0.03
164	514	0.08
165	688	0.11
166	560	0.09
167	2458	0.38
168	101	0.02
169	104	0.02
170	504	0.08
171	162	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	1059	0.17
173	87	0.01
174	7268	1.14
175	983	0.15
176	520	0.08
177	405	0.06
178	272	0.04
179	900	0.14
180	2392	0.37
181	970	0.15
182	8089	1.27
183	4525	0.71
184	2591	0.41
185	328	0.05
186	143	0.02
187	86	0.01
188	2035	0.32
189	526	0.08
190	307	0.05
191	563	0.09
192	77	0.01
193	304	0.05
194	40	0.01
195	359	0.06
196	76	0.01
197	3403	0.53
198	3984	0.62
199	103	0.02
200	80	0.01
201	69	0.01
202	1388	0.22
203	1030	0.16
204	2894	0.45
205	1035	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	229	0.04
207	1255	0.20
208	686	0.11
209	9148	1.43
210	3314	0.52
211	767	0.12
212	345	0.05
213	226	0.04
214	2683	0.42
215	5178	0.81
216	294	0.05
217	1226	0.19
218	1139	0.18
219	2360	0.37
220	523	0.08
221	289	0.05
222	1356	0.21
223	1253	0.20
224	1024	0.16
225	583	0.09
226	280	0.04
227	694	0.11
228	219	0.03
229	342	0.05
230	203	0.03
231	979	0.15
232	76	0.01
233	253	0.04
234	289	0.05
235	360	0.06
236	1453	0.23
237	85	0.01
238	373	0.06
239	1826	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	518	0.08
241	290	0.05
242	166	0.03
243	3960	0.62
244	436	0.07
245	348	0.05
246	43	0.01
247	519	0.08
248	401	0.06
249	435	0.07
250	156	0.02
251	208	0.03
252	135	0.02
253	663	0.10
254	619	0.10
255	230	0.04
256	583	0.09
257	1049	0.16
258	951	0.15
259	201	0.03
260	343	0.05
261	675	0.11
262	54	0.01
263	1042	0.16
264	196	0.03
265	220	0.03
266	310	0.05
267	59	0.01
268	157	0.02
269	491	0.08
270	414	0.06
271	615	0.10
272	202	0.03
273	96	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	130	0.02
275	20	0.00
276	119	0.02
277	3025	0.47
278	1720	0.27
279	579	0.09
280	690	0.11
281	627	0.10
282	205	0.03
283	256	0.04
284	216	0.03
285	173	0.03
286	168	0.03
287	256	0.04
288	225	0.04
289	231	0.04
290	943	0.15
291	28	0.00
292	187	0.03
293	20	0.00
294	3313	0.52
295	1378	0.22
296	5757	0.90
297	1164	0.18
298	1984	0.31
299	109	0.02
300	485	0.08
301	167	0.03
302	245	0.04
303	651	0.10
304	658	0.10
305	380	0.06
306	311	0.05
307	89	0.01

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
308	272	0.04
309	145	0.02
310	977	0.15
311	718	0.11
312	75	0.01
313	51	0.01
314	16	0.00
315	972	0.15
316	2010	0.31
317	47	0.01
318	198	0.03
319	19	0.00
320	4496	0.70
321	1261	0.20
322	781	0.12
323	1208	0.19
324	1445	0.23
325	240	0.04
326	103	0.02
327	31	0.00
328	27	0.00
329	<= 10	**,**
330	<= 10	**,**
331	1292	0.20
332	268	0.04
333	160	0.03
334	831	0.13
335	479	0.08
336	1742	0.27
337	1163	0.18
338	158	0.02
339	132	0.02
340	85	0.01
341	300	0.05

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
342	14	0.00
343	<= 10	**.*
344	172	0.03
345	36	0.01
346	147	0.02
347	20	0.00
348	84	0.01
349	25	0.00
350	354	0.06
352	57	0.01
353	195	0.03
354	428	0.07
355	467	0.07
356	1537	0.24
357	395	0.06
358	3857	0.60
359	6995	1.10
360	593	0.09
361	284	0.04
362	13	0.00
363	261	0.04
364	196	0.03
365	245	0.04
366	186	0.03
367	43	0.01
368	869	0.14
369	652	0.10
370	4654	0.73
371	10205	1.60
372	6205	0.97
373	46995	7.36
374	3662	0.57
375	171	0.03
376	724	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	160	0.03
378	913	0.14
379	2306	0.36
380	466	0.07
381	932	0.15
382	497	0.08
383	3806	0.60
384	1153	0.18
385	1449	0.23
386	1267	0.20
387	2005	0.31
388	1800	0.28
389	6099	0.96
390	17460	2.73
391	44443	6.96
392	207	0.03
393	47	0.01
394	139	0.02
395	2683	0.42
396	529	0.08
397	705	0.11
398	870	0.14
399	254	0.04
400	357	0.06
401	233	0.04
402	74	0.01
403	1119	0.18
404	203	0.03
405	105	0.02
406	176	0.03
407	43	0.01
408	128	0.02
409	314	0.05
410	5766	0.90

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	<= 10	**.*
412	<= 10	**.*
413	322	0.05
414	49	0.01
415	1510	0.24
416	5181	0.81
417	507	0.08
418	934	0.15
419	539	0.08
420	147	0.02
421	676	0.11
422	1483	0.23
423	479	0.08
424	184	0.03
425	1033	0.16
426	1999	0.31
427	1122	0.18
428	461	0.07
429	1848	0.29
430	14820	2.32
431	572	0.09
432	105	0.02
433	1268	0.20
434	1848	0.29
435	4006	0.63
436	634	0.10
437	1814	0.28
439	76	0.01
440	413	0.06
441	124	0.02
442	611	0.10
443	467	0.07
444	185	0.03
445	281	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
446	96	0.02
447	220	0.03
448	31	0.00
449	2408	0.38
450	1288	0.20
451	911	0.14
452	725	0.11
453	314	0.05
454	326	0.05
455	309	0.05
456	21	0.00
457	<= 10	**. **
458	241	0.04
459	76	0.01
460	506	0.08
461	388	0.06
462	4941	0.77
463	383	0.06
464	124	0.02
465	40	0.01
466	527	0.08
467	739	0.12
468	2549	0.40
469	<= 10	**. **
470	887	0.14
471	284	0.04
472	33	0.01
473	384	0.06
475	2906	0.46
476	168	0.03
477	1352	0.21
478	3292	0.52
479	586	0.09
480	85	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
481	159	0.02
482	344	0.05
483	1315	0.21
484	44	0.01
485	221	0.03
486	565	0.09
487	418	0.07
488	226	0.04
489	2494	0.39
490	619	0.10
491	306	0.05
492	526	0.08

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
11	479775	75.14
12	158726	24.86

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	58677	9.19
9	61570	9.64
10	269326	42.18
11	25029	3.92
15	7397	1.16
16	51522	8.07
17	51703	8.10
30	113277	17.74

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	51385	8.05
5	7292	1.14
6	142726	22.35
8	23622	3.70
10	189577	29.69
15	110622	17.33
21	84803	13.28
25	22068	3.46
30	6406	1.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	51703	8.10
3	139042	21.78
4	84803	13.28
5	61570	9.64
6	25029	3.92
7	49223	7.71
8	8266	1.29
9	12786	2.00
10	23622	3.70
11	23667	3.71
12	7397	1.16
13	38599	6.05
14	25506	3.99
15	7292	1.14
16	51522	8.07
18	6406	1.00
19	22068	3.46

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	578963	90.68
2	59538	9.32

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	74	0.01
Valid DX	638427	99.99

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	74	0.01
C	36	0.01
0	637872	99.90
1	519	0.08

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	12786	2.00
CA	84803	13.28
CO	7397	1.16
CT	6406	1.00
FL	139042	21.78
IA	23667	3.71
IL	61570	9.64
KS	22068	3.46
MA	25029	3.92
MD	51522	8.07
NJ	23622	3.70
NY	51703	8.10
OR	7292	1.14
PA	38599	6.05
SC	25506	3.99
WA	8266	1.29
WI	49223	7.71

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
.	47574	7.45
04003	168	0.03
04005	843	0.13
04013	8068	1.26
04017	349	0.05
04019	3207	0.50
04021	151	0.02
06001	3325	0.52
06005	251	0.04
06007	466	0.07
06009	145	0.02
06013	429	0.07
06015	283	0.04
06019	2845	0.45
06021	25	0.00
06023	1296	0.20
06025	697	0.11
06027	158	0.02
06029	1936	0.30
06031	450	0.07
06033	255	0.04
06037	23422	3.67
06041	1314	0.21
06055	821	0.13
06059	8202	1.28
06063	68	0.01
06065	2780	0.44
06067	4639	0.73
06069	251	0.04
06071	4826	0.76
06073	7579	1.19
06075	2954	0.46
06077	3201	0.50
06079	649	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06081	2487	0.39
06083	871	0.14
06085	3735	0.58
06087	1363	0.21
06091	<= 10	**.*
06093	338	0.05
06097	2035	0.32
06099	16	0.00
06105	99	0.02
06107	421	0.07
06109	164	0.03
08001	544	0.09
08013	769	0.12
08015	107	0.02
08031	3293	0.52
08037	235	0.04
08043	303	0.05
08065	89	0.01
08071	143	0.02
08075	195	0.03
08077	<= 10	**.*
08083	265	0.04
08085	341	0.05
08087	252	0.04
08089	331	0.05
08095	19	0.00
08097	159	0.02
08099	151	0.02
08103	27	0.00
08107	117	0.02
08125	49	0.01
09001	2528	0.40
09003	870	0.14
09005	482	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
09009	2143	0.34
09013	383	0.06
12001	5155	0.81
12003	<= 10	**.*
12005	2026	0.32
12007	80	0.01
12009	4070	0.64
12011	14300	2.24
12013	50	0.01
12015	1819	0.28
12017	1367	0.21
12021	1534	0.24
12023	578	0.09
12025	21194	3.32
12027	319	0.05
12031	9088	1.42
12033	4916	0.77
12035	127	0.02
12037	69	0.01
12039	76	0.01
12045	48	0.01
12047	50	0.01
12051	114	0.02
12053	1513	0.24
12055	1255	0.20
12057	8054	1.26
12059	112	0.02
12061	1448	0.23
12063	472	0.07
12069	930	0.15
12071	4268	0.67
12073	3383	0.53
12075	86	0.01
12079	40	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12081	1494	0.23
12083	1558	0.24
12085	1445	0.23
12087	793	0.12
12089	200	0.03
12091	563	0.09
12093	352	0.06
12095	7835	1.23
12097	1130	0.18
12099	9196	1.44
12101	3001	0.47
12103	10302	1.61
12105	3860	0.60
12107	654	0.10
12109	780	0.12
12111	625	0.10
12113	704	0.11
12115	4431	0.69
12117	626	0.10
12121	25	0.00
12123	77	0.01
12125	49	0.01
12127	568	0.09
12131	83	0.01
12133	140	0.02
17007	142	0.02
17021	160	0.03
17029	727	0.11
17031	33384	5.23
17043	4437	0.69
17045	84	0.01
17051	134	0.02
17053	112	0.02
17061	33	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17067	127	0.02
17069	81	0.01
17077	885	0.14
17081	541	0.08
17089	1557	0.24
17091	974	0.15
17095	439	0.07
17097	1125	0.18
17099	179	0.03
17105	316	0.05
17109	427	0.07
17111	1292	0.20
17115	967	0.15
17119	1358	0.21
17121	916	0.14
17125	76	0.01
17135	160	0.03
17141	132	0.02
17143	4159	0.65
17147	44	0.01
17163	384	0.06
17165	226	0.04
17167	2431	0.38
17177	622	0.10
17179	57	0.01
17183	41	0.01
17185	136	0.02
17195	734	0.11
17199	356	0.06
17201	1615	0.25
19001	46	0.01
19003	54	0.01
19011	25	0.00
19013	2134	0.33

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19015	158	0.02
19019	59	0.01
19025	175	0.03
19027	279	0.04
19029	159	0.02
19041	262	0.04
19043	79	0.01
19045	540	0.08
19047	84	0.01
19049	59	0.01
19057	696	0.11
19059	144	0.02
19061	1101	0.17
19063	124	0.02
19067	122	0.02
19075	25	0.00
19077	37	0.01
19085	66	0.01
19087	145	0.02
19089	49	0.01
19101	156	0.02
19103	2887	0.45
19109	59	0.01
19111	607	0.10
19113	2657	0.42
19119	21	0.00
19123	179	0.03
19125	121	0.02
19127	425	0.07
19131	64	0.01
19133	133	0.02
19143	49	0.01
19145	56	0.01
19149	117	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19151	32	0.01
19153	3264	0.51
19155	542	0.08
19157	255	0.04
19163	2223	0.35
19165	103	0.02
19167	14	0.00
19169	933	0.15
19175	130	0.02
19179	637	0.10
19183	129	0.02
19185	81	0.01
19193	1116	0.17
19197	55	0.01
24001	917	0.14
24003	3230	0.51
24005	26110	4.09
24009	639	0.10
24013	939	0.15
24015	627	0.10
24017	574	0.09
24019	429	0.07
24021	1483	0.23
24023	350	0.05
24025	709	0.11
24029	315	0.05
24031	7847	1.23
24033	2110	0.33
24037	594	0.09
24039	58	0.01
24041	925	0.14
24043	1552	0.24
24045	1962	0.31
24047	152	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
25003	969	0.15
25005	2477	0.39
25007	140	0.02
25009	950	0.15
25013	4442	0.70
25015	778	0.12
25017	3847	0.60
25021	1676	0.26
25025	4669	0.73
25027	5081	0.80
34001	337	0.05
34003	4088	0.64
34005	535	0.08
34007	4634	0.73
34009	1006	0.16
34013	4888	0.77
34017	1439	0.23
34021	1063	0.17
34025	2643	0.41
34029	1617	0.25
34033	625	0.10
34037	747	0.12
36001	<= 10	**.*
36003	191	0.03
36005	4471	0.70
36009	163	0.03
36013	1256	0.20
36017	229	0.04
36027	2304	0.36
36029	5221	0.82
36031	124	0.02
36047	6855	1.07
36049	201	0.03
36055	3599	0.56

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36059	3050	0.48
36061	5979	0.94
36063	1293	0.20
36065	1755	0.27
36067	1204	0.19
36069	245	0.04
36071	1433	0.22
36075	799	0.13
36077	1184	0.19
36081	1571	0.25
36083	911	0.14
36087	290	0.05
36089	176	0.03
36097	162	0.03
36101	547	0.09
36103	2158	0.34
36105	769	0.12
36111	832	0.13
36117	220	0.03
36119	2137	0.33
36121	364	0.06
41003	663	0.10
41007	344	0.05
41011	754	0.12
41013	113	0.02
41017	120	0.02
41019	686	0.11
41023	53	0.01
41033	349	0.05
41035	714	0.11
41039	2470	0.39
41047	250	0.04
41051	140	0.02
41059	218	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
41061	201	0.03
41065	217	0.03
42003	9274	1.45
42005	806	0.13
42013	105	0.02
42017	918	0.14
42021	956	0.15
42029	1805	0.28
42031	305	0.05
42033	568	0.09
42035	27	0.00
42041	42	0.01
42045	3101	0.49
42049	1743	0.27
42057	116	0.02
42059	284	0.04
42061	371	0.06
42065	290	0.05
42069	1382	0.22
42071	1222	0.19
42073	331	0.05
42077	569	0.09
42079	188	0.03
42081	162	0.03
42085	381	0.06
42091	2606	0.41
42097	130	0.02
42101	8032	1.26
42105	156	0.02
42107	906	0.14
42115	178	0.03
42119	675	0.11
42129	970	0.15
53001	11	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53005	132	0.02
53007	114	0.02
53009	509	0.08
53011	1684	0.26
53019	34	0.01
53025	41	0.01
53027	426	0.07
53033	2404	0.38
53043	<= 10	**.**
53049	50	0.01
53053	1295	0.20
53061	197	0.03
53063	888	0.14
53071	406	0.06
53075	67	0.01
55003	368	0.06
55005	94	0.01
55009	870	0.14
55013	56	0.01
55015	78	0.01
55017	101	0.02
55019	85	0.01
55021	161	0.03
55025	5820	0.91
55027	297	0.05
55031	169	0.03
55033	197	0.03
55035	1676	0.26
55039	957	0.15
55043	351	0.05
55045	438	0.07
55047	216	0.03
55055	458	0.07
55059	1332	0.21

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55061	25	0.00
55063	1598	0.25
55071	809	0.13
55079	15757	2.47
55081	118	0.02
55083	69	0.01
55085	509	0.08
55087	1995	0.31
55089	355	0.06
55091	61	0.01
55095	48	0.01
55097	513	0.08
55101	1981	0.31
55103	155	0.02
55105	1728	0.27
55107	129	0.02
55109	453	0.07
55111	478	0.07
55115	301	0.05
55117	1059	0.17
55119	120	0.02
55121	36	0.01
55123	42	0.01
55125	82	0.01
55127	375	0.06
55129	95	0.01
55131	165	0.03
55133	3000	0.47
55135	200	0.03
55137	44	0.01
55139	1017	0.16
55141	2182	0.34

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
.C: Inconsistent	1465	0.23
0 days	12485	1.96
1 day	117167	18.35
2 days	123412	19.33
3 days	90362	14.15
4 days	60876	9.53
5 days	44465	6.96
6 days	34433	5.39
7 days	29419	4.61
8 days	21742	3.41
9 days	16119	2.52
10 days	12980	2.03
11 - 30 days	64213	10.06
31 - 60 days	7386	1.16
61 - 90 days	1243	0.19
91 - 120 days	402	0.06
121 - 150 days	140	0.02
151 - 180 days	71	0.01
181 - 210 days	35	0.01
211 - 240 days	17	0.00
241 - 270 days	11	0.00
271 - 300 days	15	0.00
301 - 330 days	<= 10	**. **
331 - 365 days	<= 10	**. **
366	<= 10	**. **
371	<= 10	**. **
385	<= 10	**. **
399	<= 10	**. **
404	<= 10	**. **
411	<= 10	**. **
447	<= 10	**. **
492	<= 10	**. **
504	<= 10	**. **
530	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
533	<= 10	**. **
582	<= 10	**. **
592	<= 10	**. **
649	<= 10	**. **
654	<= 10	**. **
663	<= 10	**. **
738	<= 10	**. **
748	<= 10	**. **
773	<= 10	**. **
783	<= 10	**. **
789	<= 10	**. **
994	<= 10	**. **
999	<= 10	**. **
1008	<= 10	**. **
1028	<= 10	**. **
1304	<= 10	**. **
1396	<= 10	**. **
1434	<= 10	**. **
1528	<= 10	**. **
2059	<= 10	**. **
2330	<= 10	**. **
3394	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	753	0.12
1	34297	5.37
2	2586	0.41
3	8885	1.39
4	57825	9.06
5	102731	16.09
6	51673	8.09
7	17816	2.79
8	49742	7.79
9	14884	2.33
10	16845	2.64
11	19495	3.05
12	5840	0.91
13	17291	2.71
14	82901	12.98
15	74540	11.67
16	5606	0.88
17	9926	1.55
18	11495	1.80
19	22145	3.47
20	9628	1.51
21	8955	1.40
22	904	0.14
23	7145	1.12
24	1250	0.20
25	3343	0.52

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	208239	32.61
Non-Blank	430262	67.39

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NDX	Frequency	Percent of Total
0	74	0.01
1	92634	14.51
2	113034	17.70
3	95872	15.02
4	79645	12.47
5	91743	14.37
6	43366	6.79
7	33475	5.24
8	26070	4.08
9	29808	4.67
10	22323	3.50
11	3077	0.48
12	2370	0.37
13	1553	0.24
14	1055	0.17
15	1547	0.24
16	421	0.07
17	137	0.02
18	64	0.01
19	49	0.01
20	33	0.01
21	38	0.01
22	28	0.00
23	21	0.00
24	17	0.00
25	29	0.00
26	11	0.00
27	<= 10	**. **
28	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	479128	75.04
1: Maternal	84033	13.16
2: Neonatal	75295	11.79
3: Neonatal and Maternal	45	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	234282	36.69
1	171040	26.79
2	98960	15.50
3	68375	10.71
4	28596	4.48
5	14707	2.30
6	11329	1.77
7	3735	0.58
8	2767	0.43
9	1434	0.22
10	1857	0.29
11	399	0.06
12	323	0.05
13	188	0.03
14	153	0.02
15	230	0.04
16	31	0.00
17	25	0.00
18	14	0.00
19	12	0.00
20	19	0.00
21	25	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1	Frequency	Percent of Total
.: Missing	3955	0.62
.A: Invalid	116	0.02
1: Medicare	222381	34.83
2: Medicaid	118224	18.52
3: Private Insurance	234772	36.77
4: Self-pay	33238	5.21
5: No Charge	406	0.06
6: Other	25409	3.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	64275	10.07
A	116	0.02
1	202375	31.70
2	105983	16.60
3	34503	5.40
4	107802	16.88
5	71362	11.18
6	30655	4.80
7	406	0.06
8	35	0.01
9	4714	0.74
10	1637	0.26
11	6312	0.99
12	8326	1.30

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	313586	49.11
C	12418	1.94
.: Missing	190775	29.88
1: Medicare	3947	0.62
2: Medicaid	17268	2.70
3: Private Insurance	68795	10.77
4: Self-pay	27220	4.26
5: No Charge	167	0.03
6: Other	4325	0.68

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	205173	32.13
B	313586	49.11
C	11755	1.84
1	3434	0.54
2	13985	2.19
3	20885	3.27
4	33197	5.20
5	4879	0.76
6	26907	4.21
7	167	0.03
8	113	0.02
9	40	0.01
10	76	0.01
11	294	0.05
12	4010	0.63

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	234714	36.76
A	44	0.01
1	1389	0.22
2	504	0.08
3	6773	1.06
4	5161	0.81
5	953	0.15
6	118	0.02
7	262	0.04
8	249	0.04
9	1148	0.18
10	978	0.15
11	31	0.00
12	506	0.08
13	143	0.02
14	172	0.03
15	230	0.04
16	430	0.07
17	37	0.01
18	29	0.00
19	380	0.06
20	634	0.10
21	182	0.03
22	45	0.01
23	130	0.02
24	97	0.02
25	<= 10	**.**
26	271	0.04
27	349	0.05
28	293	0.05
29	264	0.04
30	673	0.11
31	128	0.02
32	272	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1461	0.23
34	1049	0.16
35	557	0.09
36	1106	0.17
37	3437	0.54
38	297	0.05
39	2999	0.47
40	353	0.06
41	240	0.04
42	834	0.13
43	1181	0.18
44	6069	0.95
45	7626	1.19
46	18	0.00
47	11388	1.78
48	3578	0.56
49	1304	0.20
50	19	0.00
51	2019	0.32
52	825	0.13
53	132	0.02
54	3593	0.56
55	1936	0.30
56	209	0.03
57	1339	0.21
58	2402	0.38
59	88	0.01
60	398	0.06
61	3264	0.51
62	779	0.12
63	718	0.11
64	135	0.02
65	1306	0.20
66	445	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1121	0.18
68	<= 10	**.**
69	203	0.03
70	11177	1.75
71	1580	0.25
72	259	0.04
73	105	0.02
74	484	0.08
75	826	0.13
76	4486	0.70
77	286	0.04
78	4513	0.71
79	24	0.00
80	4378	0.69
81	362	0.06
82	792	0.12
83	567	0.09
84	8272	1.30
85	1279	0.20
86	1702	0.27
87	463	0.07
88	995	0.16
89	552	0.09
90	1198	0.19
91	432	0.07
92	166	0.03
93	1692	0.26
94	1466	0.23
95	1039	0.16
96	2082	0.33
97	303	0.05
98	908	0.14
99	1900	0.30
100	1428	0.22

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	1834	0.29
102	552	0.09
103	399	0.06
104	725	0.11
105	251	0.04
106	847	0.13
107	117	0.02
108	282	0.04
109	461	0.07
110	396	0.06
111	443	0.07
112	1017	0.16
113	3482	0.55
114	1289	0.20
115	19515	3.06
116	110	0.02
117	93	0.01
118	740	0.12
119	1315	0.21
120	716	0.11
121	1363	0.21
122	529	0.08
123	291	0.05
124	9338	1.46
125	674	0.11
126	133	0.02
127	1087	0.17
128	339	0.05
129	918	0.14
130	156	0.02
131	122	0.02
132	999	0.16
133	14282	2.24
134	14828	2.32

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	6968	1.09
136	1450	0.23
137	19872	3.11
138	172	0.03
139	1808	0.28
140	9889	1.55
141	190	0.03
142	769	0.12
143	140	0.02
144	582	0.09
145	1120	0.18
146	4967	0.78
147	3768	0.59
148	1621	0.25
149	117	0.02
150	118	0.02
151	214	0.03
152	5352	0.84
153	5133	0.80
154	1339	0.21
155	495	0.08
156	102	0.02
157	1971	0.31
158	1140	0.18
159	447	0.07
160	2186	0.34
161	835	0.13
162	1241	0.19
163	176	0.03
164	742	0.12
165	94	0.01
166	631	0.10
167	2056	0.32
168	1211	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	4101	0.64
170	550	0.09
171	1322	0.21
172	700	0.11
173	278	0.04
174	2337	0.37
175	1096	0.17
176	140	0.02
177	6557	1.03
178	573	0.09
179	1869	0.29
180	471	0.07
181	279	0.04
182	39	0.01
183	200	0.03
184	11	0.00
185	490	0.08
186	129	0.02
187	706	0.11
188	606	0.09
189	265	0.04
190	311	0.05
191	628	0.10
192	699	0.11
193	4988	0.78
194	370	0.06
195	700	0.11
196	1424	0.22
197	1743	0.27
198	1706	0.27
199	822	0.13
200	16	0.00
201	1669	0.26
202	633	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	2368	0.37
204	406	0.06
205	1739	0.27
206	187	0.03
207	503	0.08
208	770	0.12
209	811	0.13
210	89	0.01
211	1418	0.22
212	146	0.02
213	2628	0.41
214	854	0.13
215	919	0.14
216	8119	1.27
217	3925	0.61
218	2610	0.41
219	8096	1.27
220	103	0.02
221	743	0.12
222	3216	0.50
223	779	0.12
224	6390	1.00
225	1325	0.21
226	966	0.15
227	1109	0.17
228	5278	0.83
229	91	0.01
230	<= 10	**.**
231	8177	1.28

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	234714	36.76
Valid PR	403787	63.24

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	188096	29.46
.B: Unavail from Source	111982	17.54
.C: Inconsistent	9485	1.49
-4 days	<= 10	**. **
-3 days	24	0.00
-2 days	73	0.01
-1 day	636	0.10
0 days	184722	28.93
1 day	68167	10.68
2 days	24274	3.80
3 days	14223	2.23
4 days	9233	1.45
5 days	6305	0.99
6 - 30 days	20549	3.22
31 - 60 days	584	0.09
61 - 90 days	84	0.01
91 - 120 days	41	0.01
121 - 150 days	11	0.00
151 - 180 days	<= 10	**. **
181 - 210 days	<= 10	**. **
211 - 240 days	<= 10	**. **
241 - 270 days	<= 10	**. **
301 - 330 days	<= 10	**. **
715	<= 10	**. **
12641	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	638501	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	234714	36.76
C	30	0.00
0	403713	63.23
1	44	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	14862	2.33
.B: Unavail from Source	128513	20.13
1: White	363919	57.00
2: Black	70656	11.07
3: Hispanic	42807	6.70
4: Asian/Pacific Islander	8081	1.27
5: Native American	1552	0.24
6: Other	8111	1.27

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	55	0.01
A	<= 10	**. **
C	39	0.01
1	266047	41.67
2	372359	58.32

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	390721	61.19
Non-Blank	247780	38.81

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	14830	2.32
.C: Inconsistent	1442	0.23
\$ 1- \$ 9	114	0.02
\$10	<= 10	**,**
\$11- \$19	<= 10	**,**
\$21- \$24	<= 10	**,**
\$25- \$1,000	49846	7.81
\$1,001- \$5,000	238788	37.40
\$5,001- \$10,000	160574	25.15
\$10,001- \$50,000	157791	24.71
\$50,001- \$100,000	11000	1.72
\$100,001- \$200,000	3058	0.48
\$200,001- \$300,000	662	0.10
\$300,001- \$400,000	218	0.03
\$400,001- \$500,000	79	0.01
\$500,001-\$1,000,000	90	0.01
1081974	<= 10	**,**
1201700	<= 10	**,**
1214651	<= 10	**,**
1338515	<= 10	**,**
2146925	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC4	Frequency	Percent of Total
.: Missing	24659	3.86
1: \$0-\$25,000	196795	30.82
2: \$25,001-\$30,000	132212	20.71
3: \$30,001-\$35,000	95809	15.01
4: \$35,001+	189026	29.60

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC8	Frequency	Percent of Total
.: Missing	79576	12.46
1: \$0-\$15,000	18763	2.94
2: \$15,001-\$20,000	45136	7.07
3: \$20,001-\$25,000	108001	16.91
4: \$25,001-\$30,000	116225	18.20
5: \$30,001-\$35,000	90665	14.20
6: \$35,001-\$40,000	65387	10.24
7: \$40,001-\$45,000	43769	6.85
8: \$45,001+	70979	11.12

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	638268	Sum Weights	638268
Mean	45.5945778	Sum Observations	29101560
Std Deviation	28.2988243	Variance	800.823457
Skewness	-0.1951366	Kurtosis	-1.1761083
Uncorrected SS	1838012528	Corrected SS	511139186
Coeff Variation	62.0662054	Std Error Mean	0.03542149

Basic Statistical Measures			
Location		Variability	
Mean	45.59458	Std Deviation	28.29882
Median	47.00000	Variance	800.82346
Mode	0.00000	Range	110.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1287.201	Pr > t 	<.0001
Sign	M	277020.5	Pr >= M 	<.0001
Signed Rank	S	7.674E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	110
99%	92
95%	85
90%	81
75% Q3	71
50% Median	47
25% Q1	24
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	39	0.01	16.74
A	26	0.00	11.16
C	168	0.03	72.10
Total	233	0.04	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	637036	Sum Weights	637036
Mean	5.51979951	Sum Observations	3516311
Std Deviation	11.4104176	Variance	130.19763
Skewness	87.7166136	Kurtosis	18737.1419
Uncorrected SS	102349779	Corrected SS	82940447.3
Coeff Variation	206.717972	Std Error Mean	0.01429616

Basic Statistical Measures			
Location		Variability	
Mean	5.519800	Std Deviation	11.41042
Median	3.000000	Variance	130.19763
Mode	2.000000	Range	3394
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	386.1035	Pr > t 	<.0001
Sign	M	312275.5	Pr >= M 	<.0001
Signed Rank	S	9.752E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3394
99%	36
95%	17
90%	11
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	1465	0.23	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	638501	Sum Weights	638501
Mean	5.61261611	Sum Observations	3583661
Std Deviation	37.1526285	Variance	1380.3178
Skewness	374.902764	Kurtosis	163998.758
Uncorrected SS	901446631	Corrected SS	881332918
Coeff Variation	661.948506	Std Error Mean	0.04649527

Basic Statistical Measures			
Location		Variability	
Mean	5.612616	Std Deviation	37.15263
Median	3.000000	Variance	1380
Mode	2.000000	Range	19430
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	120.7137	Pr > t 	<.0001
Sign	M	312973	Pr >= M 	<.0001
Signed Rank	S	9.795E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	19066
99%	36
95%	17
90%	11
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-364

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	622229	Sum Weights	622229
Mean	10311.0218	Sum Observations	6415816767
Std Deviation	20216.6345	Variance	408712309
Skewness	14.5086395	Kurtosis	537.076562
Uncorrected SS	3.20466E14	Corrected SS	2.54312E14
Coeff Variation	196.068197	Std Error Mean	25.6291224

Basic Statistical Measures			
Location		Variability	
Mean	10311.02	Std Deviation	20217
Median	5484.00	Variance	408712309
Mode	1770.00	Range	2146924
		Interquartile Range	8207

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	402.3166	Pr > t 	<.0001
Sign	M	311114.5	Pr >= M 	<.0001
Signed Rank	S	9.679E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2146925
99%	80695
95%	33150
90%	21505
75% Q3	10943
50% Median	5484
25% Q1	2736
10%	1214
5%	726

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	414
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	14830	2.32	91.14
C	1442	0.23	8.86
Total	16272	2.55	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	623692	Sum Weights	623692
Mean	10328.4682	Sum Observations	6441783000
Std Deviation	20893.607	Variance	436542815
Skewness	19.9778426	Kurtosis	1318.26845
Uncorrected SS	3.38802E14	Corrected SS	2.72268E14
Coeff Variation	202.291439	Std Error Mean	26.456253

Basic Statistical Measures			
Location		Variability	
Mean	10328.47	Std Deviation	20894
Median	5477.00	Variance	436542815
Mode	1.00	Range	2946779
		Interquartile Range	8219

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	390.398	Pr > t 	<.0001
Sign	M	311846	Pr >= M 	<.0001
Signed Rank	S	9.725E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2946780.00
99%	80840.00
95%	33185.00
90%	21546.00
75% Q3	10945.00
50% Median	5477.00
25% Q1	2726.00
10%	1198.00
5%	716.81

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	398.00
0% Min	1.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	14809	2.32	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.