

HCUP Summary Statistics Report: NIS 1997
Means of Continuous Data Elements

17:04 Tuesday, March 15, 2005 1

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	5948555	1199865	1.00	7.00	3.95	1.83
AGE : I:Age in years at admission	7146385	2035	0.00	124.00	46.90	28.45
AGEDAY : I:Age in days (when < 1 year)	917358	6231062	0.00	364.00	16.86	57.77
AMONTH : I:Admission month	6015554	1132866	1.00	12.00	6.47	3.46
ASOURCE : I:Admission source	6870142	278278	1.00	5.00	3.31	1.92
ATYPE : I:Admission type	6135966	1012454	1.00	6.00	2.08	1.07
DCCHPR1 : I:CCHPR: principal diagnosis	7144243	4177	1.00	260.00	146.65	64.60
DIED : I:Died during hospitalization	7141825	6595	0.00	1.00	0.02	0.15
DISP : I:Disposition of patient	7141825	6595	1.00	20.00	2.17	3.22
DQTR : I:Discharge quarter	7148420	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	7148420	0	1.00	503.00	259.45	140.45
DRG10 : I:DRG, Version 10	7148420	0	1.00	492.00	256.38	138.25
DRGVER : I:DRG grouper version used on disch date	7148420	0	14.00	15.00	14.25	0.43
DSNDX : I:Max number of diagnoses from source	7148420	0	9.00	30.00	15.16	8.09
DSNPR : I:Max number of procedures from source	7148420	0	6.00	30.00	12.14	6.33
DSNUM : I:Data source ID number	7148420	0	2.00	23.00	9.71	6.84
DSTYPE : I:Data source type	7148420	0	1.00	2.00	1.25	0.44
DXSYS : I:Diagnosis coding system	7148420	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	7146764	1656	0.00	1.00	0.00	0.02
DXV2 : I:Validity flag: diagnosis 2	6307692	840728	0.00	1.00	0.00	0.02
DXV3 : I:Validity flag: diagnosis 3	5171321	1977099	0.00	1.00	0.00	0.02
DXV4 : I:Validity flag: diagnosis 4	4174356	2974064	0.00	1.00	0.00	0.02
DXV5 : I:Validity flag: diagnosis 5	3299614	3848806	0.00	1.00	0.00	0.03
DXV6 : I:Validity flag: diagnosis 6	2501686	4646734	0.00	1.00	0.00	0.03
DXV7 : I:Validity flag: diagnosis 7	1896556	5251864	0.00	1.00	0.00	0.03
DXV8 : I:Validity flag: diagnosis 8	1406883	5741537	0.00	1.00	0.00	0.03
DXV9 : I:Validity flag: diagnosis 9	1018972	6129448	0.00	1.00	0.00	0.02
DXV10 : I:Validity flag: diagnosis 10	460294	6688126	0.00	1.00	0.00	0.02
DXV11 : I:Validity flag: diagnosis 11	176558	6971862	0.00	1.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	125370	7023050	0.00	1.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	88656	7059764	0.00	1.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	64546	7083874	0.00	1.00	0.00	0.01
DXV15 : I:Validity flag: diagnosis 15	45263	7103157	0.00	1.00	0.00	0.01
HOSPID : HCUP hospital ID number (SSHHH)	7148420	0	4004.00	55175.00	23721.34	14989.53

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1997
Means of Continuous Data Elements

17:04 Tuesday, March 15, 2005 2

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	5866957	1281463	4001.00	55141.00	22624.14	14717.64
LOS : I:Length of stay (cleaned)	7123113	25307	0.00	6118.00	4.93	11.60
LOS_X : I:Length of stay (uncleaned)	7148418	2	-493.00	32145.00	4.93	16.98
MDC : I:MDC in effect on discharge date	7148420	0	0.00	25.00	9.71	5.64
MDC10 : I:MDC, Version 10	7148420	0	0.00	25.00	9.70	5.64
NDX : I:Number of diagnoses on this discharge	7148420	0	0.00	30.00	4.75	2.96
NEOMAT : I:Neonatal and/or maternal DX and/or PR	7148420	0	0.00	3.00	0.36	0.68
NPR : I:Number of procedures on this discharge	7148420	0	0.00	30.00	1.44	1.79
PAY1 : I:Primary expected payer, uniform	7131925	16495	1.00	6.00	2.27	1.21
PAY1_N : I:Primary expected payer, nonuniform	6689228	459192	1.00	12.00	3.04	2.27
PAY2 : I:Secondary expected payer, uniform	1755940	5392480	1.00	6.00	3.27	0.99
PAY2_N : I:Secondary expected payer, nonuniform	1626801	5521619	1.00	12.00	4.39	1.95
PCCHPR1 : I:CCHPR: principal procedure	4392833	2755587	1.00	231.00	121.83	61.78
PRDAY1 : I:No. of days from admission to PR1	3807501	3340919	-4.00	32142.00	1.34	17.52
PROCESS : I:HCUP discharge processing ID number	7148420	0	9.704E10	9.7551E10	9.7237E10	150141298
PRSYS : I:Procedure coding system	7148420	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	4393439	2754981	0.00	1.00	0.00	0.01
PRV2 : I:Validity flag: procedure 2	2546221	4602199	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	1465157	5683263	0.00	1.00	0.00	0.02
PRV4 : I:Validity flag: procedure 4	788556	6359864	0.00	1.00	0.00	0.02
PRV5 : I:Validity flag: procedure 5	461320	6687100	0.00	1.00	0.00	0.03
PRV6 : I:Validity flag: procedure 6	273044	6875376	0.00	1.00	0.00	0.02
PRV7 : I:Validity flag: procedure 7	118046	7030374	0.00	1.00	0.00	0.02
PRV8 : I:Validity flag: procedure 8	78886	7069534	0.00	1.00	0.00	0.01
PRV9 : I:Validity flag: procedure 9	50533	7097887	0.00	1.00	0.00	0.01
PRV10 : I:Validity flag: procedure 10	35276	7113144	0.00	1.00	0.00	0.02
PRV11 : I:Validity flag: procedure 11	17523	7130897	0.00	1.00	0.00	0.02
PRV12 : I:Validity flag: procedure 12	13158	7135262	0.00	1.00	0.00	0.02
PRV13 : I:Validity flag: procedure 13	9005	7139415	0.00	1.00	0.00	0.02
PRV14 : I:Validity flag: procedure 14	6803	7141617	0.00	1.00	0.00	0.06
PRV15 : I:Validity flag: procedure 15	4885	7143535	0.00	1.00	0.01	0.08
RACE : I:Race	5683815	1464605	1.00	6.00	1.50	1.00
SEQ : I:HCUP record sequence number	7148420	0	4.005E11	5.5176E12	2.3722E12	1.499E12
SEQ_SID : I:HCUP SID record sequence number	7148420	0	4.004E11	5.5142E12	2.3675E12	1.5007E12

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
SEX : I:Sex	7147597	823	1.00	2.00	1.59	0.49
TOTCHG : I:Total charges (cleaned)	7010887	137533	1.00	5706195.0	11387.43	22706.61
TOTCHG_X : I:Total charges (from data source)	7036575	111845	-1195.00	5706194.8	11445.68	23037.61
YEAR : Calendar year	7148420	0	97.00	97.00	97.00	0.00
ZIPINC4 : I:Median income-pt's zip code-4 categs	6738523	409897	1.00	4.00	2.42	1.23
ZIPINC8 : I:Median income-pt's zip code-8 categs	6242716	905704	1.00	8.00	4.62	1.94
DISCWT_U : H:Weight to discharges in universe	7148420	0	0.97	38.60	4.95	1.12

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	1132887	15.85
B	66978	0.94
1	569391	7.97
2	1022519	14.30
3	1003088	14.03
4	946043	13.23
5	925954	12.95
6	896763	12.54
7	584797	8.18

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 1997
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
.	212	0.00
A	117	0.00
C	1706	0.02
0	917364	12.83
1	49973	0.70
2	29707	0.42
3	22542	0.32
4	19001	0.27
5	17758	0.25
6	15799	0.22
7	15092	0.21
8	13582	0.19
9	12688	0.18
10	12290	0.17
11	12638	0.18
12	14798	0.21
13	15277	0.21
14	19492	0.27
15	26263	0.37
16	35679	0.50
17	47196	0.66
18	52798	0.74
19	59065	0.83
20	62508	0.87
21	61489	0.86
22	66229	0.93
23	63693	0.89
24	66743	0.93
25	71390	1.00
26	78155	1.09
27	83717	1.17
28	79763	1.12
29	80187	1.12
30	82241	1.15

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 1997
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
31	82961	1.16
32	89032	1.25
33	84500	1.18
34	82430	1.15
35	80092	1.12
36	77541	1.08
37	79864	1.12
38	70667	0.99
39	68226	0.95
40	67966	0.95
41	65321	0.91
42	70507	0.99
43	63890	0.89
44	62453	0.87
45	62309	0.87
46	61864	0.87
47	68161	0.95
48	63801	0.89
49	65983	0.92
50	70382	0.98
51	58665	0.82
52	64207	0.90
53	63389	0.89
54	67278	0.94
55	64730	0.91
56	62556	0.88
57	68419	0.96
58	65617	0.92
59	66966	0.94
60	67479	0.94
61	70728	0.99
62	77139	1.08
63	72203	1.01
64	75774	1.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 1997
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
65	85981	1.20
66	90226	1.26
67	100318	1.40
68	98272	1.37
69	102458	1.43
70	105658	1.48
71	108589	1.52
72	119560	1.67
73	114571	1.60
74	114292	1.60
75	117323	1.64
76	116705	1.63
77	121099	1.69
78	107282	1.50
79	105164	1.47
80	100759	1.41
81	95976	1.34
82	100810	1.41
83	88970	1.24
84	82295	1.15
85	82142	1.15
86	67881	0.95
87	60661	0.85
88	53021	0.74
89	46447	0.65
90	38970	0.55
91	31904	0.45
92	25725	0.36
93	20853	0.29
94	16265	0.23
95	11788	0.16
96	9278	0.13
97	6270	0.09
98	3963	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	2735	0.04
100	1508	0.02
101	1020	0.01
102	588	0.01
103	341	0.00
104	181	0.00
105	115	0.00
106	69	0.00
107	70	0.00
108	14	0.00
109	18	0.00
110	<= 10	**,**
111	<= 10	**,**
112	<= 10	**,**
113	<= 10	**,**
115	<= 10	**,**
116	<= 10	**,**
117	<= 10	**,**
118	<= 10	**,**
119	<= 10	**,**
122	<= 10	**,**
124	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGEDAY	Frequency	Percent of Total
.: Missing	6229259	87.14
.A: Invalid	97	0.00
.C: Inconsistent	1706	0.02
0 days	786986	11.01
1 day	4487	0.06
2 days	2030	0.03
3 days	2825	0.04
4 days	2886	0.04
5 days	2017	0.03
6 days	1367	0.02
7 days	1072	0.01
8 days	991	0.01
9 days	859	0.01
10 days	860	0.01
11 - 30 days	17700	0.25
31 - 60 days	19149	0.27
61 - 90 days	12413	0.17
91 - 120 days	9473	0.13
121 - 150 days	8309	0.12
151 - 180 days	7416	0.10
181 - 210 days	7017	0.10
211 - 240 days	6326	0.09
241 - 270 days	6114	0.09
271 - 300 days	5845	0.08
301 - 330 days	5780	0.08
331 - 364 days	5436	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
B	1132865	15.85
.: Missing	<= 10	**.*
1: January	526320	7.36
2: February	477266	6.68
3: March	517199	7.24
4: April	510882	7.15
5: May	506757	7.09
6: June	488765	6.84
7: July	502543	7.03
8: August	489681	6.85
9: September	496843	6.95
10: October	511780	7.16
11: November	473715	6.63
12: December	513803	7.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	74166	1.04
.A: Invalid	441	0.01
.B: Unavailable from Source	203671	2.85
1: Emergency Department	2620999	36.67
2: Another Hospital	271745	3.80
3: Other Health Facility, incl. LTC	135053	1.89
4: Court/Law Enforcement	11468	0.16
5: Routine, Birth, and Other	3830877	53.59

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ATYPE	Frequency	Percent of Total
.: Missing	38090	0.53
.A: Invalid	127	0.00
.B: Unavail from Source	974237	13.63
1: Emergency	2440024	34.13
2: Urgent	1514259	21.18
3: Elective	1502835	21.02
4: Newborn	627082	8.77
5: Delivery	39595	0.55
6: Other	12171	0.17

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	1379	0.02
A	2798	0.04
1	2740	0.04
2	83810	1.17
3	2971	0.04
4	3315	0.05
5	20922	0.29
6	4795	0.07
7	21335	0.30
8	3454	0.05
9	1162	0.02
10	215	0.00
11	7101	0.10
12	2616	0.04
13	5078	0.07
14	23832	0.33
15	9413	0.13
16	2466	0.03
17	6222	0.09
18	3710	0.05
19	31777	0.44
20	636	0.01
21	2615	0.04
22	971	0.01
23	1402	0.02
24	25700	0.36
25	8184	0.11
26	7469	0.10
27	5170	0.07
28	1601	0.02
29	21249	0.30
30	342	0.00
31	150	0.00
32	9875	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	6089	0.09
34	630	0.01
35	7030	0.10
36	4122	0.06
37	1059	0.01
38	10170	0.14
39	8163	0.11
40	3593	0.05
41	1773	0.02
42	54641	0.76
43	1633	0.02
44	8849	0.12
45	45652	0.64
46	47360	0.66
47	32284	0.45
48	7982	0.11
49	1928	0.03
50	83654	1.17
51	7797	0.11
52	3306	0.05
53	132	0.00
54	1875	0.03
55	95268	1.33
56	1346	0.02
57	275	0.00
58	10900	0.15
59	20560	0.29
60	2106	0.03
61	16861	0.24
62	10113	0.14
63	9606	0.13
64	1650	0.02
65	102	0.00
66	49027	0.69

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	38320	0.54
68	27150	0.38
69	119257	1.67
70	53088	0.74
71	12521	0.18
72	12874	0.18
73	3606	0.05
74	28804	0.40
75	60	0.00
76	10257	0.14
77	1949	0.03
78	1236	0.02
79	3660	0.05
80	4154	0.06
81	7676	0.11
82	4058	0.06
83	44738	0.63
84	11322	0.16
85	3397	0.05
86	679	0.01
87	2094	0.03
88	726	0.01
89	513	0.01
90	3852	0.05
91	2090	0.03
92	4078	0.06
93	11054	0.15
94	1907	0.03
95	22229	0.31
96	19377	0.27
97	16457	0.23
98	8711	0.12
99	51738	0.72
100	149484	2.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	288973	4.04
102	111009	1.55
103	16501	0.23
104	1201	0.02
105	13444	0.19
106	117299	1.64
107	3689	0.05
108	201814	2.82
109	128497	1.80
110	34099	0.48
111	5062	0.07
112	38665	0.54
113	676	0.01
114	29715	0.42
115	16934	0.24
116	10395	0.15
117	18641	0.26
118	36287	0.51
119	2373	0.03
120	5183	0.07
121	3134	0.04
122	250885	3.51
123	2607	0.04
124	7735	0.11
125	44786	0.63
126	20438	0.29
127	112291	1.57
128	88080	1.23
129	37215	0.52
130	20858	0.29
131	40628	0.57
132	1666	0.02
133	31594	0.44
134	10097	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	27936	0.39
136	5564	0.08
137	3449	0.05
138	33752	0.47
139	10367	0.15
140	28836	0.40
141	9414	0.13
142	45559	0.64
143	32588	0.46
144	14150	0.20
145	56214	0.79
146	47228	0.66
147	8197	0.11
148	4305	0.06
149	93326	1.31
150	13208	0.18
151	17156	0.24
152	41517	0.58
153	64103	0.90
154	28815	0.40
155	33760	0.47
156	2541	0.04
157	20031	0.28
158	6023	0.08
159	82578	1.16
160	36847	0.52
161	8832	0.12
162	6505	0.09
163	6480	0.09
164	23179	0.32
165	4289	0.06
166	2978	0.04
167	5110	0.07
168	15991	0.22

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	17793	0.25
170	32261	0.45
171	15395	0.22
172	12481	0.17
173	2233	0.03
174	211	0.00
175	22190	0.31
176	596	0.01
177	5498	0.08
178	2182	0.03
179	817	0.01
180	8180	0.11
181	75255	1.05
182	11842	0.17
183	37828	0.53
184	53886	0.75
185	21514	0.30
186	15681	0.22
187	33445	0.47
188	28655	0.40
189	56224	0.79
190	87123	1.22
191	41705	0.58
192	54098	0.76
193	148777	2.08
194	20110	0.28
195	82041	1.15
196	111315	1.56
197	67949	0.95
198	2195	0.03
199	15253	0.21
200	2686	0.04
201	14347	0.20
202	5119	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	88154	1.23
204	8313	0.12
205	111194	1.56
206	370	0.01
207	14645	0.20
208	1677	0.02
209	6726	0.09
210	4332	0.06
211	21712	0.30
212	17915	0.25
213	8987	0.13
214	4271	0.06
215	3012	0.04
216	1371	0.02
217	9195	0.13
218	781789	10.94
219	4628	0.06
220	191	0.00
221	1774	0.02
222	6924	0.10
223	169	0.00
224	11761	0.16
225	11257	0.16
226	69333	0.97
227	2684	0.04
228	10678	0.15
229	27810	0.39
230	52130	0.73
231	32615	0.46
232	15578	0.22
233	33181	0.46
234	19539	0.27
235	9593	0.13
236	11270	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	101315	1.42
238	72607	1.02
239	10188	0.14
240	7407	0.10
241	13381	0.19
242	24009	0.34
243	5123	0.07
244	16666	0.23
245	38935	0.54
246	13420	0.19
247	3949	0.06
248	11131	0.16
249	1453	0.02
250	6504	0.09
251	32004	0.45
252	3051	0.04
253	3923	0.05
254	79422	1.11
255	1221	0.02
256	3229	0.05
257	17449	0.24
258	154	0.00
259	9787	0.14
260	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DIED	Frequency	Percent of Total
.: Missing	6079	0.09
.A: Invalid	516	0.01
0: Did not Die in Hospital	6967220	97.47
1: Died in Hospital	174605	2.44

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	6079	0.09
A	516	0.01
1	5496384	76.89
2	174279	2.44
3	412834	5.78
4	59689	0.83
5	290225	4.06
6	479201	6.70
7	54608	0.76
20	174605	2.44

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	1819197	25.45
2: Second Quarter	1786117	24.99
3: Third Quarter	1755780	24.56
4: Fourth Quarter	1787326	25.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	21861	0.31
2	3609	0.05
3	4429	0.06
4	5724	0.08
5	31637	0.44
6	263	0.00
7	3789	0.05
8	2306	0.03
9	2057	0.03
10	9607	0.13
11	1947	0.03
12	17106	0.24
13	4713	0.07
14	115699	1.62
15	44392	0.62
16	4176	0.06
17	1495	0.02
18	10061	0.14
19	4371	0.06
20	7054	0.10
21	7050	0.10
22	1026	0.01
23	2838	0.04
24	25765	0.36
25	18255	0.26
26	12172	0.17
27	4514	0.06
28	7020	0.10
29	4143	0.06
30	3823	0.05
31	2016	0.03
32	2000	0.03
33	1371	0.02
34	9028	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	3786	0.05
36	1859	0.03
37	1361	0.02
38	62	0.00
39	601	0.01
40	787	0.01
41	221	0.00
42	2184	0.03
43	307	0.00
44	1988	0.03
45	1413	0.02
46	1460	0.02
47	848	0.01
48	824	0.01
49	1613	0.02
50	2060	0.03
51	190	0.00
52	1225	0.02
53	2206	0.03
54	365	0.01
55	2069	0.03
56	770	0.01
57	1647	0.02
58	1404	0.02
59	565	0.01
60	2035	0.03
61	154	0.00
62	908	0.01
63	7714	0.11
64	1800	0.03
65	10628	0.15
66	2638	0.04
67	713	0.01
68	5845	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	3931	0.05
70	10182	0.14
71	5811	0.08
72	624	0.01
73	3322	0.05
74	1565	0.02
75	20404	0.29
76	15524	0.22
77	1469	0.02
78	12115	0.17
79	67099	0.94
80	3394	0.05
81	2755	0.04
82	26848	0.38
83	3430	0.05
84	1201	0.02
85	7254	0.10
86	744	0.01
87	20528	0.29
88	116678	1.63
89	139872	1.96
90	19455	0.27
91	36895	0.52
92	5150	0.07
93	819	0.01
94	6945	0.10
95	3749	0.05
96	26546	0.37
97	26033	0.36
98	68455	0.96
99	10454	0.15
100	8505	0.12
101	9275	0.13
102	4422	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	323	0.00
104	12067	0.17
105	11620	0.16
106	44506	0.62
107	31032	0.43
108	5978	0.08
110	22819	0.32
111	3092	0.04
112	117945	1.65
113	12365	0.17
114	2767	0.04
115	3377	0.05
116	26751	0.37
117	1073	0.02
118	1923	0.03
119	944	0.01
120	10812	0.15
121	49275	0.69
122	39405	0.55
123	11179	0.16
124	61548	0.86
125	37905	0.53
126	2789	0.04
127	203249	2.84
128	5741	0.08
129	1414	0.02
130	33306	0.47
131	12334	0.17
132	55473	0.78
133	3178	0.04
134	14921	0.21
135	2924	0.04
136	695	0.01
137	884	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	63721	0.89
139	28240	0.40
140	39336	0.55
141	26279	0.37
142	15200	0.21
143	91222	1.28
144	31947	0.45
145	4651	0.07
146	4194	0.06
147	1052	0.01
148	56675	0.79
149	9645	0.13
150	10151	0.14
151	4059	0.06
152	2329	0.03
153	1764	0.02
154	13453	0.19
155	4649	0.07
156	3025	0.04
157	4339	0.06
158	4398	0.06
159	7112	0.10
160	6547	0.09
161	4150	0.06
162	2995	0.04
163	1313	0.02
164	5785	0.08
165	7408	0.10
166	6058	0.08
167	26150	0.37
168	1002	0.01
169	931	0.01
170	5433	0.08
171	1568	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	12812	0.18
173	1065	0.01
174	79775	1.12
175	9970	0.14
176	6504	0.09
177	4070	0.06
178	2316	0.03
179	10571	0.15
180	30446	0.43
181	10954	0.15
182	91474	1.28
183	50067	0.70
184	32760	0.46
185	3801	0.05
186	1296	0.02
187	850	0.01
188	27663	0.39
189	6425	0.09
190	3147	0.04
191	6180	0.09
192	868	0.01
193	2815	0.04
194	493	0.01
195	2597	0.04
196	1120	0.02
197	35317	0.49
198	35069	0.49
199	897	0.01
200	854	0.01
201	784	0.01
202	17590	0.25
203	11443	0.16
204	35173	0.49
205	12789	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	2461	0.03
207	12943	0.18
208	7576	0.11
209	113484	1.59
210	38751	0.54
211	9129	0.13
212	3774	0.05
213	2638	0.04
214	32390	0.45
215	62508	0.87
216	2847	0.04
217	12474	0.17
218	12055	0.17
219	21821	0.31
220	5054	0.07
221	2768	0.04
222	9552	0.13
223	10538	0.15
224	8278	0.12
225	5022	0.07
226	3186	0.04
227	5801	0.08
228	1629	0.02
229	2793	0.04
230	1454	0.02
231	9324	0.13
232	647	0.01
233	2941	0.04
234	2705	0.04
235	3254	0.05
236	17077	0.24
237	844	0.01
238	3920	0.05
239	19165	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	6738	0.09
241	2737	0.04
242	1594	0.02
243	39730	0.56
244	6571	0.09
245	4507	0.06
246	745	0.01
247	6261	0.09
248	4987	0.07
249	5376	0.08
250	1520	0.02
251	1743	0.02
252	1106	0.02
253	7589	0.11
254	5958	0.08
255	1892	0.03
256	3787	0.05
257	8979	0.13
258	8718	0.12
259	2025	0.03
260	2949	0.04
261	4679	0.07
262	433	0.01
263	9941	0.14
264	2160	0.03
265	2380	0.03
266	2757	0.04
267	373	0.01
268	1504	0.02
269	4502	0.06
270	3237	0.05
271	7573	0.11
272	2443	0.03
273	875	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	1334	0.02
275	194	0.00
276	1019	0.01
277	33774	0.47
278	18221	0.25
279	6090	0.09
280	6790	0.09
281	5712	0.08
282	1587	0.02
283	2771	0.04
284	2103	0.03
285	2291	0.03
286	2019	0.03
287	2509	0.04
288	3115	0.04
289	2884	0.04
290	9817	0.14
291	209	0.00
292	1685	0.02
293	249	0.00
294	35610	0.50
295	14842	0.21
296	69940	0.98
297	13663	0.19
298	20652	0.29
299	1092	0.02
300	6985	0.10
301	2434	0.03
302	3196	0.04
303	8052	0.11
304	7304	0.10
305	5339	0.07
306	2790	0.04
307	699	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	3276	0.05
309	1902	0.03
310	10108	0.14
311	6292	0.09
312	600	0.01
313	409	0.01
314	78	0.00
315	10063	0.14
316	30770	0.43
317	423	0.01
318	2317	0.03
319	246	0.00
320	55261	0.77
321	13711	0.19
322	9853	0.14
323	12886	0.18
324	12940	0.18
325	2412	0.03
326	963	0.01
327	179	0.00
328	268	0.00
329	50	0.00
330	<= 10	**.**
331	15594	0.22
332	2787	0.04
333	1649	0.02
334	8768	0.12
335	6207	0.09
336	13929	0.19
337	10029	0.14
338	815	0.01
339	1053	0.01
340	553	0.01
341	2328	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	79	0.00
343	44	0.00
344	1264	0.02
345	462	0.01
346	1567	0.02
347	193	0.00
348	1179	0.02
349	399	0.01
350	3642	0.05
351	<= 10	**.**
352	557	0.01
353	2745	0.04
354	4927	0.07
355	5413	0.08
356	15347	0.21
357	4202	0.06
358	45778	0.64
359	84824	1.19
360	9195	0.13
361	1838	0.03
362	66	0.00
363	2245	0.03
364	1890	0.03
365	2696	0.04
366	2213	0.03
367	398	0.01
368	7959	0.11
369	6948	0.10
370	52449	0.73
371	112300	1.57
372	76288	1.07
373	508222	7.11
374	37832	0.53
375	730	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
376	8140	0.11
377	1702	0.02
378	8180	0.11
379	22810	0.32
380	4279	0.06
381	6633	0.09
382	3521	0.05
383	41102	0.57
384	11071	0.15
385	16395	0.23
386	14530	0.20
387	25165	0.35
388	19457	0.27
389	69118	0.97
390	217128	3.04
391	445416	6.23
392	2060	0.03
393	343	0.00
394	1510	0.02
395	32509	0.45
396	5693	0.08
397	8986	0.13
398	11023	0.15
399	2808	0.04
400	3835	0.05
401	2593	0.04
402	858	0.01
403	14065	0.20
404	2040	0.03
405	1138	0.02
406	1580	0.02
407	484	0.01
408	1377	0.02
409	2933	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	37086	0.52
411	20	0.00
412	12	0.00
413	3228	0.05
414	455	0.01
415	18748	0.26
416	69783	0.98
417	5964	0.08
418	12535	0.18
419	6217	0.09
420	1474	0.02
421	7150	0.10
422	15735	0.22
423	5840	0.08
424	1496	0.02
425	9743	0.14
426	21230	0.30
427	9206	0.13
428	3869	0.05
429	16789	0.23
430	179212	2.51
431	6085	0.09
432	801	0.01
433	9371	0.13
434	20867	0.29
435	40213	0.56
436	4533	0.06
437	11790	0.16
439	624	0.01
440	3793	0.05
441	1313	0.02
442	7581	0.11
443	3614	0.05
444	2158	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
445	2400	0.03
446	842	0.01
447	2509	0.04
448	309	0.00
449	23812	0.33
450	11414	0.16
451	6790	0.09
452	9714	0.14
453	3217	0.05
454	2859	0.04
455	2580	0.04
456	198	0.00
457	82	0.00
458	2334	0.03
459	569	0.01
460	3609	0.05
461	4033	0.06
462	77943	1.09
463	5790	0.08
464	1889	0.03
465	929	0.01
466	11643	0.16
467	6904	0.10
468	29134	0.41
469	52	0.00
470	9853	0.14
471	4504	0.06
472	223	0.00
473	3989	0.06
475	39377	0.55
476	1485	0.02
477	12711	0.18
478	39187	0.55
479	7703	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
480	866	0.01
481	2406	0.03
482	3651	0.05
483	17879	0.25
484	604	0.01
485	2554	0.04
486	5720	0.08
487	5280	0.07
488	1664	0.02
489	18468	0.26
490	5406	0.08
491	3488	0.05
492	4695	0.07

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
14	5361094	75.00
15	1787326	25.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DSNDX	Frequency	Percent of Total
9	607452	8.50
10	3825772	53.52
11	141701	1.98
15	109753	1.54
16	439478	6.15
17	487437	6.82
30	1536827	21.50

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
6	2206546	30.87
8	292359	4.09
10	2076020	29.04
15	1036668	14.50
21	974237	13.63
25	495612	6.93
30	66978	0.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	487437	6.82
3	1132865	15.85
4	974237	13.63
5	607452	8.50
6	214350	3.00
7	347344	4.86
8	64562	0.90
9	114793	1.61
10	292359	4.09
11	188327	2.63
12	109753	1.54
13	417799	5.84
14	191092	2.67
15	70093	0.98
16	439478	6.15
17	291941	4.08
18	66978	0.94
19	203671	2.85
20	348987	4.88
21	26908	0.38
22	47189	0.66
23	510805	7.15

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	5330957	74.58
2	1817463	25.42

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	1379	0.02
Valid DX	7147041	99.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	1379	0.02
C	277	0.00
0	7143966	99.94
1	2798	0.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	114793	1.61
CA	974237	13.63
CO	109753	1.54
CT	66978	0.94
FL	1132865	15.85
GA	510805	7.15
HI	26908	0.38
IA	188327	2.63
IL	607452	8.50
KS	203671	2.85
MA	214350	3.00
MD	439478	6.15
MO	291941	4.08
NJ	292359	4.09
NY	487437	6.82
OR	70093	0.98
PA	417799	5.84
SC	191092	2.67
TN	348987	4.88
UT	47189	0.66
WA	64562	0.90
WI	347344	4.86

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
.	1281463	17.93
04001	1000	0.01
04003	1945	0.03
04005	10203	0.14
04013	81005	1.13
04015	9766	0.14
04017	4458	0.06
04019	5357	0.07
04021	1059	0.01
06001	17977	0.25
06007	7223	0.10
06013	4081	0.06
06015	2898	0.04
06019	33132	0.46
06021	308	0.00
06023	5389	0.08
06025	12778	0.18
06027	1591	0.02
06029	18215	0.25
06031	4780	0.07
06033	2748	0.04
06037	226890	3.17
06039	8165	0.11
06041	2520	0.04
06045	4912	0.07
06055	8292	0.12
06059	130996	1.83
06061	12534	0.18
06063	793	0.01
06065	35282	0.49
06067	94648	1.32
06069	2882	0.04
06071	61388	0.86
06073	94482	1.32

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06075	29859	0.42
06077	31327	0.44
06079	6753	0.09
06081	28164	0.39
06083	9249	0.13
06085	26252	0.37
06087	12657	0.18
06091	106	0.00
06093	3539	0.05
06095	5396	0.08
06097	14854	0.21
06101	9749	0.14
06107	1428	0.02
08001	6381	0.09
08005	18502	0.26
08015	1174	0.02
08031	33847	0.47
08037	2537	0.04
08059	24658	0.34
08065	840	0.01
08071	1178	0.02
08083	2533	0.04
08089	3274	0.05
08095	168	0.00
08097	1782	0.02
08099	1708	0.02
08101	10386	0.15
08103	286	0.00
08125	499	0.01
09001	23001	0.32
09003	2514	0.04
09005	8930	0.12
09009	23741	0.33
09013	4183	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
09015	4609	0.06
12001	27720	0.39
12003	177	0.00
12005	13678	0.19
12007	680	0.01
12009	41804	0.58
12011	101255	1.42
12013	533	0.01
12015	21704	0.30
12017	15539	0.22
12023	8019	0.11
12025	219925	3.08
12027	3151	0.04
12031	80245	1.12
12033	13290	0.19
12037	594	0.01
12039	358	0.01
12045	498	0.01
12047	471	0.01
12051	1022	0.01
12053	18465	0.26
12055	12641	0.18
12057	52081	0.73
12059	870	0.01
12061	11172	0.16
12063	4816	0.07
12069	10605	0.15
12071	46598	0.65
12073	34139	0.48
12079	382	0.01
12083	17870	0.25
12087	1044	0.01
12089	2056	0.03
12091	7047	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12093	1975	0.03
12095	64476	0.90
12097	9727	0.14
12099	59061	0.83
12101	9174	0.13
12103	63489	0.89
12105	36348	0.51
12107	6928	0.10
12109	9875	0.14
12111	8529	0.12
12113	5789	0.08
12115	35726	0.50
12117	6414	0.09
12121	416	0.01
12123	876	0.01
12127	42315	0.59
12133	1298	0.02
17007	1402	0.02
17029	7097	0.10
17031	329741	4.61
17037	252	0.00
17043	46001	0.64
17045	838	0.01
17051	1063	0.01
17053	1112	0.02
17067	1151	0.02
17069	674	0.01
17075	2125	0.03
17077	9394	0.13
17089	13116	0.18
17091	9477	0.13
17095	4391	0.06
17097	1993	0.03
17099	5290	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17103	3705	0.05
17105	2263	0.03
17109	3951	0.06
17111	9207	0.13
17119	6646	0.09
17121	9301	0.13
17125	577	0.01
17141	1036	0.01
17143	43000	0.60
17147	352	0.00
17159	2901	0.04
17163	28927	0.40
17165	1234	0.02
17167	22742	0.32
17177	5963	0.08
17183	316	0.00
17185	1083	0.02
17195	6173	0.09
17199	6571	0.09
17201	16387	0.23
19001	393	0.01
19003	460	0.01
19011	217	0.00
19013	7752	0.11
19015	1505	0.02
19019	422	0.01
19027	2966	0.04
19029	2072	0.03
19035	911	0.01
19041	2632	0.04
19043	673	0.01
19045	6169	0.09
19049	537	0.01
19057	7193	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19059	1516	0.02
19067	1264	0.02
19075	97	0.00
19077	396	0.01
19085	455	0.01
19087	1237	0.02
19089	487	0.01
19103	24074	0.34
19109	647	0.01
19111	6566	0.09
19113	26039	0.36
19117	578	0.01
19119	385	0.01
19123	1641	0.02
19125	1404	0.02
19127	3583	0.05
19131	611	0.01
19143	496	0.01
19145	673	0.01
19149	1159	0.02
19151	265	0.00
19153	21249	0.30
19155	5310	0.07
19157	2421	0.03
19163	21734	0.30
19165	1143	0.02
19167	142	0.00
19169	10015	0.14
19175	1369	0.02
19179	5823	0.08
19185	732	0.01
19193	10914	0.15
24001	8583	0.12
24003	14779	0.21

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
24005	239804	3.35
24019	3503	0.05
24023	3215	0.04
24025	6556	0.09
24029	2717	0.04
24031	84373	1.18
24033	22169	0.31
24037	6361	0.09
24039	967	0.01
24041	9095	0.13
24043	15600	0.22
24045	19525	0.27
24047	2231	0.03
25003	6535	0.09
25005	6724	0.09
25007	1575	0.02
25009	9889	0.14
25013	32903	0.46
25015	7795	0.11
25017	60160	0.84
25021	4575	0.06
25025	44748	0.63
25027	39446	0.55
29001	5973	0.08
29007	5080	0.07
29019	19668	0.28
29031	11035	0.15
29037	993	0.01
29039	993	0.01
29047	8208	0.11
29049	1673	0.02
29051	6311	0.09
29071	1859	0.03
29073	446	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
29075	926	0.01
29077	31051	0.43
29093	745	0.01
29095	5315	0.07
29097	29990	0.42
29099	8234	0.12
29109	1868	0.03
29113	1573	0.02
29145	1920	0.03
29155	3516	0.05
29161	8076	0.11
29165	3754	0.05
29167	3046	0.04
29171	351	0.00
29177	1449	0.02
29181	497	0.01
29183	16050	0.22
29189	100741	1.41
29195	2175	0.03
29213	5211	0.07
29217	2747	0.04
29221	467	0.01
34003	40738	0.57
34005	22509	0.31
34007	26770	0.37
34009	10385	0.15
34013	86160	1.21
34017	22045	0.31
34021	24303	0.34
34023	28218	0.39
34025	18295	0.26
34033	5164	0.07
34037	7772	0.11
36003	3397	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36005	42262	0.59
36013	12609	0.18
36017	2071	0.03
36025	1834	0.03
36027	9399	0.13
36029	38507	0.54
36031	793	0.01
36043	2255	0.03
36045	2198	0.03
36047	76516	1.07
36055	34529	0.48
36059	26019	0.36
36061	25912	0.36
36063	10751	0.15
36065	13099	0.18
36067	22086	0.31
36071	2301	0.03
36075	7954	0.11
36077	13160	0.18
36081	19872	0.28
36083	8659	0.12
36087	3313	0.05
36089	3827	0.05
36101	5917	0.08
36103	34229	0.48
36105	7072	0.10
36111	1393	0.02
36117	4419	0.06
36119	47678	0.67
36121	3406	0.05
41007	3733	0.05
41011	660	0.01
41017	2156	0.03
41019	10311	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
41023	556	0.01
41033	3409	0.05
41035	7146	0.10
41039	20544	0.29
41047	2847	0.04
41051	13935	0.19
41061	2127	0.03
41065	2669	0.04
42001	4823	0.07
42003	114926	1.61
42005	6366	0.09
42011	27769	0.39
42013	15291	0.21
42015	395	0.01
42021	8706	0.12
42029	30114	0.42
42031	3880	0.05
42041	1925	0.03
42045	9555	0.13
42049	612	0.01
42057	1352	0.02
42059	2189	0.03
42065	2132	0.03
42071	12127	0.17
42073	3059	0.04
42079	2171	0.03
42081	1303	0.02
42085	3440	0.05
42091	44345	0.62
42095	26344	0.37
42097	1551	0.02
42101	59514	0.83
42105	2763	0.04
42107	9510	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42111	4445	0.06
42115	1736	0.02
42119	6665	0.09
42129	8791	0.12
49001	602	0.01
49003	456	0.01
49013	1944	0.03
49027	254	0.00
49035	3909	0.05
49039	1341	0.02
49041	1488	0.02
49047	1545	0.02
49049	2571	0.04
49053	10271	0.14
49057	22808	0.32
53001	152	0.00
53005	1044	0.01
53007	550	0.01
53009	5538	0.08
53019	334	0.00
53025	787	0.01
53033	27293	0.38
53041	4854	0.07
53043	97	0.00
53049	609	0.01
53053	13757	0.19
53061	2043	0.03
53063	362	0.01
53071	6275	0.09
53075	867	0.01
55005	2453	0.03
55013	690	0.01
55015	573	0.01
55017	1096	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55019	903	0.01
55025	58144	0.81
55027	2324	0.03
55033	1813	0.03
55035	16731	0.23
55039	1025	0.01
55043	3217	0.05
55045	4001	0.06
55055	4205	0.06
55059	12543	0.18
55061	270	0.00
55063	15007	0.21
55071	1720	0.02
55079	80044	1.12
55081	1033	0.01
55083	759	0.01
55085	5124	0.07
55087	19250	0.27
55091	618	0.01
55093	1300	0.02
55095	551	0.01
55097	5054	0.07
55101	3448	0.05
55103	1780	0.02
55105	16206	0.23
55107	1067	0.01
55109	2129	0.03
55111	4588	0.06
55117	7179	0.10
55119	1123	0.02
55121	391	0.01
55125	415	0.01
55129	1679	0.02
55131	2093	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55133	31795	0.44
55135	1789	0.03
55137	361	0.01
55139	9664	0.14
55141	21189	0.30

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.: Missing	<= 10	**.**
.A: Invalid	<= 10	**.**
.C: Inconsistent	25305	0.35
0 days	122002	1.71
1 day	1256601	17.58
2 days	1643102	22.99
3 days	1095753	15.33
4 days	725560	10.15
5 days	497498	6.96
6 days	363799	5.09
7 days	291014	4.07
8 days	208383	2.92
9 days	151585	2.12
10 days	118649	1.66
11 - 30 days	573223	8.02
31 - 60 days	60501	0.85
61 - 90 days	9922	0.14
91 - 120 days	3096	0.04
121 - 150 days	1028	0.01
151 - 180 days	425	0.01
181 - 210 days	234	0.00
211 - 240 days	120	0.00
241 - 270 days	92	0.00
271 - 300 days	46	0.00
301 - 330 days	57	0.00
331 - 365 days	45	0.00
365 - 1095 days	257	0.00
1101	<= 10	**.**
1114	<= 10	**.**
1125	<= 10	**.**
1127	<= 10	**.**
1131	<= 10	**.**
1136	<= 10	**.**
1140	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1144	<= 10	***
1154	<= 10	***
1155	<= 10	***
1158	<= 10	***
1167	<= 10	***
1172	<= 10	***
1177	<= 10	***
1188	<= 10	***
1204	<= 10	***
1211	<= 10	***
1214	<= 10	***
1237	<= 10	***
1240	<= 10	***
1246	<= 10	***
1251	<= 10	***
1254	<= 10	***
1268	<= 10	***
1274	<= 10	***
1278	<= 10	***
1281	<= 10	***
1284	<= 10	***
1295	<= 10	***
1296	<= 10	***
1308	<= 10	***
1313	<= 10	***
1318	<= 10	***
1319	<= 10	***
1341	<= 10	***
1361	<= 10	***
1366	<= 10	***
1403	<= 10	***
1405	<= 10	***
1416	<= 10	***
1430	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1433	<= 10	***
1437	<= 10	***
1441	<= 10	***
1447	<= 10	***
1450	<= 10	***
1466	<= 10	***
1499	<= 10	***
1503	<= 10	***
1505	<= 10	***
1509	<= 10	***
1540	<= 10	***
1546	<= 10	***
1551	<= 10	***
1554	<= 10	***
1556	<= 10	***
1557	<= 10	***
1580	<= 10	***
1584	<= 10	***
1656	<= 10	***
1662	<= 10	***
1667	<= 10	***
1673	<= 10	***
1686	<= 10	***
1692	<= 10	***
1761	<= 10	***
1772	<= 10	***
1791	<= 10	***
1850	<= 10	***
1857	<= 10	***
1880	<= 10	***
1929	<= 10	***
1963	<= 10	***
1973	<= 10	***
1979	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1980	<= 10	***
1986	<= 10	***
2002	<= 10	***
2014	<= 10	***
2022	<= 10	***
2060	<= 10	***
2071	<= 10	***
2090	<= 10	***
2091	<= 10	***
2216	<= 10	***
2247	<= 10	***
2270	<= 10	***
2293	<= 10	***
2312	<= 10	***
2352	<= 10	***
2367	<= 10	***
2578	<= 10	***
2701	<= 10	***
2849	<= 10	***
2905	<= 10	***
2933	<= 10	***
2982	<= 10	***
3023	<= 10	***
3029	<= 10	***
3059	<= 10	***
3222	<= 10	***
3238	<= 10	***
3262	<= 10	***
3531	<= 10	***
3591	<= 10	***
3617	<= 10	***
3625	<= 10	***
3813	<= 10	***
4300	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
4989	<= 10	**. **
6118	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	8274	0.12
1	412782	5.77
2	14118	0.20
3	84173	1.18
4	718778	10.06
5	1203570	16.84
6	580808	8.12
7	189502	2.65
8	541864	7.58
9	147721	2.07
10	192909	2.70
11	225644	3.16
12	53449	0.75
13	199459	2.79
14	895941	12.53
15	807436	11.30
16	66613	0.93
17	82154	1.15
18	144006	2.01
19	248440	3.48
20	87308	1.22
21	87345	1.22
22	7194	0.10
23	109137	1.53
24	14182	0.20
25	25613	0.36

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	2989266	41.82
Non-Blank	4159154	58.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NDX	Frequency	Percent of Total
0	1344	0.02
1	838615	11.73
2	1136652	15.90
3	997125	13.95
4	874891	12.24
5	797982	11.16
6	605164	8.47
7	489720	6.85
8	387912	5.43
9	558714	7.82
10	283735	3.97
11	51193	0.72
12	36714	0.51
13	24112	0.34
14	19284	0.27
15	29608	0.41
16	6477	0.09
17	2453	0.03
18	1690	0.02
19	1276	0.02
20	1042	0.01
21	721	0.01
22	489	0.01
23	343	0.00
24	317	0.00
25	482	0.01
26	98	0.00
27	138	0.00
28	52	0.00
29	26	0.00
30	51	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	5425487	75.90
1: Maternal	906416	12.68
2: Neonatal	816187	11.42
3: Neonatal and Maternal	330	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	2754228	38.53
1	1847740	25.85
2	1081134	15.12
3	676748	9.47
4	327243	4.58
5	188282	2.63
6	154999	2.17
7	39159	0.55
8	28353	0.40
9	15258	0.21
10	17753	0.25
11	4365	0.06
12	4153	0.06
13	2202	0.03
14	1918	0.03
15	3133	0.04
16	424	0.01
17	258	0.00
18	216	0.00
19	169	0.00
20	203	0.00
21	407	0.01
22	20	0.00
23	11	0.00
24	11	0.00
25	28	0.00
26	<= 10	**.**
28	<= 10	**.**
30	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	14495	0.20
.A: Invalid	2000	0.03
1: Medicare	2594934	36.30
2: Medicaid	1173049	16.41
3: Private Insurance	2756836	38.57
4: Self-pay	324750	4.54
5: No Charge	24267	0.34
6: Other	258089	3.61

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PAY2	Frequency	Percent of Total
B	3057688	42.77
C	316489	4.43
.: Missing	2016488	28.21
.A: Invalid	1815	0.03
1: Medicare	56801	0.79
2: Medicaid	240175	3.36
3: Private Insurance	816155	11.42
4: Self-pay	546003	7.64
5: No Charge	3166	0.04
6: Other	93640	1.31

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1_N	Frequency	Percent of Total
.	457192	6.40
A	2000	0.03
1	2432209	34.02
2	1099033	15.37
3	365478	5.11
4	1122298	15.70
5	1101236	15.41
6	311397	4.36
7	24267	0.34
8	871	0.01
9	44356	0.62
10	25976	0.36
11	59396	0.83
12	102711	1.44

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	2171224	30.37
A	1815	0.03
B	3057688	42.77
C	290892	4.07
1	52692	0.74
2	219384	3.07
3	272989	3.82
4	416102	5.82
5	78785	1.10
6	539769	7.55
7	3166	0.04
8	54	0.00
9	2461	0.03
10	2432	0.03
11	6514	0.09
12	32453	0.45

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	2754770	38.54
A	817	0.01
1	16219	0.23
2	5757	0.08
3	68820	0.96
4	55116	0.77
5	11570	0.16
6	872	0.01
7	3204	0.04
8	2508	0.04
9	12713	0.18
10	10073	0.14
11	510	0.01
12	5982	0.08
13	442	0.01
14	592	0.01
15	1013	0.01
16	1144	0.02
17	225	0.00
18	162	0.00
19	3345	0.05
20	1977	0.03
21	1354	0.02
22	243	0.00
23	1459	0.02
24	713	0.01
25	65	0.00
26	2281	0.03
27	3750	0.05
28	1981	0.03
29	2240	0.03
30	4287	0.06
31	1290	0.02
32	2580	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	13774	0.19
34	15357	0.21
35	5102	0.07
36	13196	0.18
37	33297	0.47
38	3013	0.04
39	35176	0.49
40	4017	0.06
41	3678	0.05
42	9158	0.13
43	17243	0.24
44	77565	1.09
45	106842	1.49
46	54	0.00
47	138433	1.94
48	42491	0.59
49	14339	0.20
50	201	0.00
51	30958	0.43
52	8996	0.13
53	670	0.01
54	50400	0.71
55	22433	0.31
56	2466	0.03
57	14318	0.20
58	36165	0.51
59	1186	0.02
60	3753	0.05
61	41814	0.58
62	9061	0.13
63	11649	0.16
64	2242	0.03
65	11960	0.17
66	4128	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	9978	0.14
68	53	0.00
69	2564	0.04
70	125972	1.76
71	19763	0.28
72	2098	0.03
73	1450	0.02
74	4228	0.06
75	9422	0.13
76	50248	0.70
77	3034	0.04
78	51896	0.73
79	297	0.00
80	47615	0.67
81	2757	0.04
82	7242	0.10
83	5888	0.08
84	79501	1.11
85	10035	0.14
86	17666	0.25
87	3329	0.05
88	13626	0.19
89	4679	0.07
90	14487	0.20
91	4069	0.06
92	1303	0.02
93	18898	0.26
94	17819	0.25
95	13741	0.19
96	21180	0.30
97	3052	0.04
98	11575	0.16
99	20190	0.28
100	11735	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	18034	0.25
102	6516	0.09
103	5385	0.08
104	8635	0.12
105	3225	0.05
106	9945	0.14
107	1259	0.02
108	2416	0.03
109	4159	0.06
110	4178	0.06
111	4403	0.06
112	11690	0.16
113	28815	0.40
114	14823	0.21
115	224753	3.14
116	823	0.01
117	903	0.01
118	5603	0.08
119	14426	0.20
120	6934	0.10
121	15456	0.22
122	5018	0.07
123	2132	0.03
124	117084	1.64
125	7553	0.11
126	762	0.01
127	8556	0.12
128	2888	0.04
129	9339	0.13
130	1884	0.03
131	1377	0.02
132	12382	0.17
133	119898	1.68
134	163914	2.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	75352	1.05
136	15842	0.22
137	254798	3.56
138	1490	0.02
139	14228	0.20
140	120506	1.69
141	1868	0.03
142	7951	0.11
143	850	0.01
144	5426	0.08
145	10874	0.15
146	56322	0.79
147	35314	0.49
148	16092	0.23
149	1274	0.02
150	1007	0.01
151	1633	0.02
152	65691	0.92
153	59362	0.83
154	11376	0.16
155	6158	0.09
156	1128	0.02
157	22322	0.31
158	27415	0.38
159	4946	0.07
160	19203	0.27
161	7452	0.10
162	12264	0.17
163	2214	0.03
164	6295	0.09
165	989	0.01
166	5693	0.08
167	18397	0.26
168	13489	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	44021	0.62
170	4925	0.07
171	14463	0.20
172	7319	0.10
173	2913	0.04
174	24165	0.34
175	9551	0.13
176	1435	0.02
177	58102	0.81
178	6080	0.09
179	19394	0.27
180	3937	0.06
181	2135	0.03
182	152	0.00
183	4044	0.06
184	105	0.00
185	3168	0.04
186	755	0.01
187	5567	0.08
188	7268	0.10
189	2997	0.04
190	2807	0.04
191	6322	0.09
192	5943	0.08
193	47708	0.67
194	2260	0.03
195	6168	0.09
196	12091	0.17
197	14088	0.20
198	19960	0.28
199	5072	0.07
200	104	0.00
201	17841	0.25
202	4555	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	20142	0.28
204	3170	0.04
205	11867	0.17
206	1957	0.03
207	3293	0.05
208	7835	0.11
209	5754	0.08
210	485	0.01
211	15639	0.22
212	2532	0.04
213	35237	0.49
214	7164	0.10
215	8817	0.12
216	100045	1.40
217	35987	0.50
218	24013	0.34
219	69594	0.97
220	3431	0.05
221	6255	0.09
222	50577	0.71
223	10566	0.15
224	44744	0.63
225	15440	0.22
226	11530	0.16
227	10769	0.15
228	68640	0.96
229	986	0.01
230	17	0.00
231	77531	1.08

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PR1	Frequency	Percent of Total
Blank	2754770	38.54
Valid PR	4393650	61.46

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	2417279	33.82
.B: Unavail from Source	922874	12.91
.C: Inconsistent	766	0.01
-4 days	59	0.00
-3 days	668	0.01
-2 days	2940	0.04
-1 day	21314	0.30
0 days	2121545	29.68
1 day	791477	11.07
2 days	312497	4.37
3 days	169470	2.37
4 days	105491	1.48
5 days	69128	0.97
6 - 30 days	206210	2.88
31 - 60 days	5497	0.08
61 - 90 days	814	0.01
91 - 120 days	223	0.00
121 - 150 days	56	0.00
151 - 180 days	30	0.00
181 - 210 days	18	0.00
211 - 240 days	<= 10	**.**
241 - 270 days	<= 10	**.**
271 - 300 days	<= 10	**.**
301 - 330 days	<= 10	**.**
331 - 365 days	<= 10	**.**
366	<= 10	**.**
368	<= 10	**.**
379	<= 10	**.**
391	<= 10	**.**
398	<= 10	**.**
418	<= 10	**.**
424	<= 10	**.**
524	<= 10	**.**
571	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
687	<= 10	**.**
691	<= 10	**.**
694	<= 10	**.**
729	<= 10	**.**
738	<= 10	**.**
749	<= 10	**.**
1012	<= 10	**.**
1097	<= 10	**.**
1123	<= 10	**.**
1150	<= 10	**.**
1163	<= 10	**.**
1359	<= 10	**.**
1460	<= 10	**.**
2324	<= 10	**.**
2597	<= 10	**.**
2615	<= 10	**.**
2711	<= 10	**.**
2744	<= 10	**.**
2948	<= 10	**.**
3009	<= 10	**.**
3149	<= 10	**.**
3652	<= 10	**.**
32142	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	7148420	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	2754770	38.54
C	211	0.00
0	4392622	61.45
1	817	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	722421	10.11
.A: Invalid	77	0.00
.B: Unavailable from Source	742107	10.38
1: White	4137046	57.87
2: Black	771554	10.79
3: Hispanic	529512	7.41
4: Asian/Pacific Islander	111094	1.55
5: Native American	17925	0.25
6: Other	116684	1.63

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

SEX	Frequency	Percent of Total
.	463	0.01
A	<= 10	**. **
C	352	0.00
1	2936209	41.07
2	4211388	58.91

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	4666663	65.28
Non-Blank	2481757	34.72

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	112238	1.57
.A: Invalid	54	0.00
.C: Inconsistent	25241	0.35
\$ 1- \$ 9	46	0.00
\$10	12	0.00
\$11- \$19	28	0.00
\$20	<= 10	**,**
\$21- \$24	16	0.00
\$25- \$1,000	460133	6.44
\$1,001- \$5,000	2498924	34.96
\$5,001- \$10,000	1868334	26.14
\$10,001- \$50,000	1981489	27.72
\$50,001- \$100,000	147754	2.07
\$100,001- \$200,000	40662	0.57
\$200,001- \$300,000	8006	0.11
\$300,001- \$400,000	2853	0.04
\$400,001- \$500,000	1188	0.02
\$500,001-\$1,000,000	1269	0.02
1000339	<= 10	**,**
1004021	<= 10	**,**
1007251	<= 10	**,**
1007443	<= 10	**,**
1018574	<= 10	**,**
1019534	<= 10	**,**
1020643	<= 10	**,**
1020952	<= 10	**,**
1023091	<= 10	**,**
1025958	<= 10	**,**
1028567	<= 10	**,**
1029198	<= 10	**,**
1034380	<= 10	**,**
1038962	<= 10	**,**
1040461	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
1042582	<= 10	***.
1046648	<= 10	***.
1049444	<= 10	***.
1054690	<= 10	***.
1056119	<= 10	***.
1056849	<= 10	***.
1057911	<= 10	***.
1059722	<= 10	***.
1060353	<= 10	***.
1061030	<= 10	***.
1063277	<= 10	***.
1065547	<= 10	***.
1068113	<= 10	***.
1070248	<= 10	***.
1070556	<= 10	***.
1070947	<= 10	***.
1072904	<= 10	***.
1075448	<= 10	***.
1081364	<= 10	***.
1082057	<= 10	***.
1083835	<= 10	***.
1084035	<= 10	***.
1086568	<= 10	***.
1086963	<= 10	***.
1088095	<= 10	***.
1088339	<= 10	***.
1089121	<= 10	***.
1093306	<= 10	***.
1093726	<= 10	***.
1097330	<= 10	***.
1100147	<= 10	***.
1105151	<= 10	***.
1106300	<= 10	***.
1107053	<= 10	***.

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
1107306	<= 10	***.
1107580	<= 10	***.
1111179	<= 10	***.
1111263	<= 10	***.
1115317	<= 10	***.
1120648	<= 10	***.
1124407	<= 10	***.
1138362	<= 10	***.
1139289	<= 10	***.
1145184	<= 10	***.
1146446	<= 10	***.
1155165	<= 10	***.
1159504	<= 10	***.
1160044	<= 10	***.
1162125	<= 10	***.
1167178	<= 10	***.
1167404	<= 10	***.
1171595	<= 10	***.
1174727	<= 10	***.
1175258	<= 10	***.
1175719	<= 10	***.
1177617	<= 10	***.
1178095	<= 10	***.
1178432	<= 10	***.
1178984	<= 10	***.
1193734	<= 10	***.
1198725	<= 10	***.
1199029	<= 10	***.
1201510	<= 10	***.
1205808	<= 10	***.
1207999	<= 10	***.
1211533	<= 10	***.
1212683	<= 10	***.
1219652	<= 10	***.

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
1220261	<= 10	***.
1225600	<= 10	***.
1231291	<= 10	***.
1237327	<= 10	***.
1240551	<= 10	***.
1241794	<= 10	***.
1246457	<= 10	***.
1249380	<= 10	***.
1251704	<= 10	***.
1252589	<= 10	***.
1255221	<= 10	***.
1261906	<= 10	***.
1270183	<= 10	***.
1274856	<= 10	***.
1279953	<= 10	***.
1282511	<= 10	***.
1299862	<= 10	***.
1308314	<= 10	***.
1313123	<= 10	***.
1319781	<= 10	***.
1320642	<= 10	***.
1332016	<= 10	***.
1332690	<= 10	***.
1344267	<= 10	***.
1344425	<= 10	***.
1363687	<= 10	***.
1380545	<= 10	***.
1383933	<= 10	***.
1386456	<= 10	***.
1399868	<= 10	***.
1400244	<= 10	***.
1402404	<= 10	***.
1410003	<= 10	***.
1427054	<= 10	***.

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
1427857	<= 10	***.***
1435494	<= 10	***.***
1449758	<= 10	***.***
1450961	<= 10	***.***
1472594	<= 10	***.***
1479883	<= 10	***.***
1535826	<= 10	***.***
1562027	<= 10	***.***
1562619	<= 10	***.***
1569014	<= 10	***.***
1591159	<= 10	***.***
1597156	<= 10	***.***
1603899	<= 10	***.***
1608421	<= 10	***.***
1617130	<= 10	***.***
1643112	<= 10	***.***
1659996	<= 10	***.***
1682017	<= 10	***.***
1700119	<= 10	***.***
1737228	<= 10	***.***
1746954	<= 10	***.***
1755986	<= 10	***.***
1756263	<= 10	***.***
1768060	<= 10	***.***
1844252	<= 10	***.***
1845950	<= 10	***.***
1853470	<= 10	***.***
1913464	<= 10	***.***
1915896	<= 10	***.***
1926415	<= 10	***.***
1949144	<= 10	***.***
1952522	<= 10	***.***
1957722	<= 10	***.***
1982457	<= 10	***.***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
2003526	<= 10	***
2025564	<= 10	***
2058433	<= 10	***
2066174	<= 10	***
2088765	<= 10	***
2121299	<= 10	***
2125309	<= 10	***
2126931	<= 10	***
2171388	<= 10	***
2211420	<= 10	***
2220539	<= 10	***
2221472	<= 10	***
2358523	<= 10	***
2552898	<= 10	***
2672500	<= 10	***
2845535	<= 10	***
2870213	<= 10	***
2940484	<= 10	***
3870086	<= 10	***
5186021	<= 10	***
5706195	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
97	7148420	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	409897	5.73
1: \$0-\$25,000	2265748	31.70
2: \$25,001-\$30,000	1390747	19.46
3: \$30,001-\$35,000	1036669	14.50
4: \$35,001+	2045359	28.61

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	905704	12.67
1: \$0-\$15,000	201002	2.81
2: \$15,001-\$20,000	576246	8.06
3: \$20,001-\$25,000	1280910	17.92
4: \$25,001-\$30,000	1255930	17.57
5: \$30,001-\$35,000	989702	13.85
6: \$35,001-\$40,000	681101	9.53
7: \$40,001-\$45,000	469627	6.57
8: \$45,001+	788198	11.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	7146385	Sum Weights	7146385
Mean	46.8968866	Sum Observations	335143207
Std Deviation	28.4493989	Variance	809.368296
Skewness	-0.2575179	Kurtosis	-1.1435567
Uncorrected SS	2.15012E10	Corrected SS	5784056639
Coeff Variation	60.6637262	Std Error Mean	0.01064216

Basic Statistical Measures			
Location		Variability	
Mean	46.89689	Std Deviation	28.44940
Median	50.00000	Variance	809.36830
Mode	0.00000	Range	124.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4406.706	Pr > t 	<.0001
Sign	M	3114511	Pr >= M 	<.0001
Signed Rank	S	9.7E12	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	124
99%	93
95%	86
90%	82
75% Q3	72
50% Median	50
25% Q1	25
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	212	0.00	10.42
A	117	0.00	5.75
C	1706	0.02	83.83
Total	2035	0.03	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	7123113	Sum Weights	7123113
Mean	4.92570355	Sum Observations	35086343
Std Deviation	11.5971173	Variance	134.493131
Skewness	136.562082	Kurtosis	38972.3829
Uncorrected SS	1130834557	Corrected SS	958009633
Coeff Variation	235.44083	Std Error Mean	0.00434525

Basic Statistical Measures			
Location		Variability	
Mean	4.925704	Std Deviation	11.59712
Median	3.000000	Variance	134.49313
Mode	2.000000	Range	6118
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1133.583	Pr > t 	<.0001
Sign	M	3500556	Pr >= M 	<.0001
Signed Rank	S	1.225E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	6118
99%	31
95%	15
90%	10
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	0.00	0.00
A	1	0.00	0.00
C	25305	0.35	99.99
Total	25307	0.35	100.00

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	7148418	Sum Weights	7148418
Mean	4.92709548	Sum Observations	35220938
Std Deviation	16.9825471	Variance	288.406906
Skewness	1001.0365	Kurtosis	1806462.01
Uncorrected SS	2235189756	Corrected SS	2061652832
Coeff Variation	344.676639	Std Error Mean	0.00635182

Basic Statistical Measures			
Location		Variability	
Mean	4.927095	Std Deviation	16.98255
Median	3.000000	Variance	288.40691
Mode	2.000000	Range	32638
		Interquartile Range	3.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	775.6988	Pr > t	<.0001
Sign	M	3512780	Pr >= M	<.0001
Signed Rank	S	1.234E13	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32145
99%	31
95%	15
90%	10
75% Q3	5
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-493

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	0.00	50.00
A	1	0.00	50.00
Total	2	0.00	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	7010887	Sum Weights	7010887
Mean	11387.4305	Sum Observations	7.9836E10
Std Deviation	22706.6078	Variance	515590038
Skewness	21.3365762	Kurtosis	1841.86342
Uncorrected SS	4.52387E15	Corrected SS	3.61474E15
Coeff Variation	199.400627	Std Error Mean	8.57562487

Basic Statistical Measures			
Location		Variability	
Mean	11387.43	Std Deviation	22707
Median	6067.00	Variance	515590038
Mode	3600.00	Range	5706194
		Interquartile Range	9048

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1327.883	Pr > t 	<.0001
Sign	M	3505444	Pr >= M 	<.0001
Signed Rank	S	1.229E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	5706195
99%	87753
95%	36467
90%	23720
75% Q3	12145
50% Median	6067
25% Q1	3097
10%	1405
5%	857

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	471
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	112238	1.57	81.61
A	54	0.00	0.04
C	25241	0.35	18.35
Total	137533	1.92	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	7036575	Sum Weights	7036575
Mean	11445.6844	Sum Observations	8.05384E10
Std Deviation	23037.6104	Variance	530731491
Skewness	22.4620527	Kurtosis	1960.57818
Uncorrected SS	4.65635E15	Corrected SS	3.73453E15
Coeff Variation	201.2777	Std Error Mean	8.68473894

Basic Statistical Measures			
Location		Variability	
Mean	11445.68	Std Deviation	23038
Median	6076.00	Variance	530731491
Mode	3600.00	Range	5707390
		Interquartile Range	9113

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1317.908	Pr > t 	<.0001
Sign	M	3518267	Pr >= M 	<.0001
Signed Rank	S	1.238E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	5706194.76
99%	88262.99
95%	36689.00
90%	23905.00
75% Q3	12206.00
50% Median	6076.00
25% Q1	3093.10
10%	1393.80
5%	848.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	454.63
0% Min	-1195.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	111812	1.56	99.97
A	33	0.00	0.03
Total	111845	1.56	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: DISCWT_U (H:Weight to discharges in universe)

Moments			
N	7148420	Sum Weights	7148420
Mean	4.95328624	Sum Observations	35408170.4
Std Deviation	1.12084632	Variance	1.25629648
Skewness	3.36680143	Kurtosis	75.3887882
Uncorrected SS	184367337	Corrected SS	8980533.64
Coeff Variation	22.6283374	Std Error Mean	0.00041922

Basic Statistical Measures			
Location		Variability	
Mean	4.953286	Std Deviation	1.12085
Median	4.804200	Variance	1.25630
Mode	4.783300	Range	37.62855
		Interquartile Range	0.52610

Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	11815.51	Pr > t 	<.0001
Sign	M	3574210	Pr >= M 	<.0001
Signed Rank	S	1.277E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	38.601300
99%	7.552600
95%	6.740300
90%	6.125900
75% Q3	5.166000
50% Median	4.804200
25% Q1	4.639900
10%	3.909800
5%	3.384600

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: DISCWT_U (H:Weight to discharges in universe)

Quantiles (Definition 5)	
Quantile	Estimate
1%	1.425400
0% Min	0.972755

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*