

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
All Discharges	34,791,981	100.00	\$10,333	\$2,801	\$5,546	\$11,047	5.3	2.6	41.5	46
1 Infectious and parasitic diseases	739,162	2.12	\$15,241	\$4,449	\$8,476	\$16,540	8.3	10.4	52.1	50
1.1 Bacterial infection	414,212	1.19	\$16,608	\$5,537	\$9,794	\$17,975	9.0	13.2	45.2	63
1.1.1 Tuberculosis [1.]	15,231	0.04	\$24,171	\$6,993	\$13,400	\$26,069	15.0	6.4	64.5	52
1.1.2 Septicemia (except in labor) [2.]	378,060	1.09	\$16,491	\$5,611	\$9,863	\$17,941	8.8	14.1	44.6	65
1.1.2.1 Streptococcal septicemia	31,093	0.09	\$18,248	\$6,336	\$11,087	\$19,892	9.8	11.1	49.1	60
1.1.2.2 Staphylococcal septicemia	61,412	0.18	\$21,400	\$7,475	\$13,082	\$23,763	11.5	14.0	49.3	64
1.1.2.3 E. Coli septicemia	64,435	0.19	\$14,536	\$5,956	\$9,558	\$16,220	8.2	5.8	31.0	70
1.1.2.4 Other gram negative septicemia	44,711	0.13	\$19,119	\$6,955	\$11,806	\$20,797	10.0	13.3	49.7	67
1.1.2.5 Other specified septicemia	16,241	0.05	\$20,008	\$5,940	\$10,458	\$19,279	9.6	10.2	48.4	55
1.1.2.6 Unspecified septicemia	160,167	0.46	\$13,961	\$4,584	\$8,149	\$15,088	7.4	18.6	45.6	64
1.1.3 Sexually transmitted infections (not HIV or hepatitis) [9.]	7,205	0.02	\$8,993	\$3,464	\$5,769	\$9,721	6.3	0.4	29.4	33
1.1.4 Other bacterial infections [3.]	13,716	0.04	\$15,377	\$3,818	\$7,650	\$15,162	10.3	3.7	48.6	38
1.2 Mycoses [4.]	16,592	0.05	\$23,974	\$5,700	\$11,433	\$25,014	11.4	10.0	51.7	53
1.2.1 Candidiasis of the mouth (thrush)	1,207	0.00	\$10,352	\$3,134	\$5,907	\$10,585	6.6	2.0	48.3	42
1.2.2 Other mycoses	15,385	0.04	\$25,044	\$6,100	\$12,202	\$26,474	11.8	10.6	52.0	54
1.3 Viral infection	289,703	0.83	\$13,055	\$3,372	\$6,501	\$14,064	7.1	6.9	62.2	33
1.3.1 HIV infection [5.]	150,082	0.43	\$18,938	\$6,130	\$11,420	\$22,011	10.0	12.5	74.1	37
1.3.2 Hepatitis [6.]	21,375	0.06	\$12,181	\$3,470	\$5,887	\$10,940	5.8	3.7	49.4	45
1.3.3 Other viral infections [7.]	118,246	0.34	\$5,742	\$2,341	\$3,650	\$5,984	3.6	0.4	49.3	25
1.3.3.1 Herpes zoster infection	12,888	0.04	\$8,882	\$3,747	\$6,181	\$10,576	5.8	1.2	36.6	67
1.3.3.2 Herpes simplex infection	4,660	0.01	\$7,930	\$2,720	\$4,710	\$8,822	5.0	1.1	41.9	24
1.3.3.3 Other and unspecified viral infection	100,698	0.29	\$5,235	\$2,243	\$3,432	\$5,379	3.3	0.3	51.3	20
1.4 Other infections, including parasitic [8.]	17,551	0.05	\$11,424	\$3,853	\$6,748	\$12,199	6.2	2.4	48.3	45
1.5 Immunizations and screening for infectious disease [10.]	1,104	0.00	\$5,665	\$2,506	\$4,380	\$7,017	5.3	0.4	62.1	47
2 Neoplasms	2,048,837	5.89	\$15,623	\$5,524	\$9,263	\$16,829	6.6	6.1	40.2	60

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
2.2.3 Cancer of liver and intrahepatic bile duct [16.]	10,845	0.03	\$19,041	\$5,465	\$11,099	\$21,964	8.4	21.3	60.4	65
2.2.4 Cancer of pancreas [17.]	30,987	0.09	\$21,454	\$6,308	\$13,317	\$26,614	10.3	15.8	46.8	69
2.2.5 Cancer of other GI organs, peritoneum [18.]	17,315	0.05	\$27,051	\$9,481	\$17,770	\$31,809	11.3	9.1	43.3	67
2.3 Cancer of bronchus, lung [19.]	154,594	0.44	\$18,988	\$6,894	\$13,724	\$23,374	8.6	16.2	57.9	67
2.4 Cancer of skin	12,020	0.03	\$11,804	\$4,462	\$7,153	\$12,199	4.7	2.7	55.5	66
2.4.1 Melanomas of skin [22.]	5,060	0.01	\$10,482	\$4,343	\$6,778	\$11,659	4.2	4.1	53.4	60
2.4.2 Other non-epithelial cancer of skin [23.]	6,961	0.02	\$12,765	\$4,536	\$7,334	\$12,960	5.0	1.7	57.0	70
2.5 Cancer of breast [24.]	135,931	0.39	\$8,879	\$4,649	\$6,560	\$9,411	3.0	1.3	0.5	62
2.6 Cancer of uterus and cervix	73,828	0.21	\$11,579	\$5,827	\$8,602	\$13,038	4.6	1.7	0.0	56
2.6.1 Cancer of uterus [25.]	38,557	0.11	\$12,012	\$6,271	\$9,127	\$13,517	5.1	1.9	0.0	65
2.6.2 Cancer of cervix [26.]	35,270	0.10	\$11,109	\$5,437	\$7,993	\$12,383	4.1	1.6	0.0	47
2.7 Cancer of ovary and other female genital organs	32,742	0.09	\$18,472	\$7,539	\$12,809	\$21,718	7.7	5.2	0.0	61
2.7.1 Cancer of ovary [27.]	25,315	0.07	\$19,797	\$8,216	\$13,935	\$23,348	8.2	6.2	0.0	60
2.7.2 Cancer of other female genital organs [28.]	7,427	0.02	\$13,942	\$6,077	\$9,762	\$15,540	6.1	1.6	0.0	65
2.8 Cancer of male genital organs	112,708	0.32	\$11,739	\$6,503	\$9,980	\$14,614	4.7	1.8	100.0	67
2.8.1 Cancer of prostate [29.]	109,870	0.32	\$11,658	\$6,549	\$10,008	\$14,579	4.7	1.8	100.0	68
2.8.2 Cancer of testis [30.]	1,989	0.01	\$16,571	\$5,409	\$9,867	\$17,752	5.2	1.2	100.0	32
2.8.3 Cancer of other male genital organs [31.]	849	0.00	\$10,705	\$4,932	\$7,554	\$11,177	4.3	1.6	100.0	64
2.9 Cancer of urinary organs	84,499	0.24	\$14,876	\$4,946	\$9,521	\$17,825	6.3	2.9	69.5	70
2.9.1 Cancer of bladder [32.]	53,217	0.15	\$12,827	\$3,944	\$6,786	\$14,326	5.5	2.5	75.0	73
2.9.2 Cancer of kidney and renal pelvis [33.]	27,895	0.08	\$18,615	\$9,180	\$13,888	\$21,048	7.7	3.8	60.0	63
2.9.3 Cancer of other urinary organs [34.]	3,387	0.01	\$16,402	\$7,769	\$13,282	\$19,330	7.3	2.3	61.5	71
2.10 Cancer of lymphatic and hematopoietic tissue	109,728	0.32	\$33,210	\$7,015	\$14,175	\$31,581	12.1	15.4	52.5	59
2.10.1 Hodgkin's disease [37.]	5,996	0.02	\$25,651	\$6,491	\$12,227	\$24,369	8.7	6.3	56.1	41
2.10.2 Non-Hodgkin's lymphoma [38.]	48,770	0.14	\$26,650	\$7,498	\$14,133	\$27,346	10.9	14.1	51.2	62

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
2.11.3 Cancer of bone and connective tissue [21.]	11,704	0.03	\$22,176	\$6,862	\$13,053	\$25,181	7.6	4.0	51.3	51
2.11.4 Cancer of brain and nervous system [35.]	31,283	0.09	\$21,845	\$7,552	\$15,237	\$26,729	8.4	6.1	54.9	52
2.11.5 Cancer of thyroid [36.]	16,123	0.05	\$8,395	\$3,937	\$6,100	\$9,448	2.7	0.9	26.9	48
2.11.6 Cancer, other and unspecified primary [41.]	9,573	0.03	\$20,025	\$5,717	\$10,450	\$20,483	7.7	8.2	51.3	51
2.12 Secondary malignancies [42.]	266,840	0.77	\$16,793	\$5,673	\$10,622	\$19,582	8.5	14.3	42.9	65
2.12.1 Secondary malignancy of lymph nodes	18,237	0.05	\$16,492	\$5,935	\$9,939	\$17,238	7.2	7.5	46.6	61
2.12.2 Secondary malignancy of lung	24,010	0.07	\$15,761	\$5,284	\$10,239	\$18,105	7.3	20.9	42.5	64
2.12.3 Secondary malignancy of liver	32,153	0.09	\$15,142	\$4,964	\$9,657	\$18,109	7.7	21.7	46.5	66
2.12.4 Secondary malignancy of brain/spine	40,365	0.12	\$15,155	\$5,262	\$9,952	\$18,552	8.1	11.7	48.3	63
2.12.5 Secondary malignancy of bone	49,634	0.14	\$16,584	\$5,597	\$10,273	\$18,657	9.3	11.8	49.6	66
2.12.6 Other secondary malignancy	102,441	0.29	\$18,351	\$6,191	\$11,638	\$21,778	9.1	14.0	36.0	65
2.13 Malignant neoplasm without specification of site [43.]	8,623	0.02	\$14,512	\$4,360	\$8,789	\$17,489	8.6	30.3	41.4	67
2.14 Neoplasms of unspecified nature or uncertain behavior [44.]	40,853	0.12	\$15,576	\$5,064	\$9,051	\$16,309	6.5	3.9	43.1	61
2.15 Maintenance chemotherapy, radiotherapy [45.]	291,013	0.84	\$9,908	\$4,046	\$6,381	\$10,168	3.8	0.7	44.4	53
2.15.1 Radiotherapy	15,748	0.05	\$8,667	\$3,557	\$6,039	\$9,937	4.7	1.9	41.9	58
2.15.2 Chemotherapy	275,265	0.79	\$9,980	\$4,077	\$6,400	\$10,182	3.8	0.6	44.5	52
2.16 Benign neoplasms	363,200	1.04	\$10,412	\$5,521	\$7,779	\$11,203	3.8	0.2	11.9	48
2.16.1 Benign neoplasm of uterus [46.]	214,081	0.62	\$8,236	\$5,544	\$7,459	\$9,927	3.1	0.0	0.0	43
2.16.2 Other and unspecified benign neoplasm [47.]	149,120	0.43	\$13,538	\$5,471	\$8,625	\$14,927	4.9	0.4	29.0	53
2.16.2.1 Benign neoplasm of ovary	37,441	0.11	\$8,951	\$5,573	\$7,570	\$10,357	3.5	0.1	0.0	46
2.16.2.2 Benign neoplasm of colon	24,105	0.07	\$12,410	\$5,470	\$9,561	\$15,250	6.2	0.4	48.9	69
2.16.2.3 Benign neoplasm of the thyroid	12,314	0.04	\$6,260	\$3,954	\$5,549	\$7,666	1.7	0.0	17.4	49
2.16.2.4 Benign neoplasm of cerebral meninges	13,138	0.04	\$27,278	\$10,132	\$19,340	\$32,879	8.6	1.7	29.7	62
2.16.2.5 Other and unspecified benign neoplasms	62,122	0.18	\$15,348	\$5,659	\$9,630	\$17,711	5.0	0.4	41.0	51

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
3.3 Diabetes mellitus with complications [50.]	409,918	1.18	\$10,748	\$3,336	\$5,953	\$11,473	6.7	1.7	48.3	54
3.3.1 Diabetes with ketoacidosis or uncontrolled diabetes	166,145	0.48	\$6,679	\$2,778	\$4,503	\$7,596	4.5	0.8	46.3	45
3.3.2 Diabetes with renal manifestations	26,871	0.08	\$19,046	\$4,707	\$9,400	\$20,555	8.1	2.9	47.4	56
3.3.3 Diabetes with ophthalmic manifestations	5,908	0.02	\$5,926	\$2,779	\$4,547	\$7,191	3.7	0.3	43.5	54
3.3.4 Diabetes with neurological manifestations	42,329	0.12	\$10,138	\$3,916	\$6,610	\$11,505	8.0	0.7	44.6	58
3.3.5 Diabetes with circulatory manifestations	57,972	0.17	\$21,187	\$7,594	\$13,803	\$25,788	11.5	3.5	56.5	66
3.3.6 Diabetes with unspecified complications	3,659	0.01	\$5,203	\$2,384	\$3,695	\$5,611	4.5	0.9	43.2	52
3.3.7 Diabetes with other manifestations	107,034	0.31	\$10,059	\$3,320	\$5,965	\$11,269	6.8	2.3	49.1	61
3.4 Other endocrine disorders [51.]	37,384	0.11	\$9,661	\$3,630	\$6,297	\$10,824	5.6	1.9	34.0	57
3.5 Nutritional deficiencies [52.]	15,526	0.04	\$12,467	\$4,295	\$7,579	\$14,118	9.5	7.9	41.6	69
3.5.1 Unspecified protein-calorie malnutrition	9,121	0.03	\$12,120	\$4,296	\$7,671	\$14,090	8.7	7.9	40.8	71
3.5.2 Other malnutrition	6,406	0.02	\$12,964	\$4,295	\$7,413	\$14,169	10.7	7.9	42.7	65
3.6 Disorders of lipid metabolism [53.]	482	0.00	\$7,857	\$2,837	\$4,838	\$8,272	4.3	0.0	45.5	47
3.7 Gout and other crystal arthropathies [54.]	8,439	0.02	\$7,135	\$2,731	\$4,613	\$7,892	5.2	0.5	66.7	66
3.8 Fluid and electrolyte disorders [55.]	480,671	1.38	\$6,774	\$2,518	\$4,289	\$7,547	4.9	3.4	39.6	54
3.8.1 Hyposmolality	48,486	0.14	\$7,799	\$3,303	\$5,324	\$8,747	5.4	2.3	29.8	68
3.8.2 Hypovolemia	369,148	1.06	\$6,351	\$2,332	\$3,983	\$7,061	4.8	3.6	41.4	50
3.8.3 Hyperpotassemia	13,725	0.04	\$8,910	\$3,376	\$5,626	\$9,960	4.7	3.7	45.4	66
3.8.4 Hypopotassemia	23,979	0.07	\$6,739	\$3,031	\$4,840	\$7,780	4.3	1.6	28.0	64
3.8.5 Other fluid and electrolyte disorders	25,332	0.07	\$9,860	\$3,622	\$6,129	\$10,980	5.9	4.9	40.2	59
3.9 Cystic fibrosis [56.]	5,270	0.02	\$24,696	\$8,300	\$15,102	\$25,232	10.0	1.9	46.0	18
3.10 Immunity disorders [57.]	1,194	0.00	\$13,099	\$3,073	\$6,309	\$13,330	6.0	2.6	43.8	30
3.11 Other nutritional, endocrine, and metabolic disorders [58.]	47,369	0.14	\$11,640	\$3,510	\$7,355	\$14,458	6.1	2.7	38.5	42
3.11.1 Disorders of mineral metabolism	13,739	0.04	\$10,283	\$3,740	\$6,448	\$11,186	6.3	4.8	41.2	62
3.11.2 Obesity	8,391	0.02	\$18,011	\$12,184	\$16,653	\$20,260	5.5	0.3	18.2	39
3.11.3 Other and unspecified metabolic, nutritional, and endocrine disorders	25,239	0.07	\$10,226	\$2,742	\$5,414	\$10,851	6.3	2.3	43.8	33

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
4.1.3.2 Other deficiency anemia	5,939	0.02	\$8,613	\$3,800	\$6,086	\$9,797	5.7	1.0	38.7	66
4.1.3.3 Aplastic anemia	21,338	0.06	\$14,309	\$3,965	\$7,617	\$14,353	6.2	3.6	44.2	57
4.1.3.4 Chronic blood loss anemia	15,767	0.05	\$6,905	\$3,091	\$4,946	\$8,253	4.4	1.3	32.2	66
4.1.3.5 Acquired hemolytic anemia	6,003	0.02	\$15,504	\$4,685	\$8,769	\$17,307	7.0	5.4	37.4	56
4.1.3.6 Other specified anemia	5,945	0.02	\$7,100	\$2,737	\$4,519	\$8,082	3.8	0.9	41.6	47
4.1.3.7 Anemia, unspecified	24,736	0.07	\$6,229	\$2,441	\$4,222	\$7,296	3.9	2.0	43.0	68
4.2 Coagulation and hemorrhagic disorders [62.]	44,033	0.13	\$12,197	\$3,566	\$6,925	\$13,399	5.3	4.1	46.9	50
4.2.1 Coagulation defects	13,729	0.04	\$12,638	\$3,461	\$6,524	\$12,745	5.6	5.5	51.3	60
4.2.2 Thrombocytopenia	26,591	0.08	\$12,782	\$3,977	\$7,812	\$14,454	5.3	3.7	44.1	47
4.2.3 Other coagulation and hemorrhagic disorders	3,714	0.01	\$6,350	\$2,265	\$3,782	\$7,376	4.0	1.6	51.1	31
4.3 Diseases of white blood cells [63.]	42,421	0.12	\$12,163	\$4,933	\$8,098	\$13,643	6.0	2.1	42.1	51
4.4 Other hematologic conditions [64.]	7,166	0.02	\$17,295	\$5,290	\$9,876	\$19,075	7.5	4.5	47.6	58
5 Mental disorders	1,735,186	4.99	\$7,808	\$2,792	\$4,943	\$9,030	9.5	0.2	51.3	42
5.1 Mental retardation [65.]	593	0.00	\$7,867	\$3,219	\$5,104	\$8,856	10.1	0.0	67.2	35
5.2 Alcohol and substance-related mental disorders	521,443	1.50	\$5,019	\$2,197	\$3,449	\$5,725	6.2	0.1	69.3	39
5.2.1 Alcohol-related mental disorders [66.]	280,651	0.81	\$5,186	\$2,111	\$3,518	\$5,953	6.2	0.1	74.0	42
5.2.1.1 Acute alcoholic intoxication	50,970	0.15	\$3,768	\$1,714	\$2,818	\$4,507	3.9	0.1	73.7	43
5.2.1.2 Other and unspecified alcohol dependence	131,445	0.38	\$5,450	\$2,304	\$3,823	\$6,509	8.0	0.1	73.3	40
5.2.1.3 Nondependent alcohol abuse	13,574	0.04	\$3,787	\$1,552	\$2,656	\$4,576	2.8	0.1	64.4	36
5.2.1.4 Other alcohol-related mental disorders	84,662	0.24	\$5,846	\$2,262	\$3,780	\$6,497	5.2	0.2	76.8	45
5.2.2 Substance-related mental disorders [67.]	240,792	0.69	\$4,826	\$2,285	\$3,392	\$5,500	6.2	0.1	63.8	35
5.2.2.1 Opioid dependence	48,752	0.14	\$4,299	\$2,281	\$3,273	\$4,960	5.2	0.0	66.2	35
5.2.2.2 Cocaine dependence	60,151	0.17	\$4,818	\$2,441	\$3,480	\$5,433	6.7	0.0	63.5	34
5.2.2.3 Other, combined, and unspecified drug dependence	61,531	0.18	\$5,057	\$2,441	\$3,419	\$5,672	7.3	0.0	67.4	33
5.2.2.4 Cocaine abuse	4,213	0.01	\$4,799	\$1,887	\$3,227	\$5,300	4.2	0.5	65.9	32
5.2.2.5 Other, mixed, or unspecified drug abuse	8,674	0.02	\$5,126	\$1,930	\$3,209	\$5,420	5.4	0.4	64.3	30

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
5.3.4 Specific nonpsychotic mental disorders due to organic brain damage	10,212	0.03	\$8,711	\$3,084	\$5,564	\$9,712	14.0	0.9	52.1	55
5.3.5 Presenile dementia, uncomplicated	1,080	0.00	\$10,792	\$4,114	\$6,714	\$11,826	26.6	2.8	46.0	72
5.3.6 Senile dementia with delirium	13,095	0.04	\$9,507	\$4,039	\$6,420	\$10,462	10.2	1.3	40.5	81
5.3.7 Other senility and organic mental disorders	40,101	0.12	\$10,505	\$4,442	\$7,420	\$12,612	13.7	1.3	41.5	76
5.4 Affective disorders [69.]	557,444	1.60	\$8,764	\$3,385	\$5,947	\$10,483	10.4	0.1	37.8	42
5.4.1 Major depressive disorder, single episode	172,277	0.50	\$7,639	\$3,055	\$5,320	\$9,149	8.9	0.1	39.8	41
5.4.2 Major depressive disorder, recurrent episode	202,811	0.58	\$9,245	\$3,565	\$6,253	\$11,133	10.8	0.1	34.1	45
5.4.3 Neurotic depression	27,065	0.08	\$5,722	\$2,172	\$3,853	\$6,632	7.5	0.0	38.6	34
5.4.4 Bipolar affective disorder	138,810	0.40	\$10,067	\$3,993	\$6,956	\$12,111	12.1	0.1	40.0	42
5.4.5 Manic-depressive psychosis	8,022	0.02	\$8,541	\$3,496	\$5,942	\$9,655	10.1	0.0	40.8	40
5.4.6 Other affective disorders	8,460	0.02	\$8,678	\$2,970	\$5,754	\$10,370	12.4	0.3	41.6	43
5.5 Schizophrenia and related disorders [70.]	238,188	0.68	\$11,401	\$4,362	\$7,582	\$13,185	14.4	0.0	55.2	41
5.5.1 Paranoid schizophrenia	84,220	0.24	\$11,980	\$4,552	\$7,818	\$13,744	15.4	0.0	62.4	41
5.5.2 Schizo-affective type	89,431	0.26	\$11,171	\$4,354	\$7,500	\$12,870	13.7	0.0	45.0	41
5.5.3 Other schizophrenia	64,537	0.19	\$10,965	\$4,112	\$7,370	\$12,900	14.2	0.1	59.9	40
5.6 Other psychoses [71.]	56,457	0.16	\$8,627	\$3,405	\$5,963	\$10,038	10.3	0.2	48.1	47
5.7 Anxiety, somatoform, dissociative, and personality disorders [72.]	67,627	0.19	\$7,750	\$2,452	\$4,268	\$7,479	8.0	0.0	35.9	39
5.7.1 Anxiety states	17,464	0.05	\$5,066	\$2,231	\$3,632	\$5,958	4.7	0.0	33.9	51
5.7.2 Personality disorders	9,345	0.03	\$15,913	\$2,231	\$4,578	\$9,608	16.2	0.1	40.0	33
5.7.3 Other anxiety, somatoform, dissociative, and personality disorders	40,818	0.12	\$7,024	\$2,658	\$4,514	\$7,821	7.5	0.1	35.9	35
5.8 Preadult disorders [73.]	18,086	0.05	\$10,412	\$3,650	\$6,449	\$11,785	12.1	0.0	75.5	13
5.9 Other mental conditions [74.]	145,145	0.42	\$5,703	\$1,911	\$3,422	\$6,217	6.4	0.0	44.4	33
5.9.1 Adjustment reaction	72,360	0.21	\$4,097	\$1,624	\$2,753	\$4,754	4.8	0.0	46.2	32
5.9.1.1 Brief depressive reaction	35,504	0.10	\$3,832	\$1,609	\$2,694	\$4,550	4.5	0.0	45.6	32
5.9.1.2 Other adjustment reaction	36,855	0.11	\$4,356	\$1,644	\$2,821	\$4,950	5.1	0.0	46.7	31
5.9.2 Depressive disorder, not elsewhere classified	44,091	0.13	\$5,627	\$2,164	\$3,837	\$6,779	6.6	0.0	44.2	35

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
6.1.1 Meningitis (except that caused by TB or STD) [76.]	49,111	0.14	\$10,911	\$3,385	\$5,605	\$11,007	5.6	2.4	51.4	25
6.1.2 Encephalitis (except that caused by TB or STD) [77.]	9,169	0.03	\$23,335	\$6,349	\$12,302	\$24,177	10.4	5.8	51.5	41
6.1.3 Other CNS infection and poliomyelitis [78.]	5,494	0.02	\$38,490	\$10,089	\$24,021	\$48,888	15.9	6.6	61.7	47
6.2 Hereditary and degenerative nervous system conditions	70,061	0.20	\$11,908	\$4,106	\$7,102	\$12,654	10.4	2.1	43.6	58
6.2.1 Parkinson's disease [79.]	15,682	0.05	\$9,263	\$3,985	\$6,478	\$10,878	13.5	2.1	53.9	75
6.2.2 Multiple sclerosis [80.]	19,690	0.06	\$8,779	\$3,555	\$5,758	\$9,358	7.4	0.4	25.2	44
6.2.3 Other hereditary and degenerative nervous system conditions [81.]	34,690	0.10	\$14,918	\$4,680	\$8,645	\$15,972	10.6	3.0	49.4	57
6.2.3.1 Disorders of the autonomic nervous system	2,563	0.01	\$15,160	\$5,102	\$11,396	\$20,554	5.1	0.2	57.9	67
6.2.3.2 Other and unspecified hereditary and degenerative nervous conditions	32,127	0.09	\$14,899	\$4,637	\$8,556	\$15,414	11.0	3.3	48.7	57
6.3 Paralysis [82.]	20,136	0.06	\$17,287	\$5,437	\$10,978	\$22,819	30.7	1.2	50.6	56
6.3.1 Hemiplegia	12,095	0.03	\$18,480	\$6,283	\$14,160	\$26,144	42.9	1.4	47.1	66
6.3.2 Other paralysis	8,041	0.02	\$15,871	\$4,908	\$9,027	\$17,649	12.3	1.0	55.8	41
6.4 Epilepsy, convulsions [83.]	224,397	0.64	\$7,784	\$2,909	\$4,842	\$8,438	4.4	1.2	52.4	42
6.4.1 Epilepsy	52,243	0.15	\$10,398	\$3,134	\$5,526	\$10,571	5.2	1.6	50.9	38
6.4.2 Convulsions	172,154	0.49	\$6,993	\$2,856	\$4,677	\$7,894	4.1	1.1	52.9	43
6.5 Headache, including migraine [84.]	50,104	0.14	\$5,243	\$2,416	\$3,979	\$6,690	3.4	0.0	26.4	42
6.5.1 Migraine	32,723	0.09	\$5,320	\$2,420	\$4,070	\$6,893	3.6	0.0	21.5	40
6.5.2 Other headache	17,381	0.05	\$5,099	\$2,400	\$3,794	\$6,190	3.1	0.1	35.7	45
6.6 Coma, stupor, and brain damage [85.]	14,095	0.04	\$16,397	\$3,780	\$6,953	\$15,175	10.1	19.8	48.0	60
6.7 Eye disorders	80,879	0.23	\$5,821	\$2,993	\$4,360	\$6,740	2.9	0.1	48.3	53
6.7.1 Cataract [86.]	8,604	0.02	\$4,190	\$2,879	\$3,491	\$5,078	1.5	0.0	35.5	73
6.7.2 Retinal detachments, defects, vascular occlusion, and retinopathy [87.]	22,746	0.07	\$6,168	\$3,472	\$4,995	\$7,195	1.9	0.0	56.7	58
6.7.2.1 Retinal detachment with defect	8,194	0.02	\$5,843	\$3,702	\$5,378	\$7,399	1.4	0.0	62.2	56

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
6.7.6 Other eye disorders [91.]	17,452	0.05	\$5,916	\$3,205	\$4,826	\$7,059	2.9	0.1	45.1	57
6.8 Ear conditions	92,297	0.27	\$5,034	\$2,357	\$3,722	\$5,934	3.0	0.1	43.0	48
6.8.1 Otitis media and related conditions [92.]	27,322	0.08	\$5,151	\$2,314	\$3,668	\$5,837	2.9	0.1	52.6	15
6.8.1.1 Suppurative and unspecified otitis media	15,386	0.04	\$4,116	\$2,014	\$3,180	\$4,811	2.8	0.0	55.0	8
6.8.1.2 Other otitis media and related conditions	11,937	0.03	\$6,498	\$2,986	\$4,518	\$7,493	3.0	0.2	49.5	24
6.8.2 Conditions associated with dizziness or vertigo [93.]	54,939	0.16	\$4,672	\$2,300	\$3,629	\$5,717	3.0	0.1	37.5	67
6.8.3 Other ear and sense organ disorders [94.]	10,036	0.03	\$6,763	\$2,891	\$4,472	\$7,299	3.2	0.2	47.5	38
6.9 Other nervous system disorders [95.]	104,160	0.30	\$12,358	\$3,779	\$6,763	\$12,953	6.8	1.3	43.1	56
6.9.1 Disorders of the peripheral nervous system	47,297	0.14	\$14,487	\$3,866	\$7,005	\$13,778	6.7	1.2	44.4	55
6.9.2 Other central nervous system disorders	31,913	0.09	\$13,268	\$4,813	\$8,409	\$15,415	6.6	2.2	42.5	51
6.9.3 Other nervous system symptoms and disorders	24,950	0.07	\$7,175	\$2,970	\$4,890	\$8,430	7.3	0.4	41.4	63
7 Diseases of the circulatory system	6,302,469	18.11	\$14,414	\$4,458	\$8,051	\$15,903	5.8	4.4	51.5	68
7.1 Hypertension	268,791	0.77	\$11,928	\$4,037	\$6,906	\$12,586	6.1	2.8	42.0	65
7.1.1 Essential hypertension [98.]	39,077	0.11	\$5,491	\$2,538	\$4,088	\$6,497	4.4	0.2	35.6	60
7.1.2 Hypertension with complications and secondary hypertension [99.]	229,714	0.66	\$13,021	\$4,485	\$7,598	\$13,798	6.4	3.3	43.1	65
7.1.2.1 Hypertensive heart and/or renal disease	198,097	0.57	\$13,971	\$4,865	\$8,188	\$14,842	6.7	3.7	44.2	66
7.1.2.2 Other hypertensive complications	31,617	0.09	\$7,090	\$2,975	\$4,772	\$7,990	4.0	0.4	36.4	59
7.2 Diseases of the heart	4,440,139	12.76	\$14,647	\$4,354	\$8,055	\$16,524	5.3	3.8	53.4	67
7.2.1 Heart valve disorders [96.]	84,880	0.24	\$42,210	\$10,278	\$36,575	\$56,595	9.5	4.5	48.2	67
7.2.1.1 Chronic rheumatic disease of the heart valves	23,141	0.07	\$46,464	\$11,868	\$38,853	\$60,339	10.5	5.3	36.3	65
7.2.1.2 Nonrheumatic mitral valve disorders	18,523	0.05	\$39,646	\$7,811	\$32,360	\$54,502	9.0	3.9	42.9	63
7.2.1.3 Nonrheumatic aortic valve disorders	41,885	0.12	\$41,620	\$11,661	\$37,494	\$56,033	9.1	4.2	57.1	70
7.2.1.4 Other heart valve disorders	1,331	0.00	\$22,427	\$3,480	\$8,984	\$23,894	8.5	3.7	44.9	47
7.2.2 Peri-, endo-, and myocarditis,										

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
7.2.4.1 Angina pectoris	87,111	0.25	\$5,524	\$2,723	\$4,187	\$6,582	2.8	0.2	45.0	65
7.2.4.2 Unstable angina (intermediate coronary syndrome)	267,355	0.77	\$7,824	\$3,168	\$5,153	\$8,580	3.4	0.4	50.2	66
7.2.4.3 Other acute and subacute forms of ischemic heart disease	35,495	0.10	\$14,221	\$4,533	\$8,464	\$15,856	4.3	1.2	55.5	66
7.2.4.4 Coronary atherosclerosis	981,724	2.82	\$21,080	\$6,529	\$13,339	\$28,796	5.2	1.1	62.8	66
7.2.4.5 Other forms of chronic heart disease	15,345	0.04	\$14,572	\$3,867	\$6,222	\$11,189	6.8	4.2	58.9	67
7.2.5 Nonspecific chest pain [102.]	501,335	1.44	\$5,126	\$2,670	\$4,176	\$6,440	2.2	0.1	47.1	57
7.2.6 Pulmonary heart disease [103.]	82,375	0.24	\$15,460	\$6,777	\$10,709	\$16,968	8.0	7.3	43.2	64
7.2.7 Other and ill-defined heart disease [104.]	7,428	0.02	\$15,138	\$4,129	\$7,259	\$15,043	5.2	2.8	50.9	65
7.2.8 Conduction disorders [105.]	63,425	0.18	\$17,442	\$8,141	\$15,832	\$22,729	4.3	2.4	53.7	71
7.2.8.1 Atrioventricular block	45,594	0.13	\$18,893	\$10,175	\$17,344	\$23,995	4.9	3.0	52.8	75
7.2.8.2 Bundle branch block	2,047	0.01	\$13,213	\$3,680	\$8,981	\$18,464	4.2	1.4	56.2	72
7.2.8.3 Anomalous atrioventricular excitation	5,292	0.02	\$10,574	\$4,706	\$8,993	\$14,187	2.1	0.0	59.2	36
7.2.8.4 Other conduction disorders	10,491	0.03	\$15,129	\$7,343	\$12,773	\$19,946	3.1	1.1	54.3	68
7.2.9 Cardiac dysrhythmias [106.]	553,746	1.59	\$9,726	\$3,294	\$5,692	\$10,967	4.1	1.3	48.5	69
7.2.9.1 Paroxysmal supraventricular tachycardia	36,850	0.11	\$7,802	\$3,162	\$5,480	\$9,360	3.1	0.6	38.5	62
7.2.9.2 Paroxysmal ventricular tachycardia	55,082	0.16	\$20,911	\$5,117	\$9,879	\$25,900	6.1	3.7	69.6	66
7.2.9.3 Atrial fibrillation	255,555	0.73	\$7,338	\$3,047	\$4,950	\$8,278	4.0	1.1	46.3	70
7.2.9.4 Atrial flutter	33,036	0.10	\$7,756	\$3,214	\$5,356	\$9,062	3.9	0.6	65.4	67
7.2.9.5 Premature beats	14,650	0.04	\$5,443	\$2,689	\$4,363	\$6,615	2.9	0.3	51.1	64
7.2.9.6 Sinoatrial node dysfunction	60,686	0.17	\$17,281	\$9,008	\$16,271	\$22,852	4.9	0.8	46.3	76
7.2.9.7 Other cardiac dysrhythmias	97,886	0.28	\$7,178	\$2,895	\$4,778	\$8,232	3.5	1.1	41.3	65
7.2.10 Cardiac arrest and ventricular fibrillation [107.]	18,087	0.05	\$24,748	\$5,594	\$12,666	\$32,795	6.5	48.3	59.7	66
7.2.11 Congestive heart failure, nonhypertensive [108.]	941,503	2.71	\$11,088	\$4,473	\$7,225	\$12,146	6.9	5.6	46.0	74
7.2.11.1 Congestive heart failure	924,645	2.66	\$11,077	\$4,472	\$7,217	\$12,133	6.9	5.6	46.1	74
7.2.11.2 Heart failure	16,858	0.05	\$11,705	\$4,519	\$7,699	\$12,919	6.9	6.6	46.0	74

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹		Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
7.3	Cerebrovascular disease	989,285	2.84	\$12,901	\$4,933	\$8,109	\$13,574	6.9	7.3	46.6	72
7.3.1	Acute cerebrovascular disease [109.]	622,178	1.79	\$14,880	\$5,331	\$8,738	\$15,328	8.6	11.3	45.6	72
7.3.1.1	Intracranial hemorrhage	110,868	0.32	\$26,769	\$6,348	\$12,979	\$29,352	10.2	27.0	47.9	67
7.3.1.2	Occlusion of cerebral arteries	380,288	1.09	\$13,156	\$5,598	\$8,835	\$14,596	8.3	7.7	45.8	73
7.3.1.3	Acute but ill-defined cerebrovascular accident	131,021	0.38	\$9,921	\$4,309	\$6,813	\$10,958	8.1	8.3	43.0	75
7.3.2	Occlusion or stenosis of precerebral arteries [110.]	162,203	0.47	\$12,117	\$6,864	\$10,170	\$14,387	3.7	0.6	56.0	71
7.3.3	Other and ill-defined cerebrovascular disease [111.]	23,277	0.07	\$14,033	\$4,178	\$7,094	\$14,191	5.9	1.5	40.0	67
7.3.4	Transient cerebral ischemia [112.]	181,124	0.52	\$6,681	\$3,451	\$5,244	\$7,890	4.1	0.3	42.6	73
7.3.5	Late effects of cerebrovascular disease [113.]	503	0.00	\$9,665	\$2,475	\$5,062	\$9,851	35.1	1.9	40.4	73
7.4	Diseases of arteries, arterioles, and capillaries	362,566	1.04	\$21,695	\$6,281	\$13,103	\$25,187	7.4	7.4	54.2	68
7.4.1	Peripheral and visceral atherosclerosis [114.]	131,439	0.38	\$20,284	\$7,427	\$13,360	\$23,365	7.5	7.1	49.0	69
7.4.1.1	Atherosclerosis of arteries of extremities	72,943	0.21	\$19,069	\$8,858	\$14,528	\$23,258	6.6	2.2	56.8	69
7.4.1.2	Peripheral vascular disease unspecified	13,491	0.04	\$15,295	\$5,601	\$10,383	\$18,428	8.1	3.5	52.0	71
7.4.1.3	Other peripheral and visceral atherosclerosis	45,005	0.13	\$23,750	\$6,112	\$11,754	\$25,708	8.8	16.2	35.6	69
7.4.2	Aortic, peripheral, and visceral artery aneurysms [115.]	83,481	0.24	\$35,735	\$13,316	\$23,954	\$39,478	9.5	14.1	72.7	71
7.4.2.1	Abdominal aortic aneurysm, without rupture	41,833	0.12	\$33,000	\$17,400	\$25,261	\$37,217	9.6	4.9	78.5	72
7.4.2.2	Other aneurysm	41,648	0.12	\$38,469	\$9,165	\$21,296	\$44,049	9.4	23.3	66.9	69
7.4.3	Aortic and peripheral arterial embolism or thrombosis [116.]	59,460	0.17	\$21,463	\$8,568	\$15,046	\$25,908	7.9	5.4	51.0	68
7.4.3.1	Arterial embolism and thrombosis of lower extremity artery	40,066	0.12	\$21,025	\$8,571	\$14,701	\$25,102	8.2	5.2	52.0	70
7.4.3.2	Other arterial embolism and thrombosis	19,393	0.06	\$22,370	\$8,568	\$15,850	\$27,233	7.3	5.7	48.9	65
7.4.4	Other circulatory disease [117.]	88,187	0.25	\$10,676	\$3,498	\$6,070	\$11,066	5.0	2.7	46.5	65

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹		Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
7.5.1.1	Phlebitis and thrombophlebitis	48,768	0.14	\$7,394	\$3,582	\$5,405	\$8,434	6.2	0.7	40.5	63
7.5.1.2	Other venous embolism and thrombosis	136,694	0.39	\$8,686	\$4,071	\$5,997	\$9,541	6.9	1.4	44.4	64
7.5.2	Varicose veins of lower extremity [119.]	18,198	0.05	\$9,210	\$3,875	\$6,247	\$10,311	7.1	0.9	42.5	64
7.5.3	Hemorrhoids [120.]	25,698	0.07	\$5,606	\$2,844	\$4,238	\$6,462	2.9	0.3	53.3	56
7.5.4	Other diseases of veins and lymphatics [121.]	12,330	0.04	\$10,096	\$3,516	\$6,185	\$11,286	7.1	2.1	46.5	60
8	Diseases of the respiratory system	3,271,156	9.40	\$11,145	\$3,605	\$6,263	\$11,437	6.2	5.6	48.1	52
8.1	Respiratory infections	1,667,869	4.79	\$10,217	\$3,496	\$6,050	\$10,846	6.0	4.9	49.8	48
8.1.1	Pneumonia (except that caused by TB or STD) [122.]	1,268,177	3.64	\$11,785	\$4,205	\$7,097	\$12,538	6.9	6.4	49.4	56
8.1.1.1	Pneumococcal pneumonia	58,400	0.17	\$13,290	\$4,524	\$7,469	\$13,220	7.3	5.3	52.8	59
8.1.1.2	Other bacterial pneumonia	261,436	0.75	\$18,132	\$6,352	\$10,771	\$19,283	9.5	10.2	51.9	69
8.1.1.3	Pneumonia, organism unspecified	805,476	2.32	\$9,465	\$3,845	\$6,328	\$10,617	6.1	5.6	47.7	55
8.1.1.4	Other pneumonia	142,864	0.41	\$12,589	\$3,775	\$6,623	\$12,447	6.5	4.2	52.7	39
8.1.2	Influenza [123.]	13,869	0.04	\$5,961	\$2,260	\$3,594	\$6,023	4.0	1.1	41.9	45
8.1.3	Acute and chronic tonsillitis [124.]	45,645	0.13	\$3,893	\$1,998	\$2,933	\$4,403	2.0	0.0	49.5	18
8.1.4	Acute bronchitis [125.]	227,203	0.65	\$5,828	\$2,591	\$4,178	\$6,670	3.7	0.3	50.4	24
8.1.5	Other upper respiratory infections [126.]	112,975	0.32	\$4,535	\$1,863	\$3,079	\$5,145	2.7	0.1	54.5	20
8.1.5.1	Acute upper respiratory infections of multiple or unspecified sites	28,153	0.08	\$4,365	\$2,088	\$3,328	\$5,202	2.9	0.2	50.0	20
8.1.5.2	Chronic sinusitis	13,689	0.04	\$6,914	\$3,170	\$4,737	\$7,887	3.3	0.2	47.7	37
8.1.5.3	Croup	31,548	0.09	\$2,836	\$1,324	\$2,042	\$3,291	1.8	0.0	68.2	2
8.1.5.4	Other and unspecified upper respiratory infections	39,585	0.11	\$5,187	\$2,107	\$3,404	\$5,624	3.2	0.0	49.2	28
8.2	Chronic obstructive pulmonary disease and bronchiectasis [127.]	515,524	1.48	\$10,684	\$4,347	\$6,849	\$11,372	6.4	3.2	45.3	68
8.2.1	Emphysema	24,455	0.07	\$16,191	\$4,649	\$7,860	\$14,754	8.0	6.6	50.8	69
8.2.2	Chronic airway obstruction, not otherwise specified	103,946	0.30	\$11,046	\$4,362	\$6,997	\$11,701	7.3	5.3	47.4	71

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
8.3.1.2 Chronic obstructive asthma with status asthmaticus	31,049	0.09	\$11,137	\$4,537	\$7,423	\$12,337	6.4	1.7	30.9	61
8.3.2 Other and unspecified asthma	362,876	1.04	\$5,643	\$2,527	\$4,006	\$6,492	3.4	0.2	42.4	26
8.3.2.1 Other asthma without status asthmaticus	173,327	0.50	\$5,079	\$2,467	\$3,856	\$6,115	3.3	0.1	40.2	29
8.3.2.2 Other asthma with status asthmaticus	189,549	0.54	\$6,165	\$2,592	\$4,149	\$6,889	3.4	0.2	44.4	23
8.4 Aspiration pneumonitis, food/vomitus [129.]	150,478	0.43	\$18,892	\$6,565	\$11,549	\$21,251	10.7	20.2	54.0	74
8.5 Pleurisy, pneumothorax, pulmonary collapse [130.]	99,137	0.28	\$14,215	\$4,352	\$8,192	\$15,873	7.5	4.8	57.1	58
8.5.1 Pleurisy, pleural effusion	51,458	0.15	\$12,295	\$4,564	\$8,031	\$14,274	6.8	5.7	48.4	66
8.5.2 Pulmonary collapse, interstitial and compensatory emphysema	5,778	0.02	\$11,175	\$3,523	\$6,556	\$11,575	5.3	4.3	50.3	47
8.5.3 Empyema and pneumothorax	41,901	0.12	\$17,009	\$4,206	\$8,853	\$19,087	8.7	3.9	68.8	49
8.6 Respiratory failure, insufficiency, arrest (adult) [131.]	175,436	0.50	\$27,556	\$7,421	\$14,339	\$29,598	10.6	23.4	45.8	66
8.6.1 Respiratory failure	159,389	0.46	\$27,647	\$7,740	\$14,674	\$29,812	10.8	23.6	45.6	68
8.6.2 Other respiratory insufficiency	16,047	0.05	\$26,647	\$4,658	\$10,568	\$27,276	8.8	21.3	47.1	51
8.7 Lung disease due to external agents [132.]	7,688	0.02	\$14,410	\$4,112	\$7,531	\$14,791	6.7	7.3	61.4	56
8.8 Other lower respiratory disease [133.]	160,661	0.46	\$8,977	\$3,026	\$5,154	\$9,221	4.2	3.1	47.6	56
8.8.1 Postinflammatory pulmonary fibrosis	16,158	0.05	\$15,227	\$6,179	\$10,314	\$16,902	7.0	7.8	47.1	64
8.8.2 Painful respiration	66,503	0.19	\$4,912	\$2,608	\$3,994	\$6,072	2.3	0.1	45.5	59
8.8.3 Other and unspecified lower respiratory disease	78,000	0.22	\$11,134	\$3,284	\$6,039	\$11,453	5.2	4.7	49.6	51
8.9 Other upper respiratory disease [134.]	51,274	0.15	\$7,984	\$2,634	\$4,548	\$8,134	3.6	0.5	56.6	45
9 Diseases of the digestive system	2,993,965	8.61	\$11,210	\$3,897	\$6,823	\$12,040	5.4	2.2	44.3	55
9.1 Intestinal infection [135.]	127,245	0.37	\$5,922	\$2,042	\$3,448	\$6,084	3.9	0.9	40.6	39
9.2 Disorders of teeth and jaw [136.]	32,083	0.09	\$10,060	\$4,583	\$8,298	\$13,245	2.6	0.1	37.9	35
9.3 Diseases of mouth, excluding dental [137.]	17,725	0.05	\$7,631	\$3,038	\$5,092	\$8,774	4.1	0.7	48.1	46
9.4 Upper gastrointestinal disorders	400,525	1.15	\$9,259	\$3,407	\$5,683	\$9,684	4.7	1.4	44.8	57
9.4.1 Esophageal disorders [138.]	149,200	0.43	\$8,367	\$3,268	\$5,526	\$9,253	4.1	0.7	46.8	55

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹		Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
9.4.2.3	Peptic ulcer, site unspecified	10,556	0.03	\$7,228	\$2,828	\$4,491	\$7,918	4.1	1.3	43.8	56
9.4.2.4	Gastrojejunal ulcer	1,085	0.00	\$18,020	\$5,442	\$9,223	\$21,377	8.7	2.7	41.0	57
9.4.3	Gastritis and duodenitis [140.]	149,853	0.43	\$7,374	\$3,297	\$5,304	\$8,467	4.3	0.9	43.6	58
9.4.3.1	Acute gastritis	43,422	0.12	\$6,879	\$2,962	\$4,941	\$8,064	4.1	0.9	41.0	57
9.4.3.2	Other specified gastritis	55,682	0.16	\$8,178	\$3,795	\$5,867	\$9,152	4.6	0.9	46.3	59
9.4.3.3	Unspecified gastritis and gastroduodenitis	40,906	0.12	\$6,866	\$3,047	\$4,957	\$7,899	4.1	1.0	41.0	58
9.4.3.4	Duodenitis	9,843	0.03	\$7,136	\$3,337	\$5,192	\$8,334	4.3	0.6	50.2	55
9.4.4	Other disorders of stomach and duodenum [141.]	41,577	0.12	\$11,393	\$3,415	\$5,942	\$11,343	6.0	2.0	41.0	58
9.5	Abdominal hernia [143.]	164,867	0.47	\$10,741	\$4,406	\$7,131	\$11,620	4.5	1.2	49.8	60
9.5.1	Inguinal hernia	47,532	0.14	\$8,356	\$3,735	\$5,747	\$9,112	3.4	1.1	85.8	58
9.5.1.1	Inguinal hernia with obstruction or gangrene	21,694	0.06	\$10,691	\$4,386	\$6,843	\$11,266	4.5	2.1	82.6	60
9.5.1.2	Inguinal hernia without obstruction or gangrene	25,838	0.07	\$6,385	\$3,365	\$5,034	\$7,597	2.4	0.3	88.6	56
9.5.2	Diaphragmatic hernia	20,337	0.06	\$12,228	\$4,072	\$7,614	\$13,079	5.2	1.1	36.7	63
9.5.3	Other abdominal hernia	96,998	0.28	\$11,593	\$4,921	\$7,845	\$12,592	4.9	1.2	34.8	60
9.5.3.1	Femoral hernia with obstruction/gangrene	5,234	0.02	\$14,436	\$5,967	\$9,552	\$16,426	6.6	2.7	25.0	74
9.5.3.2	Femoral hernia without obstruction/gangrene	600	0.00	\$6,595	\$3,825	\$5,344	\$8,847	3.2	0.0	33.9	62
9.5.3.3	Umbilical hernia with obstruction/gangrene	8,766	0.03	\$10,587	\$4,283	\$6,886	\$11,799	4.4	2.2	39.7	58
9.5.3.4	Umbilical hernia without obstruction/gangrene	4,416	0.01	\$7,158	\$3,445	\$5,639	\$8,964	2.9	0.1	41.7	52
9.5.3.5	Ventral hernia with obstruction/gangrene	9,394	0.03	\$14,974	\$5,314	\$8,945	\$15,971	6.4	2.5	30.7	62
9.5.3.6	Ventral hernia without obstruction/gangrene	10,994	0.03	\$9,089	\$4,473	\$6,923	\$10,189	3.6	0.4	35.5	58
9.5.3.7	Incisional hernia with obstruction/gangrene	16,301	0.05	\$14,780	\$5,983	\$9,672	\$16,242	6.3	1.6	26.6	62

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
9.6.1.1 Acute appendicitis with abscess or peritonitis	71,484	0.21	\$14,243	\$7,304	\$11,011	\$16,567	6.4	0.5	60.5	35
9.6.1.2 Acute appendicitis without abscess or peritonitis	130,333	0.37	\$7,141	\$4,354	\$6,111	\$8,604	2.6	0.0	58.8	28
9.6.1.3 Acute appendicitis, not otherwise specified	7,617	0.02	\$7,128	\$3,945	\$5,746	\$8,728	2.6	0.1	50.6	28
9.6.1.4 Other appendiceal conditions	6,616	0.02	\$7,317	\$4,146	\$6,154	\$8,955	2.9	0.0	41.3	30
9.6.2 Regional enteritis and ulcerative colitis [144.]	61,746	0.18	\$13,431	\$4,594	\$8,223	\$15,224	7.4	0.7	41.3	45
9.6.3 Intestinal obstruction without hernia [145.]	256,970	0.74	\$13,187	\$3,698	\$6,953	\$14,627	7.2	3.7	41.2	65
9.6.3.1 Paralytic ileus	42,088	0.12	\$8,704	\$3,356	\$5,590	\$9,778	5.7	3.2	45.1	66
9.6.3.2 Impaction of intestine	28,464	0.08	\$7,409	\$2,711	\$4,727	\$8,394	5.3	3.4	37.2	70
9.6.3.3 Peritoneal or intestinal adhesions	67,403	0.19	\$21,961	\$6,957	\$13,969	\$25,509	10.5	3.5	37.4	63
9.6.3.4 Other intestinal obstruction	119,015	0.34	\$11,196	\$3,397	\$5,998	\$11,870	6.4	4.1	42.9	64
9.6.4 Diverticulosis and diverticulitis [146.]	216,585	0.62	\$12,422	\$4,557	\$7,537	\$13,604	6.4	1.4	39.8	68
9.6.4.1 Diverticulosis	72,639	0.21	\$10,896	\$4,219	\$6,798	\$11,490	5.7	1.4	41.8	74
9.6.4.2 Diverticulitis	143,947	0.41	\$13,190	\$4,745	\$8,027	\$14,830	6.8	1.4	38.8	65
9.6.5 Anal and rectal conditions [147.]	41,279	0.12	\$9,096	\$3,458	\$5,605	\$10,041	4.7	0.8	53.6	53
9.6.6 Peritonitis and intestinal abscess [148.]	21,056	0.06	\$21,971	\$6,739	\$12,237	\$23,060	9.7	7.8	49.4	55
9.7 Biliary tract disease [149.]	493,720	1.42	\$11,766	\$5,442	\$8,904	\$13,979	4.9	0.8	30.8	55
9.7.1 Cholelithiasis with acute cholecystitis	141,414	0.41	\$13,744	\$7,140	\$10,900	\$16,518	5.1	0.9	36.4	56
9.7.2 Cholelithiasis with other cholecystitis	201,727	0.58	\$10,246	\$5,240	\$8,134	\$12,234	4.5	0.4	24.2	53
9.7.3 Cholelithiasis without mention of cholecystitis	31,871	0.09	\$7,258	\$3,132	\$5,317	\$8,897	3.2	0.6	29.1	55
9.7.4 Calculus of bile duct	42,177	0.12	\$14,493	\$6,185	\$10,699	\$17,654	6.1	1.2	33.5	61
9.7.5 Cholecystitis without cholelithiasis	44,213	0.13	\$11,607	\$4,906	\$8,476	\$13,601	4.6	0.9	35.7	53
9.7.6 Other biliary tract disease	32,319	0.09	\$13,716	\$4,617	\$8,191	\$14,702	6.3	2.3	39.2	59
9.8 Liver disease	136,282	0.39	\$17,655	\$4,945	\$8,834	\$16,536	7.6	12.2	60.4	56
9.8.1 Liver disease, alcohol-related [150.]	60,261	0.17	\$17,277	\$5,314	\$9,271	\$16,849	7.6	12.1	70.8	52
9.8.2 Other liver disease [151.]	76,020	0.22	\$17,955	\$4,665	\$9,433	\$16,319	7.5	12.2	59.2	56

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
9.9 Pancreatic disorders (not diabetes) [152.]	190,159	0.55	\$14,499	\$4,402	\$7,531	\$13,918	7.1	1.8	50.1	52
9.9.1 Acute pancreatitis	154,563	0.44	\$14,290	\$4,337	\$7,314	\$13,209	7.0	2.0	50.5	53
9.9.2 Chronic pancreatitis	27,201	0.08	\$13,181	\$4,480	\$7,966	\$15,139	6.8	0.7	47.0	50
9.9.3 Other pancreatic disorders	8,395	0.02	\$22,588	\$5,985	\$12,315	\$24,059	10.3	1.6	52.9	53
9.10 Gastrointestinal hemorrhage [153.]	317,690	0.91	\$10,932	\$4,133	\$6,615	\$11,142	5.5	4.6	52.5	67
9.10.1 Hemorrhage from gastrointestinal ulcer	151,943	0.44	\$12,955	\$4,713	\$7,294	\$12,356	6.0	3.7	56.2	67
9.10.2 Melena	27,656	0.08	\$8,388	\$3,524	\$5,864	\$9,756	4.6	4.6	46.4	69
9.10.3 Gastroesophageal laceration syndrome	12,830	0.04	\$9,037	\$3,625	\$5,931	\$9,820	4.3	1.5	64.3	55
9.10.4 Other esophageal bleeding	7,705	0.02	\$12,300	\$5,070	\$8,333	\$13,953	5.7	6.6	63.2	60
9.10.5 Hemorrhage of rectum and anus	10,254	0.03	\$7,220	\$2,844	\$4,822	\$8,106	4.5	3.0	43.8	67
9.10.6 Hematemesis	16,580	0.05	\$8,134	\$3,191	\$5,310	\$9,185	4.5	7.1	50.7	61
9.10.7 Hemorrhage of gastrointestinal tract	90,721	0.26	\$9,416	\$3,811	\$6,192	\$10,305	5.3	6.2	46.9	70
9.11 Noninfectious gastroenteritis [154.]	161,836	0.47	\$4,288	\$1,847	\$2,984	\$4,947	3.1	0.3	39.8	39
9.12 Other gastrointestinal disorders [155.]	138,149	0.40	\$14,024	\$4,207	\$8,104	\$14,833	6.7	2.7	38.6	58
9.12.1 Constipation	17,260	0.05	\$4,698	\$2,093	\$3,276	\$5,521	3.4	0.7	39.7	58
9.12.2 Dysphagia	6,493	0.02	\$8,316	\$2,909	\$4,876	\$8,951	6.4	2.4	44.7	69
9.12.3 Other and unspecified gastrointestinal disorders	114,395	0.33	\$15,759	\$5,186	\$9,376	\$16,395	7.3	3.0	38.1	57
10 Diseases of the genitourinary system	1,609,402	4.63	\$8,141	\$3,832	\$6,032	\$9,268	4.1	1.4	33.7	53
10.1 Diseases of the urinary system	819,511	2.36	\$8,747	\$3,261	\$5,583	\$9,653	5.1	2.7	45.0	56
10.1.1 Nephritis, nephrosis, renal sclerosis [156.]	13,754	0.04	\$11,068	\$2,984	\$5,724	\$11,281	5.6	1.0	54.3	41
10.1.2 Acute and unspecified renal failure [157.]	76,634	0.22	\$16,548	\$5,764	\$10,382	\$19,569	8.9	14.8	53.4	69
10.1.2.1 Acute renal failure	70,577	0.20	\$17,056	\$5,968	\$10,822	\$20,245	9.0	14.5	53.6	69
10.1.2.2 Unspecified renal failure	6,056	0.02	\$10,672	\$3,850	\$6,846	\$11,880	7.7	18.1	51.1	72
10.1.3 Chronic renal failure [158.]	28,743	0.08	\$18,766	\$4,498	\$9,093	\$20,818	7.7	7.4	51.3	60
10.1.4 Urinary tract infections [159.]	399,854	1.15	\$7,664	\$3,429	\$5,369	\$8,714	5.5	1.8	29.2	58
10.1.4.1 Infections of kidney	117,055	0.34	\$6,407	\$2,981	\$4,563	\$7,208	4.3	0.4	16.2	40

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
10.1.6 Other diseases of kidney and ureters [161.]	41,313	0.12	\$10,764	\$4,974	\$8,197	\$12,812	5.0	1.0	45.8	47
10.1.6.1 Hydronephrosis	6,763	0.02	\$10,025	\$4,180	\$7,327	\$12,067	4.8	0.9	48.8	53
10.1.6.2 Other and unspecified diseases of kidney and ureters	34,550	0.10	\$10,911	\$5,114	\$8,322	\$12,925	5.0	1.1	45.2	46
10.1.7 Other diseases of bladder and urethra [162.]	32,631	0.09	\$9,434	\$3,812	\$5,834	\$9,995	4.4	0.8	76.6	64
10.1.7.1 Bladder neck obstruction	11,463	0.03	\$6,419	\$3,536	\$4,962	\$7,035	3.2	0.4	97.7	72
10.1.7.2 Other and unspecified diseases of bladder and urethra	21,167	0.06	\$11,057	\$4,041	\$6,725	\$11,969	5.1	0.9	65.2	60
10.1.8 Genitourinary symptoms and ill-defined conditions [163.]	32,880	0.09	\$7,497	\$2,861	\$5,041	\$8,675	4.1	1.0	68.4	64
10.1.8.1 Hematuria	14,224	0.04	\$7,306	\$2,560	\$4,461	\$7,928	3.9	1.3	72.3	64
10.1.8.2 Retention of urine	9,108	0.03	\$6,334	\$2,750	\$4,666	\$7,836	4.2	0.6	77.2	69
10.1.8.3 Other and unspecified genitourinary symptoms	9,547	0.03	\$8,907	\$3,552	\$6,493	\$11,154	4.2	1.0	54.2	61
10.2 Diseases of male genital organs	172,387	0.50	\$7,205	\$3,890	\$5,647	\$8,249	3.4	0.3	100.0	67
10.2.1 Hyperplasia of prostate [164.]	131,905	0.38	\$7,020	\$4,089	\$5,735	\$8,131	3.3	0.2	100.0	72
10.2.2 Inflammatory conditions of male genital organs [165.]	23,307	0.07	\$6,859	\$3,026	\$4,821	\$7,780	4.5	0.5	100.0	52
10.2.3 Other male genital disorders [166.]	17,175	0.05	\$9,117	\$3,360	\$5,982	\$10,762	2.6	0.4	100.0	45
10.3 Diseases of female genital organs	617,504	1.77	\$7,592	\$4,622	\$6,565	\$9,198	3.0	0.1	0.1	45
10.3.1 Nonmalignant breast conditions [167.]	34,276	0.10	\$7,560	\$4,357	\$6,551	\$9,624	2.1	0.1	2.5	40
10.3.2 Inflammatory diseases of female pelvic organs [168.]	88,253	0.25	\$7,755	\$3,756	\$5,992	\$9,215	3.7	0.1	0.0	33
10.3.2.1 Pelvic peritoneal adhesions	18,597	0.05	\$8,505	\$5,281	\$7,373	\$9,990	3.1	0.0	0.0	37
10.3.2.2 Cervicitis and endocervicitis	5,902	0.02	\$7,953	\$5,213	\$7,240	\$9,574	2.9	0.1	0.0	40
10.3.2.3 Pelvic inflammatory disease (PID)	18,673	0.05	\$5,051	\$2,736	\$4,114	\$6,137	3.2	0.1	0.0	26
10.3.2.4 Other inflammatory diseases of female pelvic organs	45,081	0.13	\$8,549	\$3,744	\$6,113	\$10,056	4.3	0.1	0.0	34
10.3.3 Endometriosis [169.]	80,555	0.23	\$8,159	\$5,418	\$7,290	\$9,829	2.9	0.0	0.0	39

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
10.3.9.1 Female genital pain and other symptoms	68,159	0.20	\$7,017	\$4,575	\$6,362	\$8,607	2.7	0.0	0.0	50
10.3.9.2 Other and unspecified female genital disorders	44,193	0.13	\$9,061	\$5,034	\$7,207	\$10,252	3.6	0.3	0.0	47
11 Complications of pregnancy, childbirth, and the puerperium	4,378,662	12.59	\$4,314	\$2,404	\$3,433	\$5,113	2.2	0.0	0.0	27
11.1 Contraceptive and procreative management [176.]	4,329	0.01	\$6,215	\$3,866	\$5,349	\$7,559	2.0	0.0	0.8	33
11.1.1 Sterilization	1,890	0.01	\$6,028	\$3,228	\$4,651	\$7,312	1.9	0.0	0.3	32
11.1.2 Other contraceptive and procreation management	2,439	0.01	\$6,357	\$4,254	\$5,604	\$7,701	2.1	0.0	1.3	34
11.2 Abortion-related disorders	50,862	0.15	\$3,995	\$1,907	\$3,010	\$4,773	1.4	0.0	0.0	27
11.2.1 Spontaneous abortion [177.]	31,185	0.09	\$3,817	\$1,956	\$3,035	\$4,705	1.3	0.0	0.0	27
11.2.2 Induced abortion [178.]	15,704	0.05	\$3,974	\$1,728	\$2,798	\$4,518	1.4	0.0	0.0	26
11.2.3 Postabortion complications [179.]	3,974	0.01	\$5,536	\$2,426	\$3,855	\$6,111	2.6	0.1	0.0	26
11.3 Complications mainly related to pregnancy	1,087,937	3.13	\$4,856	\$2,268	\$3,543	\$5,662	2.6	0.0	0.0	27
11.3.1 Ectopic pregnancy [180.]	43,442	0.12	\$7,350	\$4,772	\$6,713	\$9,107	2.3	0.1	0.0	29
11.3.2 Hemorrhage during pregnancy, abruptio placenta, placenta previa [182.]	61,243	0.18	\$6,248	\$2,297	\$4,229	\$7,187	3.7	0.0	0.0	28
11.3.2.1 Placenta previa	13,773	0.04	\$10,448	\$4,559	\$6,679	\$10,112	6.8	0.1	0.0	31
11.3.2.2 Abruptio placenta	24,340	0.07	\$6,358	\$3,051	\$4,874	\$7,681	3.2	0.0	0.0	27
11.3.2.3 Other hemorrhage during pregnancy, childbirth and the puerperium	23,130	0.07	\$3,644	\$1,504	\$2,362	\$4,124	2.5	0.0	0.0	28
11.3.3 Hypertension complicating pregnancy, childbirth and the puerperium [183.]	171,998	0.49	\$6,015	\$2,917	\$4,627	\$7,249	3.2	0.0	0.0	27
11.3.3.1 Preeclampsia and eclampsia	96,090	0.28	\$7,192	\$3,481	\$5,516	\$8,686	3.7	0.0	0.0	26
11.3.3.2 Other hypertension in pregnancy	75,908	0.22	\$4,524	\$2,509	\$3,731	\$5,531	2.5	0.0	0.0	28
11.3.4 Early or threatened labor [184.]	272,537	0.78	\$4,853	\$1,904	\$3,265	\$5,503	2.9	0.0	0.0	26
11.3.4.1 Threatened premature labor	110,025	0.32	\$3,989	\$1,465	\$2,617	\$4,670	2.8	0.0	0.0	26
11.3.4.2 Early onset of delivery	140,402	0.40	\$6,018	\$2,752	\$4,029	\$6,630	3.3	0.0	0.0	26
11.3.4.3 Other early or threatened labor	22,109	0.06	\$1,688	\$734	\$1,169	\$1,913	0.8	0.0	0.0	25

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
11.3.7.2 Anemia during pregnancy	55,964	0.16	\$3,628	\$2,204	\$2,995	\$4,048	1.8	0.0	0.0	25
11.3.7.3 Mental disorders during pregnancy	16,995	0.05	\$4,231	\$2,223	\$3,191	\$4,621	3.2	0.1	0.0	27
11.3.7.4 Missed abortion	15,740	0.05	\$4,079	\$2,246	\$3,204	\$4,799	1.3	0.1	0.0	28
11.3.7.5 Hyperemesis gravidarum	39,252	0.11	\$3,299	\$1,496	\$2,321	\$3,680	2.9	0.0	0.0	25
11.3.7.6 Infectious and parasitic complications in mother affecting pregnancy	37,982	0.11	\$4,891	\$2,459	\$3,679	\$5,600	2.4	0.1	0.0	26
11.3.7.7 Other and unspecified complications of pregnancy	121,357	0.35	\$4,334	\$2,031	\$3,107	\$4,701	2.3	0.0	0.0	27
11.4 Indications for care in pregnancy, labor, and delivery	1,211,749	3.48	\$5,272	\$3,100	\$4,596	\$6,598	2.6	0.0	0.0	28
11.4.1 Malposition, malpresentation [187.]	156,195	0.45	\$5,912	\$3,919	\$5,370	\$7,138	2.9	0.0	0.0	28
11.4.1.1 Breech presentation	80,055	0.23	\$5,848	\$4,129	\$5,361	\$6,924	3.0	0.0	0.0	28
11.4.1.2 Other malposition, malpresentation	76,140	0.22	\$5,980	\$3,654	\$5,384	\$7,385	2.9	0.0	0.0	28
11.4.2 Fetopelvic disproportion, obstruction [188.]	155,134	0.45	\$5,913	\$3,654	\$5,487	\$7,575	2.8	0.0	0.0	27
11.4.2.1 Fetopelvic disproportion	42,233	0.12	\$6,683	\$4,791	\$6,197	\$8,056	3.3	0.0	0.0	27
11.4.2.2 Other disproportion or obstruction	112,900	0.32	\$5,621	\$3,271	\$5,082	\$7,341	2.7	0.0	0.0	27
11.4.3 Previous C-section [189.]	270,875	0.78	\$5,282	\$3,523	\$4,886	\$6,517	2.5	0.0	0.0	30
11.4.4 Fetal distress and abnormal forces of labor [190.]	421,572	1.21	\$4,913	\$2,737	\$4,095	\$6,318	2.4	0.0	0.0	27
11.4.4.1 Fetal distress	182,437	0.52	\$5,078	\$2,874	\$4,250	\$6,406	2.4	0.0	0.0	27
11.4.4.2 Uterine inertia	154,071	0.44	\$5,627	\$3,322	\$4,959	\$7,310	2.7	0.0	0.0	27
11.4.4.3 Precipitate labor	54,336	0.16	\$2,847	\$1,885	\$2,565	\$3,356	1.3	0.0	0.0	28
11.4.4.4 Other abnormal forces of labor	30,728	0.09	\$3,992	\$2,520	\$3,422	\$4,742	2.1	0.0	0.0	27
11.4.5 Polyhydramnios and other problems of amniotic cavity [191.]	207,973	0.60	\$5,031	\$2,725	\$3,896	\$5,715	2.7	0.0	0.0	27
11.4.5.1 Premature rupture of membranes	109,192	0.31	\$4,289	\$2,535	\$3,516	\$4,992	2.2	0.0	0.0	27
11.4.5.2 Infection of amniotic cavity	13,610	0.04	\$5,994	\$3,500	\$5,018	\$7,002	2.8	0.0	0.0	25
11.4.5.3 Other problems of amniotic cavity	85,171	0.24	\$5,836	\$2,981	\$4,327	\$6,529	3.3	0.0	0.0	27
11.5 Complications during labor	1,043,165	3.00	\$3,314	\$2,257	\$2,998	\$3,943	1.6	0.0	0.0	27
11.5.1 Umbilical cord complications [192.]	268,957	0.77	\$3,379	\$2,371	\$3,099	\$3,996	1.6	0.0	0.0	27

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
11.5.2.1 First degree perineal laceration	299,634	0.86	\$3,176	\$2,176	\$2,893	\$3,783	1.5	0.0	0.0	27
11.5.2.2 Second degree perineal laceration	248,475	0.71	\$3,198	\$2,149	\$2,886	\$3,839	1.5	0.0	0.0	27
11.5.2.3 Third degree perineal laceration	69,058	0.20	\$3,470	\$2,380	\$3,140	\$4,150	1.7	0.0	0.0	27
11.5.2.4 Fourth degree perineal laceration	32,339	0.09	\$3,536	\$2,435	\$3,241	\$4,243	1.8	0.0	0.0	26
11.5.2.5 Other perineal laceration and trauma	7,836	0.02	\$3,340	\$2,163	\$3,023	\$3,847	1.7	0.0	0.0	26
11.5.3 Forceps delivery [194.]	117,767	0.34	\$3,601	\$2,571	\$3,315	\$4,243	1.7	0.0	0.0	26
11.6 Other complications of birth, puerperium affecting management of mother [195.]	369,737	1.06	\$4,265	\$2,372	\$3,363	\$4,875	2.1	0.0	0.0	27
11.6.1 Postpartum hemorrhage	21,882	0.06	\$4,424	\$2,209	\$3,278	\$4,825	1.9	0.0	0.0	27
11.6.2 Complications of the puerperium	33,768	0.10	\$5,826	\$2,510	\$3,712	\$5,957	3.3	0.2	0.0	27
11.6.3 Cervical incompetence	12,159	0.03	\$5,965	\$2,372	\$3,619	\$6,022	3.9	0.0	0.0	29
11.6.4 Rhesus isoimmunization	19,135	0.06	\$3,393	\$2,345	\$3,132	\$4,062	1.5	0.0	0.0	27
11.6.5 Intrauterine death	15,094	0.04	\$4,949	\$2,613	\$3,879	\$5,625	1.9	0.0	0.0	27
11.6.6 Failed induction	16,717	0.05	\$4,603	\$1,697	\$3,436	\$6,636	2.3	0.0	0.0	27
11.6.7 Other obstetrical trauma	73,361	0.21	\$3,439	\$2,239	\$2,979	\$3,969	1.6	0.0	0.0	25
11.6.8 Other and unspecified complications of birth, puerperium affecting management of mother	177,620	0.51	\$4,174	\$2,486	\$3,501	\$5,025	2.1	0.0	0.0	28
11.7 Normal pregnancy and/or delivery [196.]	610,884	1.76	\$3,190	\$2,131	\$2,848	\$3,725	1.5	0.0	0.0	26
11.7.1 Normal delivery	581,236	1.67	\$3,066	\$2,128	\$2,821	\$3,646	1.5	0.0	0.0	26
11.7.2 Multiple gestation	21,232	0.06	\$7,134	\$3,855	\$5,387	\$7,660	3.6	0.1	0.0	29
11.7.3 Outcome of delivery (V codes)	8,416	0.02	\$1,796	\$925	\$1,431	\$2,249	1.2	0.0	0.0	27
12 Diseases of the skin and subcutaneous tissue	441,364	1.27	\$9,370	\$3,419	\$5,795	\$10,283	6.7	1.1	50.1	54
12.1 Skin and subcutaneous tissue infections [197.]	340,483	0.98	\$7,920	\$3,176	\$5,254	\$8,955	5.7	0.6	51.8	52
12.1.1 Cellulitis and abscess	327,155	0.94	\$7,967	\$3,194	\$5,296	\$9,043	5.8	0.6	51.8	53
12.1.1.1 Cellulitis and abscess of fingers and toes	22,287	0.06	\$7,138	\$2,846	\$4,821	\$8,275	5.0	0.3	55.3	49
12.1.1.2 Cellulitis and abscess of face	21,534	0.06	\$5,970	\$2,510	\$4,072	\$6,714	4.0	0.3	49.6	37
12.1.1.3 Cellulitis and abscess of arm	33,581	0.10	\$7,084	\$2,893	\$4,725	\$7,949	4.9	0.5	52.8	49
12.1.1.4 Cellulitis and abscess of hand	22,289	0.06	\$6,066	\$2,434	\$4,007	\$6,924	4.1	0.1	63.5	44

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
12.3.1 Decubitus ulcer	38,165	0.11	\$19,626	\$6,560	\$11,855	\$21,749	14.5	4.9	45.8	67
12.3.2 Chronic ulcer of leg	36,022	0.10	\$11,820	\$4,818	\$7,988	\$13,813	8.8	1.4	45.2	65
12.3.3 Other chronic skin ulcer	2,714	0.01	\$12,580	\$4,574	\$8,207	\$15,262	8.0	1.6	44.8	57
12.4 Other skin disorders [200.]	13,047	0.04	\$8,240	\$3,525	\$6,012	\$9,555	3.5	0.2	38.7	44
13 Diseases of the musculoskeletal system and connective tissue	1,352,930	3.89	\$13,565	\$5,441	\$10,406	\$17,983	5.2	0.5	44.7	58
13.1 Infective arthritis and osteomyelitis (except that caused by TB or STD) [201.]	69,241	0.20	\$17,742	\$6,476	\$11,331	\$20,513	10.6	1.0	59.5	53
13.2 Non-traumatic joint disorders	454,455	1.31	\$17,789	\$12,115	\$17,103	\$22,654	5.7	0.3	38.3	67
13.2.1 Rheumatoid arthritis and related disease [202.]	27,961	0.08	\$14,265	\$5,544	\$11,676	\$18,857	5.8	0.7	24.4	61
13.2.2 Osteoarthritis [203.]	384,866	1.11	\$19,037	\$13,833	\$18,012	\$23,401	5.8	0.2	38.8	69
13.2.2.1 Osteoarthritis, localized	178,002	0.51	\$19,244	\$13,932	\$18,316	\$23,638	5.6	0.2	39.4	69
13.2.2.2 Osteoarthritis, generalized and unspecified	206,864	0.59	\$18,864	\$13,771	\$17,794	\$23,186	6.0	0.3	38.3	69
13.2.3 Other non-traumatic joint disorders [204.]	41,628	0.12	\$8,646	\$3,499	\$6,004	\$10,694	4.2	0.3	43.1	52
13.3 Spondylosis, intervertebral disc disorders, other back problems [205.]	506,742	1.46	\$10,093	\$4,764	\$7,635	\$12,127	3.7	0.2	52.0	53
13.3.1 Spondylosis and allied disorders	55,751	0.16	\$12,955	\$5,356	\$9,539	\$15,570	5.1	0.5	46.9	63
13.3.2 Intervertebral disc disorders	324,832	0.93	\$9,570	\$4,913	\$7,497	\$11,447	3.2	0.1	55.9	48
13.3.3 Other back problems	126,159	0.36	\$10,175	\$4,014	\$7,378	\$12,700	4.6	0.3	44.0	61
13.3.3.1 Cervical radiculitis	5,245	0.02	\$7,870	\$3,232	\$5,753	\$10,196	3.1	0.1	46.5	53
13.3.3.2 Spinal stenosis, lumbar region	62,097	0.18	\$12,718	\$6,398	\$9,927	\$15,344	5.0	0.3	45.2	67
13.3.3.3 Lumbago	19,545	0.06	\$5,723	\$2,315	\$3,839	\$6,711	4.3	0.2	40.4	55
13.3.3.4 Sciatica	4,438	0.01	\$5,893	\$2,543	\$4,296	\$7,185	4.8	0.2	31.8	58
13.3.3.5 Thoracic or lumbosacral neuritis or radiculitis, unspecified	9,620	0.03	\$7,728	\$3,552	\$5,831	\$9,457	4.7	0.1	43.9	56
13.3.3.6 Backache, unspecified	7,328	0.02	\$5,495	\$2,305	\$3,803	\$6,382	3.8	0.8	37.6	59
13.3.3.7 Other back pain and disorders	17,887	0.05	\$11,294	\$3,594	\$7,211	\$13,939	4.5	0.3	48.9	54
13.4 Osteoporosis [206.]	1,829	0.01	\$8,318	\$3,613	\$5,504	\$9,246	7.6	1.6	13.4	76

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
13.8 Other connective tissue disease [211.]	104,308	0.30	\$9,373	\$3,381	\$5,393	\$8,738	4.5	0.7	50.3	54
13.9 Other bone disease and musculoskeletal deformities [212.]	86,782	0.25	\$13,960	\$5,160	\$9,685	\$18,334	4.2	0.2	43.5	49
14 Congenital anomalies	115,657	0.33	\$21,888	\$5,232	\$9,658	\$21,711	5.9	1.5	53.9	15
14.1 Cardiac and circulatory congenital anomalies [213.]	35,204	0.10	\$37,127	\$7,892	\$20,180	\$40,602	7.8	3.5	50.5	16
14.1.1 Transposition of great vessels	774	0.00	\$58,191	\$9,074	\$30,831	\$82,169	11.5	4.7	69.9	2
14.1.2 Tetralogy of Fallot	2,759	0.01	\$49,535	\$8,286	\$33,552	\$60,244	9.3	4.6	56.1	4
14.1.3 Ventricular septal defect	4,054	0.01	\$32,976	\$7,022	\$22,400	\$38,155	7.2	2.4	54.1	6
14.1.4 Atrial septal defect	5,129	0.01	\$26,208	\$14,470	\$22,953	\$31,617	5.3	0.5	34.3	24
14.1.5 Endocardial cushion defects	1,450	0.00	\$54,269	\$10,145	\$29,190	\$61,166	10.9	6.9	38.7	6
14.1.6 Pulmonary valve atresia and stenosis	1,146	0.00	\$37,152	\$6,736	\$12,159	\$34,232	7.1	5.0	51.8	7
14.1.7 Aortic valve stenosis	1,086	0.00	\$37,488	\$9,122	\$27,284	\$49,062	6.4	3.2	62.8	18
14.1.8 Patent ductus arteriosus	1,979	0.01	\$26,461	\$7,569	\$11,188	\$16,052	6.6	1.6	37.2	4
14.1.9 Coarctation of aorta	1,800	0.01	\$35,510	\$9,551	\$18,702	\$37,474	8.1	1.4	68.4	5
14.1.10 Pulmonary artery anomalies	1,302	0.00	\$37,536	\$7,467	\$13,026	\$36,433	6.7	2.0	49.1	7
14.1.11 Cerebrovascular anomalies	3,034	0.01	\$30,008	\$6,710	\$14,905	\$34,866	6.5	1.2	45.4	37
14.1.12 Other cardiac and circulatory congenital anomalies	10,690	0.03	\$40,991	\$7,102	\$20,605	\$46,697	8.9	6.1	55.3	20
14.2 Digestive congenital anomalies [214.]	17,654	0.05	\$14,904	\$4,286	\$6,751	\$13,314	6.2	0.4	68.0	10
14.2.1 Esophageal atresia/tracheoesophageal fistula	701	0.00	\$56,390	\$8,813	\$31,808	\$62,808	23.0	0.9	59.1	9
14.2.2 Pyloric stenosis	7,588	0.02	\$5,928	\$3,624	\$4,954	\$6,722	3.0	0.1	81.8	1
14.2.3 Rectal and large intestine atresia/stenosis	1,202	0.00	\$19,270	\$6,532	\$11,564	\$20,645	6.8	0.4	54.0	1
14.2.4 Hirshsprung's disease	1,666	0.00	\$18,232	\$6,259	\$12,441	\$22,336	7.4	0.0	77.2	5
14.2.5 Other digestive congenital anomalies	6,498	0.02	\$19,378	\$5,389	\$9,970	\$18,510	7.6	0.7	53.0	23
14.3 Genitourinary congenital anomalies [215.]	13,456	0.04	\$11,470	\$4,415	\$7,287	\$11,716	4.4	0.4	55.3	22
14.3.1 Undescended testicle	833	0.00	\$6,058	\$3,175	\$4,783	\$7,714	1.8	0.0	100.0	9
14.3.2 Hypospadias and epispadias	2,116	0.01	\$7,410	\$4,291	\$5,993	\$8,960	3.0	0.0	100.0	5
14.3.3 Obstructive genitourinary defect	3,056	0.01	\$11,690	\$6,115	\$8,891	\$13,704	4.9	0.0	59.6	16

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
14.5.1 Cleft palate without cleft lip	2,733	0.01	\$7,549	\$4,280	\$5,813	\$7,766	2.2	0.0	44.9	3
14.5.2 Cleft lip with or without cleft palate	4,492	0.01	\$7,677	\$4,595	\$6,190	\$8,310	1.8	0.3	62.0	4
14.5.3 Congenital hip dislocation	2,553	0.01	\$12,748	\$6,824	\$10,282	\$15,784	4.6	0.2	36.0	9
14.5.4 All other congenital anomalies	33,396	0.10	\$17,270	\$5,045	\$8,980	\$16,799	5.1	0.8	51.8	19
15 Certain conditions originating in the perinatal period	3,963,382	11.39	\$3,817	\$575	\$834	\$1,434	3.0	0.4	51.4	0
15.1 Liveborn [218.]	3,842,525	11.04	\$3,280	\$569	\$819	\$1,356	2.8	0.3	51.2	0
15.2 Short gestation, low birth weight, and fetal growth retardation [219.]	23,469	0.07	\$49,090	\$6,229	\$17,666	\$46,924	22.4	5.6	54.0	0
15.3 Intrauterine hypoxia and birth asphyxia [220.]	1,099	0.00	\$30,192	\$4,815	\$12,139	\$36,035	11.6	15.2	56.6	0
15.4 Respiratory distress syndrome [221.]	6,875	0.02	\$61,142	\$16,031	\$29,874	\$67,906	23.6	5.0	63.3	0
15.5 Hemolytic jaundice and perinatal jaundice [222.]	35,789	0.10	\$2,709	\$1,079	\$1,696	\$2,785	2.3	0.0	56.8	0
15.6 Birth trauma [223.]	807	0.00	\$30,313	\$971	\$6,858	\$17,959	12.4	2.1	64.3	0
15.7 Other perinatal conditions [224.]	52,818	0.15	\$15,090	\$2,663	\$5,244	\$12,340	6.7	1.5	55.2	0
15.7.1 Respiratory conditions of fetus and newborn, other than respiratory distress	21,266	0.06	\$21,568	\$3,401	\$8,553	\$18,925	8.5	1.2	57.0	0
15.7.2 Infections specific to the perinatal period	13,600	0.04	\$9,025	\$2,824	\$4,541	\$8,407	5.3	0.7	53.3	0
15.7.3 Endocrine and metabolic disturbances of fetus and newborn	3,123	0.01	\$11,375	\$2,155	\$4,182	\$8,640	4.7	0.4	54.9	0
15.7.4 Other and unspecified perinatal conditions	14,829	0.04	\$12,135	\$2,130	\$3,811	\$8,314	6.0	2.9	54.3	0
16 Injury and poisoning	2,748,474	7.90	\$14,294	\$4,115	\$8,029	\$15,243	5.8	2.0	50.5	52
16.1 Joint disorders and dislocations, trauma-related [225.]	70,205	0.20	\$9,383	\$4,776	\$7,266	\$11,065	2.8	0.1	60.9	37
16.2 Fractures	978,061	2.81	\$13,650	\$5,325	\$9,670	\$16,022	6.3	1.5	41.2	59
16.2.1 Fracture of neck of femur (hip) [226.]	334,601	0.96	\$16,491	\$9,735	\$13,724	\$19,508	8.4	3.1	25.4	79
16.2.2 Skull and face fractures [228.]	57,294	0.16	\$12,819	\$4,116	\$7,644	\$13,946	3.8	0.6	73.8	33
16.2.3 Fracture of upper limb [229.]	143,516	0.41	\$9,594	\$3,934	\$6,543	\$10,970	3.6	0.4	49.3	46
16.2.3.1 Fracture of humerus	58,013	0.17	\$10,196	\$3,894	\$6,739	\$11,927	4.3	0.7	37.8	51
16.2.3.2 Fracture of radius and ulna	60,540	0.17	\$9,378	\$4,135	\$6,712	\$10,604	3.1	0.2	49.8	44
16.2.3.3 Other fracture of upper limb	24,963	0.07	\$8,714	\$3,563	\$5,787	\$9,539	3.0	0.2	74.5	40

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
16.2.5.1 Fracture of vertebral column without mention of spinal cord injury	60,728	0.17	\$12,077	\$3,524	\$6,015	\$11,832	6.3	1.2	45.1	59
16.2.5.2 Fracture of ribs, closed	35,650	0.10	\$11,518	\$3,501	\$6,066	\$11,493	5.2	1.6	51.8	62
16.2.5.3 Fracture of pelvis	58,259	0.17	\$13,421	\$3,541	\$5,997	\$12,241	7.9	1.5	31.7	64
16.2.5.4 Other and unspecified fracture	15,502	0.04	\$13,019	\$3,460	\$5,785	\$9,808	4.8	1.6	49.4	50
16.3 Spinal cord injury [227.]	13,368	0.04	\$53,868	\$10,214	\$26,577	\$62,098	17.4	5.0	72.0	42
16.4 Intracranial injury [233.]	171,738	0.49	\$21,443	\$3,599	\$8,037	\$19,107	7.2	8.0	65.5	41
16.4.1 Concussion	38,874	0.11	\$6,419	\$2,195	\$4,042	\$7,681	2.6	0.2	61.4	36
16.4.2 Other intracranial injury	132,864	0.38	\$25,901	\$4,560	\$10,252	\$24,668	8.5	10.3	66.8	42
16.5 Crushing injury or internal injury [234.]	102,937	0.30	\$26,070	\$5,916	\$11,931	\$24,823	7.3	4.9	73.7	37
16.6 Open wounds	121,579	0.35	\$9,017	\$3,270	\$5,626	\$9,838	3.2	0.3	74.5	34
16.6.1 Open wounds of head, neck, and trunk [235.]	55,749	0.16	\$8,956	\$3,189	\$5,663	\$9,953	2.8	0.6	73.5	33
16.6.2 Open wounds of extremities [236.]	65,830	0.19	\$9,068	\$3,324	\$5,601	\$9,715	3.5	0.1	75.4	35
16.7 Sprains and strains [232.]	94,131	0.27	\$6,219	\$3,352	\$5,270	\$7,946	2.4	0.0	57.2	50
16.8 Superficial injury, contusion [239.]	51,875	0.15	\$5,612	\$2,385	\$3,977	\$6,721	3.4	0.5	46.8	52
16.9 Burns [240.]	42,465	0.12	\$29,107	\$3,550	\$8,821	\$23,400	11.0	3.1	66.9	32
16.10 Complications	774,233	2.23	\$16,679	\$5,077	\$9,814	\$19,000	6.5	1.8	50.7	58
16.10.1 Complication of device, implant or graft [237.]	458,859	1.32	\$19,198	\$6,561	\$12,291	\$22,472	6.6	2.0	52.6	60
16.10.1.1 Malfunction of device, implant, and graft	213,234	0.61	\$20,000	\$7,171	\$13,734	\$24,415	5.5	1.4	54.5	63
16.10.1.2 Infection and inflammation--internal prosthetic device, implant, and graft	97,629	0.28	\$19,769	\$6,389	\$11,766	\$22,145	10.1	2.9	51.2	55
16.10.1.3 Other complications of internal prosthetic device, implant, and graft	122,108	0.35	\$16,798	\$6,228	\$11,043	\$19,831	5.4	2.0	49.6	61
16.10.1.4 Complications of transplants and reattached limbs	21,410	0.06	\$23,691	\$5,356	\$9,902	\$21,958	7.8	3.0	58.5	40
16.10.2 Complications of surgical procedures or medical care [238.]	315,374	0.91	\$13,026	\$3,775	\$6,961	\$13,410	6.5	1.6	47.9	56
16.10.2.1 Cardiac complications	16,703	0.05	\$12,117	\$4,124	\$7,092	\$12,512	4.7	2.5	55.1	65

Table 1
Statistics for 1995 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	25 %tile charges	Median charges	75 %tile charges	Mean LOS	Percent died	Percent male	Mean age
16.10.2.7 Other complications of surgical and medical procedures	82,272	0.24	\$12,487	\$3,680	\$6,741	\$12,873	6.1	1.7	46.8	55
16.11 Poisoning	239,642	0.69	\$5,811	\$2,306	\$3,637	\$6,076	2.6	0.9	42.8	36
16.11.1 Poisoning by psychotropic agents [241.]	74,134	0.21	\$5,683	\$2,389	\$3,620	\$5,897	2.4	0.5	38.0	36
16.11.2 Poisoning by other medications and drugs [242.]	135,674	0.39	\$5,702	\$2,344	\$3,680	\$6,105	2.7	1.0	41.2	36
16.11.3 Poisoning by nonmedicinal substances [243.]	29,834	0.09	\$6,621	\$1,932	\$3,419	\$6,363	3.0	1.2	62.2	33
16.12 Other injuries and conditions due to external causes [244.]	88,241	0.25	\$7,776	\$2,228	\$4,109	\$8,058	3.3	2.3	58.8	42
17 Symptoms, signs, and ill-defined conditions and factors influencing health status	964,365	2.77	\$10,973	\$3,298	\$6,385	\$13,028	8.8	1.7	42.1	60
17.1 Symptoms, signs, and ill-defined conditions	555,907	1.60	\$7,705	\$2,717	\$4,622	\$8,125	4.3	1.8	42.7	55
17.1.1 Syncope [245.]	187,241	0.54	\$6,290	\$3,016	\$4,831	\$7,589	3.5	0.3	44.3	68
17.1.2 Fever of unknown origin [246.]	68,419	0.20	\$6,662	\$2,744	\$4,361	\$7,635	4.2	0.6	51.8	37
17.1.3 Lymphadenitis [247.]	21,820	0.06	\$6,030	\$2,539	\$4,317	\$7,100	3.3	0.1	50.5	23
17.1.4 Gangrene [248.]	53,143	0.15	\$23,101	\$8,416	\$14,769	\$27,180	12.3	6.3	51.8	73
17.1.5 Shock [249.]	8,520	0.02	\$18,859	\$4,237	\$9,198	\$19,101	6.2	52.1	49.2	68
17.1.6 Nausea and vomiting [250.]	30,015	0.09	\$5,349	\$2,226	\$3,646	\$6,045	3.5	0.9	31.4	54
17.1.7 Abdominal pain [251.]	153,223	0.44	\$5,041	\$2,199	\$3,692	\$6,157	2.8	0.6	35.0	45
17.1.8 Malaise and fatigue [252.]	12,745	0.04	\$7,900	\$2,787	\$4,542	\$8,800	6.7	1.4	39.3	68
17.1.9 Allergic reactions [253.]	20,780	0.06	\$4,541	\$1,823	\$3,003	\$5,110	3.0	0.4	39.9	43
17.2 Factors influencing health care	408,457	1.17	\$15,440	\$5,539	\$11,063	\$19,592	15.0	1.5	41.2	66
17.2.1 Rehabilitation care, fitting of prostheses, and adjustment of devices [254.]	312,796	0.90	\$17,397	\$7,359	\$12,752	\$21,624	16.3	0.8	41.0	69
17.2.2 Administrative/social admission [255.]	4,779	0.01	\$3,611	\$828	\$2,402	\$4,146	4.1	8.3	50.8	48
17.2.3 Medical examination/evaluation [256.]	18,978	0.05	\$3,062	\$660	\$1,755	\$3,556	2.7	0.0	52.8	35
17.2.4 Other aftercare [257.]	71,163	0.20	\$10,372	\$3,086	\$5,975	\$12,392	12.8	4.7	38.4	64
17.2.5 Other screening for suspected conditions (not mental disorders or infectious disease) [258.]	741	0.00	\$9,178	\$4,074	\$9,217	\$13,071	4.9	0.0	39.9	30

discharges is less than 70. Estimates presented here have a relative error of less than 30%. Out of the “All Discharges” category, 24,511 discharges had missing or invalid diagnosis codes and are not presented in the table details.

Acronyms used in Table 1: GI—gastrointestinal; HIV—human immunodeficiency virus; LOS—length of stay in hospital (in days); STD—sexually transmitted disease; and TB—tuberculosis.